

Vidyavardhini's College of Engineering &

Technology

Department of Artificial Intelligence and Data Science

Name:	Aryan Mohan Parab
Roll No:	36
Class/Sem:	SE/IV
Experiment No.:	10
Title:	Program for printing the string using procedure and macro.
Date of Performance:	01/04/24
Date of Submission:	08/04/24
Marks:	
Sign of Faculty:	



Vidyavardhini's College of Engineering & Technology

Aim:	Program	for	printing	the	string	using	procedure	and	macro.
------	---------	-----	----------	-----	--------	-------	-----------	-----	--------

Theory:

Procedures:-

- Procedures are used for large group of instructions to be repeated.
- Object code generated only once. Length of the object file is less the memory
- CALL and RET instructions are used to call procedure and return from procedure.
- More time required for its execution.
- Procedure Can be defined as:

Procedure_name PROC
Procedure_name ENDP
Example:
Addition PROC near

Addition ENDP



Macro:-

- Macro is used for small group of instructions to be repeated.
- Object code is generated every time the macro is called.
- Object file becomes very lengthy.



Vidyavardhini's College of Engineering & Technology

- Macro can be called just by writing.
- Directives MACRO and ENDM are used for defining macro.
- Less time required for its execution.
- Macro can be defined as:

```
Macro_name MACRO [Argument, ...., Argument N]
.....
ENDM
Example:-
Display MACRO msg
.....
```

Code: org 100h

ENDM

```
print macro p1
lea dx,p1 mov
ah,09h
int 21h
endm
.data
m1 db 10,13,"Leaning Macro$"
m2 db 10,13,"Macros are fun$"
m3 db 10,13,"Hello World$"
.code
print m1
```



print m2 print m3

ret

Vidyavardhini's College of Engineering & Technology

Output:



```
Code: org 100h   .data msg1 db
    10,13,'Learning Procedure$' msg2 db
    10,13,'Procedure are funs$' msg3 db
    10,13,'Hello world$'
```



```
.code lea
dx, msq1
call print
lea dx,
msg2 call
print
lea dx,
msq3 call
print mov
ah, 4CH int
21h
 print
PROC mov
ah,09h int
21h ret
print ENDP
ret
```



Vidyavardhini's College of Engineering & Technology



Conclusion:

In this experiment, we learn that employing both procedures and macros to print strings in assembly language yields distinct advantages. Procedures offer structured, reusable blocks of code, enhancing clarity and facilitating debugging. On the other hand, macros provide compile-time expansion and customization options, though they may pose challenges in debugging due to inline expansion. The choice between procedures and macros depends on the specific needs of the program, with procedures favored for modularity and ease of debugging, while macros excel in flexibility and customization.

1.Differentiate between procedure and macros.

Ans: Procedures and macros serve similar purposes in programming, but they have distinct characteristics:

1. Procedures:

- Procedures are reusable blocks of code that perform specific tasks and can be called from multiple places within a program.
- They are typically defined using a specific programming construct, such as a function or subroutine, and follow a specific calling convention for parameter passing and return values.



- Procedures provide encapsulation, allowing the programmer to organize code into manageable and modular units, enhancing readability, maintainability, and code reuse.

2. Macros:

- Macros are preprocessor directives that define a sequence of instructions or expressions which are substituted into the code wherever the macro is invoked.
- They are expanded inline during the preprocessing phase of compilation, effectively replacing the macro invocation with the defined code before the actual compilation process begins.
- Macros are often used for code generation, repetitive tasks, or defining shorthand notations, providing a convenient way to customize and extend the language syntax without modifying the compiler or interpreter.

In summary, procedures are reusable code blocks that provide encapsulation and follow a specific calling convention, while macros are preprocessor directives that are expanded inline during compilation and are primarily used for code generation and customization of the language syntax.

2. Explain CALL and RET instructions.

The CALL and RET instructions are fundamental to subroutine (or function) invocation and return in assembly language programming. Here's an explanation of each:

CALL Instruction:

The CALL instruction is used to transfer control to a subroutine or function. It allows the program to jump to a



Vidyavardhini's College of Engineering & Technology

specific memory address where the subroutine begins.

When the CALL instruction is executed, the address of the instruction following the CALL (the return address) is pushed onto the stack. This allows the program to return to the correct location after the subroutine completes its execution.

Syntax: CALL destination

Example: CALL subroutine addressCALL subroutine addr

After executing the CALL instruction, the control flow of the program jumps to the specified subroutine.

RET Instruction:

The RET instruction is used to return control from a subroutine back to the main program or to the calling code.

When the RET instruction is executed, it pops the return address from the top of the stack and jumps to that address, resuming execution from the instruction following the original CALL.

Syntax: RET Example: RET

The RET instruction typically does not take any operands. It simply retrieves the return address from the stack and jumps to that address.

