

CI/CD Pipelines

CI/CD Pipelines is your central dashboard for managing AWS-native continuous integration and delivery pipelines. Trigger pipeline runs, monitor execution history, investigate errors, and get a full view of every pipeline provisioned through your Infrastructure Projects — without switching to the AWS console.

What is CI/CD Pipelines?

The CI/CD Pipelines section surfaces all AWS CodePipeline pipelines that have been provisioned through QuickInfra Infrastructure Projects. The intended workflow is clear — you define and create your pipelines as part of an Infrastructure Project using AWS CodeCommit, CodeBuild, CodeDeploy, and CodePipeline modules, and then manage and monitor those pipelines here on an ongoing basis.

From this section you can trigger pipeline executions manually, review the full run history for any pipeline, and drill into individual executions to see stage-by-stage results and identify the exact point and reason for any failure.

Note: CI/CD Pipelines currently supports **AWS CodePipeline** — using CodeCommit for source, CodeBuild for build, and CodeDeploy for deployment stages. Support for additional providers such as GitHub Actions, GitLab CI, and Jenkins is coming in a future update.

The Intended Workflow

CI/CD Pipelines is a management layer, not a creation tool. Pipelines are created upstream in an **Infrastructure Project** using the AWS CodePipeline Terraform modules. Once provisioned, they appear here automatically, ready to be triggered and monitored.

This separation keeps concerns clean — Infrastructure Projects handle provisioning, and CI/CD Pipelines handles day-to-day operations. You provision once, then manage continuously from this section without ever touching the infrastructure configuration again.

What You Can Do Here

Trigger a Pipeline — Manually kick off a pipeline execution from QuickInfra. Useful for re-running a deployment after a hotfix, or triggering a run outside of the automatic source-change trigger.

View Execution History — See a chronological list of all past pipeline runs with their start time, duration, trigger source, and final status — Succeeded, Failed, or Stopped.

Investigate Errors — Drill into any failed execution to see which stage failed — source, build, or deploy — and view the detailed error message and logs for that stage. This gives you a fast feedback loop without needing to navigate into the AWS console.

View All Pipelines — See every CodePipeline pipeline across your connected AWS accounts that was created through an Infrastructure Project, with their current state and last execution result at a glance.

AWS Services Under the Hood

QuickInfra's CI/CD integration is built on four AWS native services that work together as a complete pipeline:

AWS CodeCommit — Git-based source repository. Pipeline runs trigger automatically on code push.

AWS CodeBuild — Managed build service. Compiles code, runs tests, and produces deployment artifacts.

AWS CodeDeploy — Automated deployment service. Delivers build artifacts to EC2 instances, ECS, or Lambda.

AWS CodePipeline — Orchestration layer. Connects source, build, and deploy stages into a single automated workflow.

✔ **Tip:** If a pipeline is not appearing in this section, verify that it was provisioned through a QuickInfra Infrastructure Project and that the cloud account it belongs to is connected. Pipelines created directly in the AWS console are not automatically visible here.

Key Things to Know

Pipelines are provisioned through Infrastructure Projects — this section is for ongoing management only, not creation.

Manual triggers from this section initiate a full pipeline run from the source stage, identical to an automatic trigger.

Execution history is retained in AWS and surfaced here — the retention period depends on your AWS account settings.

Support for additional CI/CD providers beyond AWS is on the roadmap and will be added in a future QuickInfra update.