

Write a Python program to perform the following dictionary operations:

- Create an empty dictionary and display it.
- Ask the user how many items to add, then input key-value pairs.
- Show the dictionary after adding items.
- Ask the user to update a key's value. Print "Value updated" if the key exists, otherwise print "Key not found".
- Retrieve and print a value using a key. If not found, print "Key not found".
- Use `get()` to retrieve a value. If the key doesn't exist, print "Key not found".
- Delete a key-value pair. If the key exists, delete and print "Deleted". If not, print "Key not found".
- Display the updated dictionary.

Note: Refer to visible test cases.

```
data = {}
print("Empty dictionary:", data)

n = int(input("How many items do you want to add? "))

for i in range(n):
    key = input("Enter key: ")
    value = input("Enter value: ")
    data[key] = value
    print("Dictionary after adding items:", data)
```

```
>> | -- - - -  
===== RESTART: C:/Users/Dell/  
Empty dictionary: {}  
How many items do you want to add? 19  
Enter key: 1  
Enter value: 100  
Dictionary after adding items: {'1': '100'}  
Enter key: 2  
Enter value: 101  
Dictionary after adding items: {'1': '100', '2': '101'}  
Enter key: |
```

```
update_key = input("Enter key to update: ")
```

```
if update_key in data:  
    new_value = input("Enter new value: ")  
    data[update_key] = new_value  
    print("Value updated")  
else:  
    print("Key not found")
```

```
Enter value: 10  
Dictionary after adding items: {'1': '11', '2': '12', '3': '13'}  
Enter key to update: 2  
Enter new value: 122  
Value updated
```

```
search_key = input("Enter key to retrieve value: ")
```

```
if search_key in data:  
    print("Value:", data[search_key])  
else:  
    print("Key not found")
```

```
Enter new value. 122
Value updated
Enter key to retrieve value: 2
Value: 122
|
```

```
Enter key to retrieve value: 2
Key not found
```

```
delete_key = input("Enter key to delete: ")

if delete_key in data:
    del data[delete_key]
    print("Deleted")
else:
    print("Key not found")
|
print("Updated dictionary:", data)
```

```
value. 115
Enter key to delete: 8
Deleted
Updated dictionary: {'1': '11', '2': '12', '3': '13', '4': '14', '5': '115', '6': '16', '7': '17', '9': '19', '10': '20'}
```

```
Enter value: 20
Dictionary after adding items: {'1': '11', '2': '12', '3': '13', '4': '14', '5': '15', '6': '16', '7': '17', '8': '18', '9': '19', '10': '20'}
Enter key to update: 5
Enter new value: 115
Value updated
Enter key to retrieve value: 5
Value: 115
Enter key to delete: 8
Deleted
Updated dictionary: {'1': '11', '2': '12', '3': '13', '4': '14', '5': '115', '6': '16', '7': '17', '9': '19', '10': '20'}
```
