Database-SQL Foundation (69533901)

Company Name
Capgemini India Technology services Pvt Ltd

Employee Name
aryan.b.raj

Date of Attempt
24-Aug-2025

Employee ID
-

Index

Score Analysis

Your scores, a quick overview of your performance and your overall percentage.

Section Score Analysis

A quick overview of sectional performance along with percentages.

Section Skill Analysis

An overview of your proficiency in specific skills.

Individual Development Plan - IDP

Focus on your strengths and the areas of improvement, along with developmental tips to work on.

Difficulty Level Analysis

A comprehensive insight into the candidate's performance at 3 difficulty levels.

Proctoring Analysis

A quick overview of the proctoring-related aspects of the assessment.

Test Log

A quick overview of the test status, timestamp, and recorded IP address.

Question Details

An overview of each question and the candidate's response, offering a thorough assessment of their performance.

Disclaimer

Disclaimer on subjective customised assessments.

Score Analysis

Score: 40/ 40 **Time Taken: 36 min 57 sec / 90 min**

Proficient (100%)



Beginner (0% - 25%) | Intermediate (26% - 50%) | Experienced (51% - 75%) | Proficient (76% - 100%)

aryan.b.raj scored **100%** and completed assessment in **41%** of the alloted time

Test Navigation Mode: Fixed Section Order

Section Score Analysis

Section	Percentage
SQL Coding	40/40 (100%)

Section Skill Analysis

Section 1: SQL Coding

Total Score: **40/ 40** Negative Points: **0** Time Taken: **36 min 57 sec/90 min**

Question Analysis:

Total Question: **8** Correct: **8** Wrong: **0** Skipped: **0** Not Answered: **0**

Skills	#Questions	Skill Score
MySQL Coding	8	40/40

Identification of strengths and skill improvement needs

Strength

Congratulations! We have identified **MySQL** as your strengths.

Improvement area

Congratulations! You have performed well and shown excellence in these skills. However, you will become stronger when you know your weaknesses. So go ahead and **take another skill assessment to identify your areas of improvement.**

A guide to get started on your Individual Development Plan (IDP) :

Difficulty Level Analysis

Level	Number of Questions	Correct Attempts	Correctness
Easy	3	3	100%
Medium	3	3	100%
Hard	2	2	100%

Proctoring Analysis

Images Captured: 75 **Image Violations: 2**

iMocha

Image violations detected, within tolerable limit.

Multiple Faces Detected	0
No Face Detected	1
Unrecognized Face Detected	1

Note: The total violations are based on the custom violation settings for this test. The number of consecutive images considered as one violation is configured for all the categories (Unrecognized Face, Multiple Faces, No Face) and may differ from the default settings.

Window Violation: 0 **Time Violation: 0 min**

Time Flag: Early Finisher Flag

This candidate completed the test in 36 min 57 sec which is significantly faster than the average test time of 71 min 39 sec.

Test Log

Test Status	Date & Time	Captured IP address
Appeared On	24 Aug 2025, 10:39 PM	167.103.2.247
Completed On	24 Aug 2025, 11:16 PM	167.103.2.247
Report Generated On	24 Aug 2025, 11:17 PM	167.103.2.247

Question Details

Question: **#1**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Easy**	Time Taken: **4 min 54 sec**	Average Time: **6 min 2 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #1

Order By: Employee Names as "AK"

You are given data from a company that has multiple employees.

Your task is to find the employees such that their first_name starts with "A" and last_name starts with "K".

Write a query to *Select the emp_no, first_name, and last_name* of the employees whose *first_name starts with "A" and last_name starts with "K".*

The query should return three columns: ***emp_no***, ***first_name***, and ***last_name***.

Note

The result should be ordered by ***emp_no***.

Select only the first 10 employees after ordering by ***emp_no*** (It is guaranteed that the Result Set will contain more than 10 rows).

This is a *"MySQL question"*. Only MySQL Syntax AND *"Select * from Where... Queries"* will work with this question. Do not use *UPDATE, DELETE, and so on.*

Table Schema

employees

iMocha

1. emp_no
2. first_name
3. last_name
4. birth_date
5. gender
6. hire_date

Sample Input

employees

emp_no	first_name	last_name	birth_date	gender	hire_date
101	John	Carter	1960-10-12	M	1990-04-24
102	Alex	Kading	1963-06-04	M	1993-01-12
103	Lilly	Kholes	1952-02-26	F	1990-09-27
104	Arno	Koshino	1958-09-24	M	1986-04-21
105	Clement	Paul	1953-03-07	M	1993-10-13

Result Set

This is the sample Result Set. The view may differ from the actual output.

Sample Output

emp_no	first_name	last_name
102	Alex	Kading
104	Arno	Koshino

Answer:

Coding Language: MySQL

Candidate Code:

```
-- Tables required
-- Table : employees
-- Only Select Queries will run.
-- Write your query here

SELECT emp_no, first_name, last_name
FROM employees
where first_name like 'A%'
AND last_name like 'K%'
order by emp_no
limit 10;
```

Compilation Summary:

Compilation Status: **Compile Successfully**

Defualt Input:

No Of Compilations: **3**

Candidate Output:

**10227 | Anneli | Kaiser
10380 | Alejandro | Kambl e
10486 | Amstein | Kossowski
10897 | Arno | Kumaresan
11747 | Aksel | Kossowski
11978 | Aran | Khalid
12037 | Arunas | Katzenelson
12 179 | Arto | Koshino
12381 | Amalendu | Klerer
12739 | Aral | Kading**

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output

iMocha

Expected Output

10227 | Anneli | Kaiser10380 | Alejandro | Kamble10486 | Amstein | Kossowski10897 | Arno | Kumaresan11747 | Aksel | Kossowski11978 | Arar

Question: **#2**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Easy**	Time Taken: **7 min 14 sec**	Average Time: **6 min 32 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #2

Hire Date and Title

You are given data from a company that has multiple employees.

Write a query to fetch the year of hire_date and job title held by an employee whose employee number is 10087.

The query should return 2 columns**:** "***hire_date***" and "***title***".

This is a `"MySQL question"`. Only `"Select * from Where... Queries"` will work with this question. Do not use `UPDATE, DELETE, and so on.`

Table Schema

employees

emp_no
birth_date
first_name
last_name
gender
hire_date

iMocha

titles

emp_no
title
from_date
to_date

Sample Input

employees

emp_no	birth_date	first_name	last_name	gender	hire_date
10055	1960-10-12	John	Carter	M	1990-04-24
10087	1963-06-04	Satin	Teel	M	1993-01-12

titles

emp_no	title	from_date	to_date
10055	Technique Leader	1990-04-24	9999-01-01
10087	Engineer	1993-12-03	1995-01-01
10014	Technique Leader	1995-01-01	9999-12-01

Result Set

This is the sample Result Set. The view may differ from the actual output.

Sample Output

hire_date	title
1993	Engineer

Answer:

Coding Language: MySQL

Candidate Code:

```
SELECT YEAR(e.hire_date) AS hire_date,
t.title
FROM employees e
join titles t
on e.emp_no = t.emp_no
WHERE e.emp_no = 10087;
```

Compilation Summary:

Compilation Status: **Compile Successfully**
Defualt Input:
No Of Compilations: **8**
Candidate Output:
1986 | Staff

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output	Actual Output
1986 | Staff	1986 | Staff

Question: **#3**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Easy**	Time Taken: **2 min 16 sec**	Average Time: **5 min 35 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #3

Joins: Research Managers

You are given data from a company that has multiple employees.

Write a query to fetch the employee number of all the employees who have served as managers of the Research department.

The query should return one column: "**emp_no**".

This is a `"MySQL Question"`. Only `"Select * from Where... Queries"` will work with this question. Do not use `UPDATE, DELETE` etc.

Table Schema

dept_manager

emp_no
dept_no
from_date
to_date

departments

dept_no
dept_name

Sample Input

dept_manager

emp_no	dept_no	from_date	to_date
10601	d001	1985-10-12	1991-04-24
10002	d002	1985-06-04	1989-01-12
10034	d002	1989-06-04	1992-01-12

departments

dept_no	dept_name
d001	Sales
d002	Research

Result Set

This is the sample Result Set. The view may differ from the actual output.

Sample Output

emp_no
10002
10034

Answer:

Coding Language: MySQL

Candidate Code:

iMocha

```
SELECT dm.emp_no
FROM dept_manager dm
JOIN departments d
ON dm.dept_no = d.dept_no
WHERE d.dept_name = 'Research';
```

Compilation Summary:

Compilation Status: **Compile Successfully**	No Of Compilations: **2**
Defualt Input:	Candidate Output: **111400 111534**

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output	Actual Output
111400111534	111400 111534

Question: **#4**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Medium**	Time Taken: **2 min 22 sec**	Average Time: **6 min 51 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #4

Joins: Non-Production Employees

You are given data from a company that has multiple employees.

Your task is to find the count of Distinct employees who don't work for the "Production" department.

Write a query to Select the Count of the employees who don't work for the Production department.

The query should return one Column ***"Count"***.

This is *"MySQL Question"*. Only MySQL Syntax AND only *"Select * from Where... Queries"* will work with this question. Do not use `UPDATE, DELETE, etc.`

Table Schema

departments

1. **dept_no**

1. dept_name

dept_emp

1. **emp_no**
2. **dept_no**

1. from_date
2. to_date

Sample Input

departments

dept_no	dept_name
d001	Finance

iMocha

d002	Sales
d003	Production

dept_emp

emp_no	dept_no	from_date	to_date
101	d002	1997-11-30	9999-01-01
102	d001	1993-12-27	9999-01-01
103	d001	1993-02-22	1993-10-27
104	d003	1995-05-31	9999-01-01

ResultSet

This is a sample ResultSet. The view may differ from the actual output.

Sample Output

Count
3

Answer:

Coding Language: MySQL

Candidate Code:

```
select count(distinct de.emp_no) as count
from dept_emp de
join departments d on de.dept_no = d.dept_no
where d.dept_name <> 'Production';
```

Compilation Summary:

Compilation Status: **Compile Successfully**	No Of Compilations: **2**
Defualt Input:	Candidate Output: **240535**

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output	Actual Output
240535	240535

Question: **#5**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Medium**	Time Taken: **3 min 44 sec**	Average Time: **15 min 58 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #5

Operators: Salary of Employees

You are given data from a company that has multiple employees.

Write a query to find the employees having a salary greater than or equal to (maximum salary among all the employees + minimum salary among all the employees) / 2 as on '2000-01-01'.

The query should return only two columns: '***emp_no***' and '***salary***'.

The result should be ordered by: the '***emp_no***' column in **ascending order**. Limit the result to the ***top 10 entries only***.

iMocha

This is a *"My SQL question"*. Only *"Select * from Where... Queries"* will work with this Question. Do not use `UPDATE, DELETE, and so on.`

Table Schema

salaries
emp_no
salary
from_date
to_date

Sample Input
salaries

emp_no	salary	from_date	to_date
101	10000	1997-11-30	1993-12-27
101	20000	1993-12-27	2000-02-01
102	4500	1993-02-22	1993-10-27
102	44500	1993-10-27	2000-02-01

Result Set
This is the sample Result Set. The view may differ from the actual output.

Sample Output

emp_id	salary
102	44500

Answer:

Coding Language: MySQL

Candidate Code:

```
-- Tables required
-- Table : salaries
-- Only Select Queries will run.
-- Write your query here

SELECT emp_no,salary
FROM salaries
where from_date <= '2000-01-01'
and (to_date is null or to_date >= '2000-01-01')
and salary >= (
   (Select max(salary) from salaries)+
   (Select min(salary) from salaries)
)/2
order by emp_no
limit 10;
```

Compilation Summary:

Compilation Status: **Compile Successfully**
Defualt Input:

No Of Compilations: **2**
Candidate Output:
**10066 | 99199
10068 | 111623
10087 | 98460
10151 | 107356
10173 | 102345
10232 | 103510
10237 | 125947
10256 | 105183
10258 | 105128
10296 | 100781**

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output

iMocha

Expected Output

10066 | 9919910068 | 11162310087 | 9846010151 | 10735610173 | 10234510232 | 10351010237 | 12594710256 | 10518310258 | 10512810296 | 100781

Question: **#6**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Medium**	Time Taken: **4 min 37 sec**	Average Time: **12 min 22 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #6

Special Employees

You are given data from a company that has multiple employees.

Your task is to select the number of employees in each department who joined the department in April, have last_names starting with "A" and ending with "S", and whose first_name length is 6.

The query should return only two columns: "***dept_name***", and "***employee_strength***".

The result should be Ordered by the "**employee_strength**" in **descending order** and "**dept_name**" in **reverse alphabetical order**.

Only *"Select * from Where... Queries"* will work with this question. Do not use `UPDATE, DELETE, etc.`

Table Schema

employees
emp_no
first_name
last_name
birth_date
gender
hire_date

dept_emp
emp_no
dept_no

iMocha

from_date
to_date

departments

dept_no
dept_name

Sample Input

employees

emp_no	first_name	last_name	birth_date	gender	hire_date
101	Johnny	Sasha	1960-10-12	M	1990-04-24
102	Kolly	Wasabi	1963-01-04	M	1996-12-15
103	Lilly	Sasha	1952-02-26	F	1991-09-27
104	Sheldon	Cooper	1958-01-24	M	1995-04-21

dept_emp

emp_no	dept_no	from_date	to_date
101	d001	1997-04-30	9999-01-01
102	d002	1993-12-27	9999-01-01
103	d002	1993-02-22	1993-10-27
104	d003	1995-04-31	9999-01-01

departments

dept_no	dept_name
d001	Finance
d002	Sales
d003	Production

Result Set

This is the sample Result Set. The view may differ from the actual output.

Sample Output

dept_name	employee_strength
Production	1
Finance	1

Answer:

Coding Language: MySQL

Candidate Code:

```
SELECT d.dept_name, COUNT(e.emp_no) AS
employee_strength
FROM employees e
JOIN dept_emp de on e.emp_no = de.emp_no
JOIN departments d on de.dept_no = d.dept_no
where month(de.from_date) = 4
and e.last_name like 'A%S'
and length(e.first_name) = 6
group by d.dept_name
order by employee_strength desc,
dept_name desc;
```

Compilation Summary:

Compilation Status: **Compile Successfully** No Of Compilations: **2**
Defualt Input:

iMocha

Candidate Output:

**Production | 9
Sales | 6
Development | 6
Research | 5
Marketing | 2
Customer Service | 2
Quality Management | 1
Human Resources | 1**

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output	Actu Outp
Production | 9Sales | 6Development | 6Research | 5Marketing | 2Customer Service | 2Quality Management | 1Human Resources | 1	Proc 9 Sa Dev Actu | 6 R Outp | 5 M | 2 C Serv Qua Man | 1 H Reso

Question: **#7**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Hard**	Time Taken: **3 min 3 sec**	Average Time: **6 min 8 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #7

Joins: Highest Salary from Every Department

Data from a company that has multiple employees is given.

Your task is to find the maximum salary of department managers from every department.

Write a query to select the department name and the maximum salary among all the department managers of that respective department, as there can be more than one employee who worked as a department manager of that department.

The query should return only two columns: ***"dept_name" and "MaxSalary",*** which will be an alias for the maximum salary among all department managers who worked for that department.

The result should be ordered by the ***"dept_name"*** column.

This is a *"MySQL"* question. Only MySQL Syntax and *"Select * from Where..."* queries will work with this question. Do not use `UPDATE, DELETE, and so on.`

Table Schema

salaries

emp_no
salary
from_date
to_date

dept_manager

emp_no
dept_no

iMocha

from_date
to_date

departments

dept_no
dept_name

Sample Input

salaries

emp_no	salary	from_date	to_date
101	10000	1997-11-30	9999-01-01
102	5000	1993-02-22	1993-10-27
103	7000	1995-05-31	1996-04-01
104	8000	1993-10-28	9999-01-01
105	4000	1996-04-02	9999-01-01

dept_manager

emp_no	dept_no	from_date	to_date
101	d001	1997-11-30	9999-01-01
102	d002	1993-02-22	1993-10-27
103	d003	1995-05-31	1996-04-01
104	d002	1993-10-28	9999-01-01
105	d003	1996-04-02	9999-01-01

departments

dept_no	dept_name
d001	Production
d002	Marketing
d003	Sales

Result Set

This is a sample Result Set. The view may differ from the actual output.

Sample Output

dept_name	MaxSalary
Marketing	8000
Production	10000
Sales	7000

Answer:

Coding Language: MySQL

Candidate Code:

```
-- Tables required
-- Table : salaries
-- Table : dept_manager
-- Table : departments
-- Only Select Queries will run.
-- Write your query here

Select d.dept_name, max(s.salary) as maxsalary
from dept_manager dm
join departments d on dm.dept_no = d.dept_no
join salaries s on dm.emp_no = s.emp_no
group by d.dept_name
order by d.dept_name;
```

Compilation Summary:

Compilation Status: **Compile Successfully** No Of Compilations: **2**

iMocha

Defualt Input:	Candidate Output:
	Customer Service | 73953 Development | 74510 Finance | 88443 Human Resources | 79229 Marketing | 108407 Production | 75121 Quality Management | 93193 Research | 103244 Sales | 101987

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output

Expected Output

Customer Service | 73953Development | 74510Finance | 88443Human Resources | 79229Marketing | 108407Production | 75121Quality Ma

Question: **#8**	Type: **MySQL**	Skill: **MySQL Coding**	Status: **Answered**
Result: **Correct**	Level: **Hard**	Time Taken: **8 min 47 sec**	Average Time: **10 min 50 sec**
Score: **5 / 5**	Window Violation: **0 times**	Time Violation: **0 sec**	

Question #8

Employees Department and Names

Olivia Davis, a proficient data analyst at Visionary Systems, is assigned to display the number of employees who joined their departments in January, have last names starting with "A" and ending with "S," and have a first name length of 6 characters. She must retrieve this information from the company's employee database to analyze each department's hiring patterns and diversity. The collected data will be used to assess the company's recruitment strategies and employee demographics.

Write an SQL query to select the number of employees in each department who joined the department in January, have last_names starting with "A" and ending with "S", and whose first_name length is 6.

The query should return only 2 columns: "**dept_name**" and "**employee_strength**".

The result should be ordered by "**employee_strength**" in **descending order** and "**dept_name**" in **reverse alphabetical order**.

This is a `"MySQL Question"`. Only `"Select * from Where... Queries"` will work with this question. Do not use `UPDATE, DELETE` etc.

Table Schema

employees

emp_no
birth_date
first_name
last_name
gender
hire_date

dept_emp

emp_no
dept_no
from_date
to_date

departments

dept_no
dept_name

Sample Input

employees

emp_no	first_name	last_name	birth_date	gender	hire_date
101	Johnny	Arshas	1960-10-12	M	1990-01-24
102	Kolly	Wasabi	1963-01-04	M	1996-12-15
103	Lilly	Cooper	1952-02-26	F	1991-01-27
104	Sharon	Amdas	1958-01-24	F	1995-01-21

dept_emp

emp_no	dept_no	from_date	to_date
101	d001	1997-04-30	9999-01-01
102	d002	1993-12-27	9999-01-01
103	d002	1993-02-22	1993-10-27
104	d003	1995-04-31	9999-01-01

departments

dept_no	dept_name
d001	Finance
d002	Sales
d003	Production

Result Set

This is the sample Result Set. The view may differ from the actual output.

Sample Output

dept_name	employee_strength
Production	1
Finance	1

Answer:

Coding Language: MySQL

iMocha

Candidate Code:

```
Select d.dept_name,COUNT(e.emp_no) AS
employee_strength
FROM employees e
join dept_emp de on e.emp_no = de.emp_no
join departments d on de.dept_no = d.dept_no
where month(de.from_date) = 1
and e.last_name like 'A%S'
and length(e.first_name) = 6
group by d.dept_name
order by employee_strength desc,
dept_name desc;
```

Compilation Summary:

Compilation Status: **Compile Successfully**
Defualt Input:

No Of Compilations: **3**
Candidate Output:
**Sales | 5
Development | 5
Production | 4
Marketing | 3
Customer Service | 3
Research | 2
Quality Management | 1
Finance | 1**

Test Case Summary:

Status: **Pass** Score: **5**

Expected Output	Actual Output
Sales | 5Development | 5Production | 4Marketing | 3Customer Service | 3Research | 2Quality Management | 1Finance | 1	Sales | 5 Development | 5 Production | 4 Marketing | 3 Customer Service | 3 Research | 2 Quality Management | 1 Finance | 1

Disclaimer

This report is generated electronically based on the information provided by the assessment participants. It also includes flags, especially when proctoring services are utilized. However, it is important to emphasize that this report should not be the sole basis for making any business, selection, entrance, or employment-related decisions. iMocha assumes no responsibility for any consequences arising from the use of this report or any actions taken or refrained from as a result of it. This includes all business decisions made in reliance on the information, advice, or AI flags contained in this report, as well as any sources of information mentioned or referred to in the report.