

NAME: SHREYANSH GUPTA

REG NO :- 24BCE0147

WORK PROJECT

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>APEXAUTO | Beyond Ordinary</title>

**<script
src="https://cdn.tailwindcss.com"></script>**

**<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.1/css/all.min.css">**

<style>

**@import
url('https://fonts.googleapis.com/css2?family=Inte**

r:wght@400;500;600&family=Playfair+Display:wght@700&display=swap');

:root { --gold: #facc15; }

.tail-container { font-family: 'Inter', system_ui, sans-serif; }

.logo-font { font-family: 'Playfair Display', sans-serif; }

.hero-bg {

background: linear-gradient(180deg, rgba(0,0,0,0.85) 0%, rgba(0,0,0,0.95) 100%),

radial-gradient(circle at 50% 30%, rgba(250, 204, 21, 0.15) 0%, transparent 70%);

}

.car-card { transition: all 0.4s cubic-bezier(0.4, 0, 0.2, 1); }

.car-card:hover { transform: translateY(-12px); box-shadow: 0 25px 50px -12px rgb(0 0 0 / 0.4); }

.nav-link { position: relative; }

.nav-link:after {

```
content: "";
position: absolute;
width: 0;
height: 2px;
bottom: -2px;
left: 0;
background-color: #facc15;
transition: width 0.3s ease;
}
```

```
.nav-link:hover:after, .nav-link.active:after
{ width: 100%; }
```

```
.section-header { position: relative; }
```

```
.section-header:after {
```

```
content: "";
```

```
position: absolute;
```

```
width: 60px;
```

```
height: 3px;
```

**background: linear-gradient(to right, #facc15,
transparent);**

bottom: -8px;

left: 0;

}

.filter-input { transition: all 0.3s ease; }

**.filter-input:focus { box-shadow: 0 0 0 3px
rgba(250, 204, 21, 0.3); }**

.scroll-progress {

position: fixed;

top: 0;

left: 0;

height: 3px;

**background: linear-gradient(to right, #facc15,
#eab308);**

z-index: 50;

}

</style>

</head>

**<body class="tail-container bg-zinc-950 text-white
overflow-x-hidden">**

**<div id="progress-bar" class="scroll-progress w-
0"></div>**

**<nav class="fixed top-0 left-0 right-0 z-50 bg-zinc-
950 border-b border-zinc-800">**

<div class="max-w-7xl mx-auto px-8">

**<div class="flex items-center justify-between
h-20">**

<div class="flex items-center gap-x-3">

**<div class="w-9 h-9 bg-yellow-400
rounded-xl flex items-center justify-center shadow-
inner">**

**<svg
xmlns="http://www.w3.org/2000/svg" class="w-6
h-6 text-zinc-950" fill="none" viewBox="0 0 24 24"
stroke="currentColor">**

```
<path stroke-linecap="round" stroke-  
linejoin="round" stroke-width="2.5" d="M5 10l7-  
7m0 0l7 7" />
```

```
<path stroke-linecap="round" stroke-  
linejoin="round" stroke-width="2.5" d="M12 3v18"  
/>
```

```
</svg>
```

```
</div>
```

```
<div>
```

```
<span class="logo-font text-3xl font-  
bold tracking-tighter text-white">APEX</span>
```

```
<span class="logo-font text-3xl font-  
bold tracking-tighter text-yellow-  
400">AUTO</span>
```

```
</div>
```

```
</div>
```

```
<div class="flex items-center gap-x-10 text-  
sm font-medium">
```

```
<a href="#home"  
onclick="navigateTo('home')" class="nav-link
```

active text-white hover:text-yellow-400 transition-colors">HOME

INVENTORY

CONTACT

</div>

<div class="flex items-center gap-x-4">

<button onclick="navigateTo('inventory')" class="px-8 py-3.5 bg-yellow-400 hover:bg-yellow-300 transition-all text-zinc-950 font-semibold rounded-2xl flex items-center gap-x-2 text-sm uppercase tracking-widest">

<i class="fas fa-car"></i>

Explore Showroom

</button>

</div>

</div>

</div>

</nav>

**<section id="home" class="hero-bg min-h-screen
flex items-center pt-20 relative">**

**<div class="max-w-5xl mx-auto px-8 text-center
relative z-10">**

<div class="max-w-3xl mx-auto">

**<h1 class="text-[6.5rem] leading-none font-
bold tracking-tighter logo-font mb-6">**

BEYOND

**<span class="block text-yellow-400 text-
[7rem] -mt-4">ORDINARY**

</h1>

**<p class="text-2xl text-zinc-300 max-w-lg
mx-auto mb-12 leading-tight">**

**Curated luxury and performance vehicles
for those who demand excellence.
**

Discover our exclusive collection.

</p>

**<div class="flex items-center justify-center
gap-x-6">**

**<button onclick="navigateTo('inventory')"
class="group relative px-12 py-6 bg-
yellow-400 hover:bg-white text-zinc-950 font-
semibold text-xl rounded-3xl transition-all flex
items-center gap-x-4 shadow-2xl shadow-yellow-
500/30">**

Explore Showroom

**<i class="fas fa-arrow-right group-
active:rotate-45 transition-transform"></i>**

</button>

**<button onclick="navigateTo('contact')"
class="px-12 py-6 border border-zinc-
400 hover:border-white text-white font-semibold
text-xl rounded-3xl transition-all">**

Contact Concierge

</button>

</div>

</div>

</div>

**<div class="absolute bottom-12 left-1/2 flex
flex-col items-center gap-y-2 text-xs tracking-
widest text-zinc-400">**

**<div class="w-px h-12 bg-gradient-to-b from-
transparent via-zinc-400 to-transparent"></div>**

SCROLL TO DISCOVER

</div>

**<div class="absolute inset-0 bg-[radial-
gradient(#facc15_1px,transparent_1px)] bg-
[length:80px_80px] opacity-5 pointer-events-
none"></div>**

</section>

```
<section class="py-28 bg-zinc-950 border-t
border-zinc-900">
```

```
<div class="max-w-7xl mx-auto px-8">
```

```
<div class="text-center mb-16">
```

```
<span class="px-6 py-2 bg-yellow-400/10
text-yellow-400 text-sm font-medium tracking-
[3px] rounded-3xl">THE APEX STANDARD</span>
```

```
<h2 class="text-6xl font-bold mt-4 logo-
font">Excellence Redefined</h2>
```

```
</div>
```

```
<div class="grid grid-cols-1 md:grid-cols-3
gap-8">
```

```
<div class="bg-zinc-900/70 border border-
zinc-800 rounded-3xl p-10 group hover:border-
yellow-400 transition-all">
```

```
<div class="w-16 h-16 bg-yellow-400/10
rounded-2xl flex items-center justify-center mb-8
group-hover:scale-110 transition-transform">
```

```
<i class="fas fa-trophy text-4xl text-
yellow-400"></i>
```

</div>

<h3 class="text-3xl font-semibold mb-4">Unmatched Provenance</h3>

<p class="text-zinc-400 leading-relaxed">

Every vehicle is meticulously verified, thoroughly inspected, and comes with complete historical documentation.

</p>

</div>

<div class="bg-zinc-900/70 border border-zinc-800 rounded-3xl p-10 group hover:border-yellow-400 transition-all">

<div class="w-16 h-16 bg-yellow-400/10 rounded-2xl flex items-center justify-center mb-8 group-hover:scale-110 transition-transform">

<i class="fas fa-shield-alt text-4xl text-yellow-400"></i>

</div>

<h3 class="text-3xl font-semibold mb-4">White-Glove Service</h3>

<p class="text-zinc-400 leading-relaxed">

From virtual walkthroughs to enclosed delivery, we provide an effortless, transparent acquisition experience.

</p>

</div>

<div class="bg-zinc-900/70 border border-zinc-800 rounded-3xl p-10 group hover:border-yellow-400 transition-all">

<div class="w-16 h-16 bg-yellow-400/10 rounded-2xl flex items-center justify-center mb-8 group-hover:scale-110 transition-transform">

<i class="fas fa-star text-4xl text-yellow-400"></i>

</div>

<h3 class="text-3xl font-semibold mb-4">Exclusive Access</h3>

<p class="text-zinc-400 leading-relaxed">

Gain entry to off-market allocations, rare builds, and the most sought-after allocations worldwide.

</p>

</div>

</div>

</div>

</section>

<section class="py-20 bg-black">

<div class="max-w-7xl mx-auto px-8">

<div class="flex items-end justify-between mb-12">

<div>

<div class="flex items-center gap-x-3">

◆

<h2 class="text-5xl font-bold logo-font">Featured Collection</h2>

</div>

<p class="text-zinc-400 mt-3 text-lg">Handpicked masterpieces from our current inventory</p>

</div>

<a onclick="navigateTo('inventory')"
class="flex items-center gap-x-3 text-
yellow-400 hover:text-yellow-300 transition-colors
group cursor-pointer">

<span class="font-medium uppercase
tracking-widest text-sm">View All
Inventory

<i class="fas fa-arrow-right group-
hover:translate-x-2 transition-transform"></i>

</div>

<div id="featured-grid" class="grid grid-cols-1
md:grid-cols-3 gap-8"></div>

</div>

</section>

<section id="inventory" class="py-24 bg-zinc-950 border-t border-b border-zinc-900">

<div class="max-w-7xl mx-auto px-8">

<div class="flex flex-col lg:flex-row gap-12">

<div class="lg:w-80 bg-zinc-900 rounded-3xl p-8 h-fit sticky top-24">

<div class="flex items-center justify-between mb-8">

<div class="flex items-center gap-x-3">

<i class="fas fa-sliders-h text-yellow-400"></i>

<h3 class="text-2xl font-semibold">Filters</h3>

</div>

<button onclick="clearFilters()"

class="text-sm text-zinc-400 hover:text-white flex items-center gap-x-1">


```
        <i class="fas fa-times"></i>

        <span>Clear</span>

    </button>

</div>

<form id="filter-form"
onsubmit="applyFilters(event)" class="space-y-8">
    <div>

        <label class="block text-sm text-zinc-
400 mb-3">Make</label>

        <input id="make-filter" type="text"
placeholder="e.g. Porsche"

            class="filter-input w-full bg-zinc-
800 border border-zinc-700 focus:border-yellow-
400 rounded-2xl px-6 py-5 text-white placeholder-
zinc-500">

    </div>

    <div>

        <label class="block text-sm text-zinc-
400 mb-3">Condition</label>
```

```
<select id="condition-filter"
      class="filter-input w-full bg-zinc-
800 border border-zinc-700 focus:border-yellow-
400 rounded-2xl px-6 py-5 text-white">
  <option value="">Any
Condition</option>
  <option value="NEW">New</option>
  <option
value="USED">Used</option>
</select>
</div>
<div>
  <label class="block text-sm text-zinc-
400 mb-3">Price Range</label>
  <div class="grid grid-cols-2 gap-4">
    <div>
      <input id="min-price"
type="number" placeholder="Min"
```

```
class="filter-input w-full bg-zinc-800 border border-zinc-700 focus:border-yellow-400 rounded-2xl px-6 py-5 text-white">
```

```
</div>
```

```
<div>
```

```
<input id="max-price" type="number" placeholder="Max"
```

```
class="filter-input w-full bg-zinc-800 border border-zinc-700 focus:border-yellow-400 rounded-2xl px-6 py-5 text-white">
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<button type="submit"
```

```
class="w-full py-6 bg-yellow-400 hover:bg-yellow-300 active:scale-95 transition-all text-zinc-950 font-bold text-lg rounded-3xl flex items-center justify-center gap-x-3">
```

```
<i class="fas fa-search"></i>
```

APPLY FILTERS

</button>

</form>

</div>

<div class="flex-1">

<div class="flex justify-between items-baseline mb-10">

<h2 class="text-5xl font-bold logo-font">Showroom</h2>

<p id="results-count" class="text-zinc-400">Showing all vehicles</p>

</div>

<div id="inventory-grid" class="grid grid-cols-1 md:grid-cols-2 gap-8"></div>

</div>

</div>

</div>

</section>

```
<section id="contact" class="py-28 bg-black">
  <div class="max-w-7xl mx-auto px-8">
    <div class="grid grid-cols-1 lg:grid-cols-2 gap-
16">
      <div>
        <h2 class="text-6xl font-bold logo-font
mb-6">Contact Us</h2>
        <p class="text-2xl text-zinc-300 max-w-
md">
          Our specialists are available to answer
any questions about our inventory, sourcing, or
delivery options.
        </p>
        <div class="mt-16">
          <div class="space-y-10">
            <div>
              <h4 class="uppercase text-xs
tracking-widest text-yellow-400 mb-6">Direct
Lines</h4>
```

```
<div class="space-y-8">
```

```
  <div class="flex gap-x-6">
```

```
    <div class="w-12 h-12 bg-yellow-400/10 rounded-2xl flex items-center justify-center flex-shrink-0">
```

```
      <i class="fas fa-phone text-yellow-400 text-2xl"></i>
```

```
    </div>
```

```
  <div>
```

```
    <div class="text-sm text-zinc-400">SALES & INQUIRIES</div>
```

```
    <a href="tel:1800555APEX" class="text-3xl font-medium text-white hover:text-yellow-400 transition-colors">1 (800) 555-APEX</a>
```

```
  </div>
```

```
</div>
```

```
<div class="flex gap-x-6">
```

<div class="w-12 h-12 bg-yellow-400/10 rounded-2xl flex items-center justify-center flex-shrink-0">

<i class="fas fa-envelope text-yellow-400 text-2xl"></i>

</div>

<div>

<div class="text-sm text-zinc-400">EMAIL</div>

**<a
href="mailto:concierge@apexauto.luxury"
class="text-3xl font-medium text-white hover:text-yellow-400 transition-
colors">concierge@apexauto.luxury**

</div>

</div>

<div class="flex gap-x-6">

<div class="w-12 h-12 bg-yellow-400/10 rounded-2xl flex items-center justify-center flex-shrink-0">

<i class="fas fa-map-marker-alt text-yellow-400 text-2xl"></i>

</div>

<div>

<div class="text-sm text-zinc-400">SHOWROOM</div>

*<div class="text-2xl font-medium">100 Auto Drive
Beverly Hills, CA 90210</div>*

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<div class="bg-zinc-900 rounded-3xl p-12">

<h3 class="text-3xl font-semibold mb-10">Send a Message</h3>


```
<form id="contact-form"
onsubmit="handleContactSubmit(event)"
class="space-y-8">

  <div class="grid grid-cols-2 gap-6">

    <div>

      <label class="block text-xs text-zinc-
400 mb-3">FULL NAME</label>

      <input type="text" id="name"
required class="w-full bg-zinc-800 border border-
zinc-700 focus:border-yellow-400 rounded-2xl px-7
py-6 text-lg">

    </div>

    <div>

      <label class="block text-xs text-zinc-
400 mb-3">EMAIL ADDRESS</label>

      <input type="email" id="email"
required class="w-full bg-zinc-800 border border-
zinc-700 focus:border-yellow-400 rounded-2xl px-7
py-6 text-lg">

    </div>

  </div>

</form>
```

</div>

<div>

<label class="block text-xs text-zinc-400 mb-3">PHONE NUMBER (OPTIONAL)</label>

<input type="tel" id="phone" class="w-full bg-zinc-800 border border-zinc-700 focus:border-yellow-400 rounded-2xl px-7 py-6 text-lg">

</div>

<div>

<label class="block text-xs text-zinc-400 mb-3">MESSAGE</label>

<textarea id="message" rows="6" required placeholder="Please provide any specific questions or request a viewing time..."

class="w-full bg-zinc-800 border border-zinc-700 focus:border-yellow-400 rounded-3xl px-7 py-6 text-lg resize-none"></textarea>

</div>

<button type="submit"

class="w-full py-7 bg-white text-zinc-950 hover:bg-yellow-400 transition-all font-semibold text-xl rounded-3xl">

SEND MESSAGE

</button>

</form>

</div>

</div>

</div>

</section>

<footer class="bg-black pt-20 pb-12 border-t border-zinc-900">

<div class="max-w-7xl mx-auto px-8">

<div class="grid grid-cols-1 md:grid-cols-12 gap-16">

<div class="md:col-span-5">

<div class="flex items-center gap-x-3 mb-6">

**<div class="w-9 h-9 bg-yellow-400
rounded-2xl flex items-center justify-center">**

**<span class="text-zinc-950 text-
3xl">▲ **

</div>

**<span class="logo-font text-4xl font-
bold">APEXAUTO**

</div>

**<p class="text-zinc-400 max-w-sm
leading-relaxed">**

**Purveyors of the world's most exclusive
performance and luxury vehicles. Experience
automotive excellence redefined.**

</p>

<div class="mt-16 text-xs text-zinc-500">

**© 2026 Apex Auto Ltd. All rights
reserved.
**

Privacy • Terms

</div>

</div>

<div class="md:col-span-3">

<div class="text-yellow-400 uppercase text-xs tracking-widest mb-6">Showroom</div>

<div class="space-y-4 text-zinc-300">

New Arrivals

Pre-Owned Classics

Full Inventory

</div>

</div>

<div class="md:col-span-4">

<div class="text-yellow-400 uppercase text-xs tracking-widest mb-6">Connect</div>

<div class="space-y-6">

**<a href="tel:1800555APEX" class="block
hover:text-yellow-400 transition-colors flex items-
center gap-x-4">**

<i class="fas fa-phone"></i>

1 (800) 555-APEX

**<a
href="mailto:concierge@apexauto.luxury"
class="block hover:text-yellow-400 transition-
colors flex items-center gap-x-4">**

<i class="fas fa-envelope"></i>

concierge@apexauto.luxury

**<div class="pt-8 border-t border-zinc-
800 text-xs text-zinc-500">**

**Schedule a private viewing in Beverly
Hills**

</div>

</div>

</div>

</div>

**<div class="text-center text-xs text-zinc-600
mt-24">**

**Built with precision • Designed for those
who demand the extraordinary**

</div>

</div>

</footer>

**<div id="car-modal" class="fixed inset-0 bg-
black/90 hidden flex items-center justify-center z-
[9999]">**

**<div
onclick="event.stopImmediatePropagation()"
class="max-w-4xl w-full mx-4 bg-zinc-900 rounded-
3xl overflow-hidden">**

<div class="relative">

```
<button onclick="closeModal()"
class="absolute top-8 right-8 z-10 text-white text-
4xl hover:text-yellow-400">×</button>
```

```
<img id="modal-image" class="w-full h-96
object-cover" alt="">
```

```
<div class="p-10">
```

```
<div id="modal-year-make" class="text-
5xl font-bold logo-font"></div>
```

```
<div id="modal-price" class="text-4xl text-
yellow-400 mt-1"></div>
```

```
<div class="grid grid-cols-3 gap-8 mt-12
text-center">
```

```
<div>
```

```
<div class="text-xs text-zinc-
400">CONDITION</div>
```

```
<div id="modal-condition" class="text-
2xl font-medium mt-2"></div>
```

```
</div>
```

```
<div>
```



```
<div class="text-xs text-zinc-400">TRANSMISSION</div>
```

```
<div id="modal-transmission" class="text-2xl font-medium mt-2"></div>
```

```
</div>
```

```
<div>
```

```
<div class="text-xs text-zinc-400">MILEAGE</div>
```

```
<div id="modal-mileage" class="text-2xl font-medium mt-2"></div>
```

```
</div>
```

```
</div>
```

```
<div class="mt-16 flex gap-x-6">
```

```
<button onclick="closeModal()" class="flex-1 py-7 border border-white text-white hover:bg-white hover:text-black transition-all rounded-3xl text-lg font-medium">CLOSE</button>
```

```
<button onclick="closeModal()" class="flex-1 py-7 bg-yellow-400 text-black font-
```

**medium rounded-3xl text-lg">REQUEST
VIEWING</button>**

</div>

</div>

</div>

</div>

</div>

<script>

let cars = [

{

id: 1,

year: 2024,

make: "Toyota",

model: "Camry",

price: 28995,

condition: "NEW",

transmission: "Automatic",

```
      mileage: "N/A",
      image:
        "https://images.hgmsites.net/lrg/2024-toyota-
        camry-se-auto-natl-angular-front-exterior-
        view_100911460_l.webp",
      tag: "NEW"
    },
    {
      id: 2,
      year: 2024,
      make: "BMW",
      model: "3 Series",
      price: 44995,
      condition: "NEW",
      transmission: "Automatic",
      mileage: "N/A",
      image:
        "https://images.unsplash.com/photo-1552519507-
```

da3b142c6e3d?auto=format&fit=crop&q=80&w=800",

tag: "NEW"

},

{

id: 3,

year: 2023,

make: "Ford",

model: "Mustang",

price: 32500,

condition: "USED",

transmission: "Manual",

mileage: "8,200 mi",

image:

"https://images.unsplash.com/photo-1494976388531-

d1058494cdd8?auto=format&fit=crop&q=80&w=800",

tag: "USED"

```
},  
{  
  id: 4,  
  year: 2024,  
  make: "Tesla",  
  model: "Model 3",  
  price: 42990,  
  condition: "NEW",  
  transmission: "Automatic",  
  mileage: "N/A",  
  image:  
    "https://digitalassets.tesla.com/tesla-  
contents/image/upload/h_1800,q_auto:best,f_auto  
/Model-3-Performance-Hero-Desktop-LHD",  
  tag: "NEW"  
},  
{  
  id: 5,
```

year: 2024,
make: "Chevrolet",
model: "Tahoe",
price: 56995,
condition: "NEW",
transmission: "Automatic",
mileage: "N/A",
image:

**"https://content.homenetiol.com/2000292/220232
2/0x0/beaaa17a59754d5a8464c1e51bfaa5a7.jpg",**

tag: "NEW"

},

{

id: 6,
year: 2023,
make: "Mercedes-Benz",
model: "E-Class",
price: 67800,

```
    condition: "USED",
    transmission: "Automatic",
    mileage: "12,000 mi",
    image:
      "https://images.unsplash.com/photo-
      1503376780353-
      7e6692767b70?auto=format&fit=crop&q=80&w=800
      ",
    tag: "USED"
  },
  {
    id: 7,
    year: 2023,
    make: "Porsche",
    model: "Panamera",
    price: 115000,
    condition: "USED",
    transmission: "Automatic",
    mileage: "5,000 mi",
```

```
image: "https://hips.hearstapps.com/hmg-  
prod/images/2024-porsche-panamera-109-  
6734ca03a1f76.jpg?crop=0.589xw:0.496xh;0.187xw,  
0.406xh&resize=1200:*",
```

```
tag: "USED"
```

```
}
```

```
];
```

```
function createCarCard(car) {  
  const card = document.createElement('div');  
  card.className = `car-card bg-zinc-900  
rounded-3xl overflow-hidden cursor-pointer  
group`;  
  card.innerHTML = `  
    <div class="relative">  
      
```


`${car.tag === 'NEW' ?`

``<div class="absolute top-6 right-6 bg-emerald-400 text-emerald-950 text-xs font-bold px-5 py-1 rounded-3xl">NEW</div>` :`

``<div class="absolute top-6 right-6 bg-zinc-800 text-white text-xs font-bold px-5 py-1 rounded-3xl">USED</div>``

`}`

`</div>`

`<div class="p-8">`

`<div class="flex justify-between items-baseline">`

`<div>`

`<div class="text-3xl font-semibold">${car.year} ${car.make}</div>`

`<div class="text-3xl font-semibold text-yellow-400">${car.model}</div>`

`</div>`

`<div class="text-right">`

```
<div class="text-4xl font-medium">${car.price.toLocaleString()}</div>
```

```
</div>
```

```
</div>
```

```
<div class="flex items-center justify-between text-sm text-zinc-400 mt-10">
```

```
<div class="flex items-center gap-x-2">
```

```
<i class="fas fa-tachometer-alt"></i>
```

```
<span>${car.mileage}</span>
```

```
</div>
```

```
<div class="flex items-center gap-x-2">
```

```
<i class="fas fa-cog"></i>
```

```
<span>${car.transmission}</span>
```

```
</div>
```

```
</div>
```

```
<button
```

```
onclick="showCarDetail(${car.id});  
event.stopImmediatePropagation()"
```

```
class="mt-10 w-full py-5 border
border-white/30 hover:border-yellow-400 text-
white hover:text-yellow-400 transition-all rounded-
2xl text-sm font-medium">
```

VIEW DETAILS

```
</button>
```

```
</div>
```

```
`;
```

```
card.onclick = () => showCarDetail(car.id);
```

```
return card;
```

```
}
```

```
function renderFeatured() {
```

```
  const container =
```

```
  document.getElementById('featured-grid');
```

```
  container.innerHTML = '';
```

```
  cars.slice(0, 3).forEach(car =>
```

```
  container.appendChild(createCarCard(car)));
```

```
}
```

```
function renderInventory(filteredCars) {  
  const container =  
document.getElementById('inventory-grid');  
  container.innerHTML = '';  
  if (filteredCars.length === 0) {  
    container.innerHTML = `  
      <div class="col-span-2 text-center py-20">  
        <p class="text-2xl text-zinc-400">No  
vehicles match your filters.</p>  
        <button onclick="clearFilters()"  
class="mt-6 text-yellow-400 underline">Clear all  
filters</button>  
      </div>`;  
    return;  
  }  
  filteredCars.forEach(car =>  
container.appendChild(createCarCard(car)));
```

```
document.getElementById('results-  
count').textContent = ` Showing  
${filteredCars.length} of ${cars.length} vehicles `;  
}
```

```
function showCarDetail(id) {  
    const car = cars.find(c => c.id === id);  
    if (!car) return;  
    document.getElementById('modal-  
image').src = car.image;  
    document.getElementById('modal-year-  
make').innerHTML = ` ${car.year} ${car.make} <span  
class="font-normal">${car.model}</span> `;  
    document.getElementById('modal-  
price').textContent =  
    ` $$${car.price.toLocaleString()} `;  
    document.getElementById('modal-  
condition').textContent = car.condition;  
    document.getElementById('modal-  
transmission').textContent = car.transmission;
```

```
document.getElementById('modal-mileage').textContent = car.mileage;
```

```
document.getElementById('car-modal').classList.remove('hidden');
```

```
document.getElementById('car-modal').classList.add('flex');
```

```
}
```

```
function closeModal() {
```

```
    const modal =  
document.getElementById('car-modal');
```

```
    modal.classList.add('hidden');
```

```
    modal.classList.remove('flex');
```

```
}
```

```
function applyFilters(e) {
```

```
    e.preventDefault();
```

```
    const makeVal =  
document.getElementById('make-filter').value.toLowerCase().trim();
```

```
    const conditionVal =  
document.getElementById('condition-filter').value;  
  
    const minPrice =  
parseInt(document.getElementById('min-  
price').value) || 0;  
  
    const maxPrice =  
parseInt(document.getElementById('max-  
price').value) || Infinity;  
  
    const filtered = cars.filter(car => {  
        const matchesMake = !makeVal ||  
`${car.make}`  
`${car.model}`.toLowerCase().includes(makeVal);  
  
        const matchesCondition = !conditionVal ||  
car.condition === conditionVal;  
  
        const matchesPrice = car.price >= minPrice  
&& car.price <= maxPrice;  
  
        return matchesMake && matchesCondition  
&& matchesPrice;  
    });  
  
    renderInventory(filtered);
```

```
}
```

```
function clearFilters() {  
    document.getElementById('filter-  
form').reset();  
    renderInventory(cars);  
}
```

```
function handleContactSubmit(e) {  
    e.preventDefault();  
    const name =  
document.getElementById('name').value;  
    alert(` Thank you, ${name.split(' ')[0]}! Your  
message has been received.\n\nOur concierge  
team will contact you within 24 hours.` );  
    e.target.reset();  
}
```

```
function navigateTo(section) {
```



```
    if (section === 'home') {  
        window.scrollTo({ top: 0, behavior:  
'smooth' });  
    } else if (section === 'inventory') {  
  
document.getElementById('inventory').scrollIntoVi  
ew({ behavior: 'smooth' });  
  
    } else if (section === 'contact') {  
  
document.getElementById('contact').scrollIntoVie  
w({ behavior: 'smooth' });  
  
    }  
  
    document.querySelectorAll('.nav-  
link').forEach(link => {  
        link.classList.remove('active');  
        if ((section === 'home' &&  
link.getAttribute('href') === '#home') ||  
            (section === 'inventory' &&  
link.getAttribute('href') === '#inventory')) ||
```

```
        (section === 'contact' &&  
link.getAttribute('href') === '#contact')) {  
        link.classList.add('active');  
    }  
});  
}
```

```
function setupProgressBar() {  
    const progressBar =  
document.getElementById('progress-bar');  
    window.addEventListener('scroll', () => {  
        const scrollTop = window.scrollY;  
        const docHeight =  
document.documentElement.scrollHeight -  
document.documentElement.clientHeight;  
        const scrollPercent = (scrollTop /  
docHeight) * 100;  
        progressBar.style.width =  
` ${scrollPercent}% `;
```

```
});  
}
```

```
document.addEventListener('keydown', e => {  
  if (e.key === "Escape") {  
    const modal =  
document.getElementById('car-modal');  
    if (!modal.classList.contains('hidden'))  
closeModal();  
  }  
});
```

```
function init() {  
  renderFeatured();  
  renderInventory(cars);  
  setupProgressBar();  
  const sections = ['home', 'inventory',  
'contact'];  
  window.addEventListener('scroll', () => {
```

```
let current = "";

sections.forEach(sectionId => {

    const section =
document.getElementById(sectionId);

    if (!section) return;

    const sectionTop = section.offsetTop;

    if (scrollY >= sectionTop - 300) current =
sectionId;

});

document.querySelectorAll('.nav-
link').forEach(link => {

    link.classList.remove('active');

    if (link.getAttribute('href') ===
`#${current}` ) link.classList.add('active');

});

});

}
```

```
window.onload = init;
```

</script>

</body>

</html>