



Tavola™ Round Beams and Baffles offer a lightweight aluminum solution for open plenum design in commercial spaces. The rounded profile adds softness and warmth to the ceiling, while delivering the feeling of comfort inside the space. Explore continuous linear designs or install baffles as individual pieces, add perforations for additional acoustical control and play with colors to create inviting spaces.

### FEATURES AND BENEFITS

- Multitude of profile dimensions up to 12' long
- Beam sizes:
  - Diameter: 1-9/16" (R: 25/32")
  - Height: 2-1/2", 3" up to 12" in 1" increments
- Perforation patterns provide elevated acoustics
- Hidden scissor clips mount to standard heavy-duty 15/16" CertainTeed EZ Stab Classic T-grid suspension
- Waste reduction with factory fabricated dimensional material
- Downweight: reduce dead load with lightweight aluminum
- Easy plenum access
- Compatible with industry standard lighting, HVAC, speaker, fire safety, and security services

### ATTRIBUTES



**FIRE RATING:**  
CLASS A  
PER ASTM E84  
AND CAN/ULC-S102



**SEISMIC RATING:**  
ZONES A, B, C, D, E, F



**CUSTOMIZATION**  
AVAILABLE

### LEED® v4

#### RECYCLED CONTENT

up to 85%

- ✓ MR: Building Product Disclosure
- ✓ EQ: Low-Emitting Materials
- ✓ EQ: Indoor Air Quality Assessment
- ✓ EQ: Acoustic Performance

LEED® is a registered trademark of the U.S. Green Building Council.

### CERTIFICATIONS



**GREENGUARD:**  
GOLD CERTIFIED



**EPD AVAILABLE**



**HPD AVAILABLE**

## COLORS AND FINISHES

A wide choice of colors and finishes as well as custom color matching are available upon request. See website for the most up to date information and to order samples. Colors are for illustration purposes only.

### STANDARD PAINT COLORS



### CUSTOM COLORS



### WHITE FINISH OPTIONS

Powder-coat paint finish for Arctic White #1015P (Gloss 10-20); Crystalline White #1050P (Gloss 45-55); Supernova White #1085P (Gloss 80-90). Aviation White #1011P: Powder-coat paint finish offering - LRV 90 - 9% gloss finish.




### BLACK FINISH OPTIONS

Powder-coat paint finish for Starless Black #5000P (Matte); Raven Black #5030P (Gloss 25-35); Sable Black #5060P (Gloss 65-75); Wet Glass Black #5095P (Gloss 90-95)



### DECORATED (POWDER-COAT) WOOD-LOOK OPTIONS

Powder-coat paint finish. Formaldehyde-free, Class A composite panel.




**Additional finishes available upon request. Please contact your local sales representative for more information.**

## PERFORATION PATTERNS


Standard patterns shown. Scale shown: 1:1, unless otherwise noted. Additional perforation patterns and custom perforations are available, visit our website and see Tavola™ Expressions™ for more information.




Non-perforated



Pattern #106  
Perf. dia: .098 in.  
Open area: 16%




Pattern #115  
Perf. dia: .063 in.  
Open area: 12%



Pattern #119  
Perf. dia: .098 in.  
Open area: 8%

## INSTALLATION EXAMPLES

### Typical Isometrics



Additional options available for design flexibility,  
contact your local sales representative to get started.



## PHYSICAL DATA

### MATERIAL

Aluminum

### WEIGHT

Varies 0.5 - 2.1 lbs./sq.ft.

### FIRE RATING

Class A Fire Rated per ASTM E84

- Painted or anodized metal: Flame spread:  $\leq 25$ , Smoke  $\leq 50$   
CAN/ULC-S102

- Painted or anodized metal: Flame spread:  $\leq 25$ , Smoke  $\leq 50$

### SEISMIC RATING

Zones A,B,C,D,E,F

### WIND LOAD

N/A

### RECYCLED CONTENT

Up to 85%

### LIGHT REFLECTANCE (LR) COEFFICIENT

PER ASTM E1264 & ASTM E1477

- Varies with finish

- Cotton White: LR = 0.81

### WARRANTY

1-year Limited Warranty.

Full warranty information can be found  
at [certainteed.com/warranty](https://certainteed.com/warranty)



## CertainTeed ARCHITECTURAL

METAL • WOOD • FELT • FIBERGLASS & MINERAL FIBER • GYPSUM • SUSPENSION & INTEGRATED SYSTEMS  
20 Moores Road, Malvern, PA 19355 800-366-4327 [certainteed.com/architectural](https://certainteed.com/architectural)

© 11/22 CertainTeed, Printed in the USA, Code No. 12-11-1322-US-EN

