



PuzzleFelt sheets combine a time-tested texture with exceptional sound absorption capabilities and full palette of size, formats, and colors in a product geared for occupant comfort. The sheets can be customizable to get the desire result, where colors and sizes can be mixed to generate movement and multiple design options.

Our Felt portfolio goes from linear systems and large-format panels to clouds and open cell, all constructed with high recycled content. Felt is a versatile material that's soft to the touch, kind to the ears, and easy on the eyes

#### FEATURES AND BENEFITS

- Product delivered to site ready for installation
- Surface can be washed and disinfected<sup>1</sup>
- NRC up to 0.5
- Panels sizes:
  - Up to 47" x 24" (nom. 119.38cm x 60.96cm)
  - Thickness 0.35"
- Available in 14 colors and 4 wood patterns

#### ATTRIBUTES



FIRE RATING:  
CLASS A  
PER ASTM E84  
AND CAN/ULC-S102



WASHABLE



CUSTOMIZATION  
AVAILABLE

<sup>1</sup> Not recommended for daily cleaning.

#### LEED® v4

RECYCLED CONTENT	up to 55%
------------------	-----------

- ✓ MR: Recycled Content
- ✓ EQ: Low Emitting Materials
- ✓ EQ: Acoustic Performance

LEED® is a registered trademark of the U.S. Green Building Council.

#### CERTIFICATIONS



HPD AVAILABLE



RED LIST FREE  
AVAILABLE



## PUZZLEFELT

A wide range of colors and wood patterns are available. Note: Colors are for illustration purposes only.

### COLORS



07 Snow White



10 Midnight Black




03 Tone Grey



17 Storm Grey



34 Volcano Grey



44 Sandy Beach



02 Tree Bark




09 Ocean Blue



21 Deep Sea Blue



39 Lime Green



05 Forest Green



22 Sunshine Yellow



45 Apple Red



08 Aubergine

### WOOD PATTERNS



01P Beech



02P Hickory




03P Cedar Forest



04P Light Slate

## INSTALLATION EXAMPLE

Typical Isometric



## ACOUSTICAL PERFORMANCE

## Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
Noise Absorption	0.04	0.16	0.40	0.63	(0.30 – 0.75)
Sabins per m <sup>2</sup>	0.27	1.07	2.71	4.18	



## PHYSICAL DATA

### MATERIAL

100% PET Felt

### WEIGHT

2.11 lbs./piece

### FIRE RATING

Class A Fire Rated per ASTM E84  
CAN/ULC-S102: FSR=15, SDC=245

### RECYCLED CONTENT

Up to 55%

### WARRANTY

2-year Warranty.  
Full warranty information can be found at [certainteed.com/warranty](http://certainteed.com/warranty)



**CertainTeed ARCHITECTURAL**

METAL • WOOD • FELT • FIBERGLASS & MINERAL FIBER • GYPSUM • SUSPENSION & INTEGRATED SYSTEMS  
20 Moores Road, Malvern, PA 19355 800-366-4327 [certainteed.com/architectural](http://certainteed.com/architectural)

© 03/23 CertainTeed, Printed in the USA, Code No. 12-11-2018-US-EN