# **FELT NUVOLA - ROUND**

# FELT CEILINGS & WALLS BAFFLES, CLOUDS & SHEETS



FeltNuvola Round combine a time-tested texture with exceptional sound absorption capabilities and full palette of colors in a ceiling product geared for occupant comfort.

Our Felt portfolio offers a wide range of solutions from linear systems and large-format panels to clouds and open cell, all constructed with high recycled content. Felt is a versatile acoustical material that is soft to the touch, kind to the ears, and easy on the eyes.

#### **FEATURES AND BENEFITS**

- Fully engineered product delivered to site ready for installation
- Surface can be washed and disinfected¹
- NRC up to 1.30
- Size:
  - 47" (nom. 120cm)
  - Thickness 2.75"
- Available in 14 colors

#### **ATTRIBUTES**







WASHABLE

# LEED® v4

RECYCLED CONTENT

up to 55%

MR: Recycled Content

✓ EQ: Low Emitting Materials

✓ EQ: Acoustic Performance

LEED\* is a registered trademark of the U.S. Green Building Council.

#### **CERTIFICATIONS**








<sup>&</sup>lt;sup>1</sup> Not recommended for daily cleaning.

### **FELT NUVOLA - ROUND**


#### **COLORS**

A wide range of colors are available. Note: Colors are for illustration purposes only.



#### **INSTALLATION EXAMPLES**

Typical Isometric \_




FELT NUVOLA ROUND

## **FELT NUVOLA - ROUND**

#### **INSTALLATION EXAMPLES**

Typical Section \_



#### **ACOUSTICAL PERFORMANCE**

#### Acoustics

Frequency (Hz)	250	500	1K	2K	NRC
Noise Absorption	0.74	0.06	1.54	1.77	1.30
Sabins per m²	11.24	16.21	23.43	27.08	

Acoustical tests performed in accordance with ASTM C423 and ASTM E795 standards. Test reports available upon request.



#### **PHYSICAL DATA**

MATERIAL

100% PET Felt

WEIGHT

10 lbs./piece

FIRE RATING

Class A Fire Rated per ASTM E84 CAN/ULC-S102: FSR=15, SDC=245

RECYCLED CONTENT

Up to 55%

WARRANTY

2-year Warranty. Full warranty information can be found at certainteed.com/warranty

