

Designed to withstand wind loads, the Multi-Box Continuous metal ceiling system uses a universal carrier for design and install simplicity.

FEATURES AND BENEFITS

- Panel Sizes:
 - Panel module widths: 2", 4", 6" and 8"
 - Panel lengths: 3' to 16'
 - Panel depths: 5/8" (Box 2, 4, 6 & 8); 1" (Deep Box 4, 6 & 8); 1-1/2" (Deep Box 2)
- Square-edge design
- Ten multi-box patterns available; see website for details
- Waste reduction with factory fabricated dimensional material
- Downweight: reduce dead load with lightweight aluminum
- Easy plenum access
- Interior and exterior applications
- Compatible with industry standard lighting, HVAC, speaker, fire safety, and security services

ATTRIBUTES







SEISMIC RATING: ZONES A, B, C, D, E, F



CUSTOMIZATIO AVAILABLE

LEED® v4

RECYCLED CONTENT

up to 92%

✓ EA: Optimize Energy Performance

MR: Building Product Disclosure

✓ EQ: Low-Emitting Materials

✓ EQ: Indoor Air Quality Assessment

✓ EQ: Daylight

LEED* is a registered trademark of the U.S. Green Building Council.

CERTIFICATIONS







EPD AVAILABLE





MULTI-BOX CONTINUOUS - EXTERIOR

COLORS AND FINISHES

A wide choice of colors and finishes as well as custom color matching are available upon request. See website for the most up to date information and to order samples. Colors are for illustration purposes only.

STANDARD PAINT COLORS











CUSTOM COLORS



DECORATED (POWDER-COAT) WOOD-LOOK OPTIONS

Powder-coat paint finish (interior and exterior). Formaldehyde-free, Class A composite panel. This finish is recommended for exterior conditions.



Fonthill Cherry 8422



Walnut 8424



Amber Bamboo 8432



Fine Wenge 8433



Grey Barnwood Cedar 8434



Golden Douglas Fir 8436



American Oak 8439



Crazy Cajun Cypress 8442



8444



Clipper Teak 8446



Windjammer Teak 8449



Penshaw Cherry

8481

Douglas Fir 8452





Whitewash

8487



Rustic Cherry



8461



8465

8742



8466

Auxilium Maple 8753



White Oakwood 8758




Additional finishes available upon request. Please contact your local sales representative for more information.


MULTI-BOX CONTINUOUS - EXTERIOR

INSTALLATION EXAMPLES

Typical Isometrics _



Typical Sections .







PHYSICAL DATA

MATERIAL

Aluminum

WEIGHT

Varies 0.5 - 1.0 lbs./sq.ft.

FIRE RATING

Class A Fire Rated per ASTM E84

Painted or anodized metal: Flame spread: ≤ 25,
Smoke ≤ 50

Class A Fire Rated per CAN/ULC-S102

– Painted or anodized metal: Flame spread: \leq 25, Smoke \leq 50

SEISMIC RATING

Zones A,B,C,D,E,F

WIND LOAD

Per code

RECYCLED CONTENT

Up to 92%

WARRANTY

1-year Limited Warranty. Full warranty information can be found at certainteed.com/warranty



