Mercedes Benz Financial Services Operations Center, Fort Worth, TX / Photo: © Wade Griffith

The High Profile Series™ Frameworks ceiling system offers versatile, customizable designs for interior commercial applications.

FEATURES AND BENEFITS

- Beam Profile
  – 1-1/2" x 4-3/8"   – 2" x 4"   – 4" x 4"
  – 1-1/2" x 6-3/8"   – 2" x 6"
  – 1-1/2" x 8-3/8"   – 2" x 8"
  – 1-1/2" x 10"
  – 1-1/2" x 12"
  Note: Client specific shapes and finishes available

- Extruded aluminum beam configurations can be customized to create one-off ceiling designs

- Precision-cut straight and curved elements to create peaks, valleys, angles, walls & screens

- Seamless baffles up to 20 feet in length

- Integrated lighting options

- Versatile support options include threaded rods, Unistrut® support system or aircraft cables for lower visibility

- Patented locking mechanism

ATTRIBUTES

FIRE RATING:
CLASS A
PER ASTM E84
AND CAN/ULC-S102

SEISMIC RATING:
ZONES A, B, C, D, E, F

CUSTOMIZATION
AVAILABLE

LEED® v4

RECYCLED CONTENT	up to 50%

✓ MR: Building Product Disclosure

✓ EQ: Low-Emitting Materials

✓ EQ: Indoor Air Quality Assessment

LEED® is a registered trademark of the U.S. Green Building Council.

CERTIFICATIONS

GREENGUARD
PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL.COM/GG
UL 2818
GOLD

UL CERTIFIED
ENVIRONMENTAL
PRODUCT DECLARATION
UL.COM/EPD

GREENGUARD:
GOLD CERTIFIED

EPD AVAILABLE

ARCHITECTURAL

CertainTeed
SAINT-GOBAIN

HIGH PROFILES SERIES™ – FRAMEWORKS

## COLORS AND FINISHES

A wide choice of colors and finishes as well as custom color matching are available upon request. See website for the most up to date information and to order samples. Colors are for illustration purposes only.

STANDARD PAINT COLORS

Natural
7163

Cotton White
0280

Atlantic Grey
1117

CUSTOM COLORS

Premium Custom Colors

WHITE FINISH OPTIONS

Powder-coat paint finish for Arctic White #1015P (Gloss 10-20); Crystalline White #1050P (Gloss 45-55); Supernova White #1085P (Gloss 80-90). Aviation White #1011P: Powder-coat paint finish offering – LRV 90 – 9% gloss finish.

Arctic White
1015P

Crystalline White
1050P

Supernova White
1085P

Aviation White
1011P

BLACK FINISH OPTIONS

Powder-coat paint finish for Starless Black #5000P (Matte); Raven Black #5030P (Gloss 25-35); Sable Black #5060P (Gloss 65-75); Wet Glass Black #5095P (Gloss 90-95)

Starless Black
5000P

Raven Black
5030P

Sable Black
5060P

Wet Glass Black
5095P

STANDARD WOOD VENEER OPTIONS

Real wood veneer (interior only). Formaldehyde-free, Class A composite panel.
Note: This is a small subset of veneers available. Please contact manufacturer for client-specific species and stains.

White Oak (Rift)
9003

Douglas Fir (VG)
9005

Cherry (Flat)
9013

Walnut (Flat)
9114

Anigre (Qtr)
9122

Maple (Flat)
9427

DECORATED (POWDER-COAT) WOOD-LOOK OPTIONS

Powder-coat paint finish (interior and exterior). Formaldehyde-free, Class A composite panel.
This finish is recommended for exterior conditions.

Fonthill Cherry
8422

Walnut
8424

Amber Bamboo
8432

Fine Wenge
8433

Grey Barnwood Cedar
8434

Golden Douglas Fir
8436

American Oak
8439

Crazy Cajun Cypress
8442

Swamp Cypress
8444

Clipper Teak
8446

Windjammer Teak
8449

Douglas Fir
8452

Anigre
8453

Farm Maple
8458

Caravel Teak
8460

Regatta Teak
8461

Summer Maple
8465

Terrace Maple
8466

Light Pecan
8475

Penshaw Cherry
8481

Northwest Mountain
Hemlock 8486

Whitewash
8487

White Oak
8491

Rustic Cherry
8739

Cherry
8742

Auxilium Maple
8753

White Oakwood
8758

Additional finishes available upon request. Please contact your local sales representative for more information.

HIGH PROFILES SERIES™ – FRAMEWORKS

DECORATED (POWDER-COAT) MASONRY OPTIONS

Powder-coat paint finish (interior and exterior). Formaldehyde-free, Class A composite panel.
This finish is recommended for exterior conditions.


Plain Masonry
8603

Grey Masonry
8604

Black Masonry
8605

Black Cherry Masonry
8606

INSTALLATION EXAMPLES

Typical Isometrics

Threaded rod by others

Hanger bracket with $1^5/8$" x $1^5/8$" unistrut p1000 12 ga steel primary channel suspension method shown, custom solutions available

Factory-mitered corner

$1^1/2$" x $6^3/8$" beam 12" o.c. shown, pattern/layout must be provided

⚙ **Additional options available for design flexibility, contact your local sales representative to get started.**

PHYSICAL DATA

MATERIAL
Aluminum

WEIGHT
Varies 2.0 – 4.0 lbs./sq.ft.

FIRE RATING
Class A Fire Rated per ASTM E84
– Painted or anodized metal: Flame spread: ≤ 25,
  Smoke ≤ 50
– Wood veneer on metal: Flame spread: ≤ 25, Smoke ≤ 55
  (for interior applications)
Class A Fire Rated per CAN/ULC-S102
– Painted or anodized metal: Flame spread: ≤ 25,
  Smoke ≤ 50

SEISMIC RATING
Zones A,B,C,D,E,F

WIND LOAD
N/A

RECYCLED CONTENT
Up to 50%

**LIGHT REFLECTANCE (LR) COEFFICIENT
PER ASTM E1264 & ASTM E1477**
– Cotton White: LR = 0.81

WARRANTY
1-year Limited Warranty.
Full warranty information can be found
at certainteed.com/warranty