

Our Combi-Line brings together linear metal and felt products for ceilings with complete creative flexibility and practical performance. Customize metal panels in any color or wood finish and combine them with the rich textural warmth of our linear felt panels to create depth, dimension, and variegated tonal palettes across the ceiling plane.

FEATURES AND BENEFITS

- Standard Dimensions: 8' panel lengths
 - HeartFelt® Linear:
 - 40HL55 – 40mm x 55mm, 1-9/16" x 2-3/16"
 - 40HL80 – 40mm x 80mm, 1-9/16" x 3-1/8"
 - 40HL105 – 40mm x 105mm, 1-9/16" x 4-1/8"
 - HeartFelt® Round:
 - 40HR64 – 40mm x 64mm, 1-9/16" x 2-1/2"
 - Tavola™ Linear (metal):
 - 40TL55 – 40mm x 55mm, 1-9/16" x 2-3/16"
 - 40TL80 – 40mm x 80mm, 1-9/16" x 3-1/8"
 - 40TL105 – 40mm x 105mm, 1-9/16" x 4-1/8"
- Modular system with both square and round profile design offers easy plenum access
- Available with four standard carrier modules
- Standard and custom perforations available for Tavola panels to elevate acoustics
- Compatible with industry standard lighting, HVAC, fire safety and security components

ATTRIBUTES



CLASS A FIRE RATING
ASTM E84, ASTM E1264
AND CAN/ULC-S102



SEISMIC RATING:
ZONE A, B, C, D, E, F



CUSTOMIZATION
AVAILABLE

HeartFelt® is a registered trademark of Hunter Douglas, Inc. used with permission.

LEED® v4

- ✓ MR: Building Product Disclosure
- ✓ EQ: Low-Emitting Materials
- ✓ EQ: Indoor Air Quality Assessment
- ✓ EQ: Acoustic Performance

LEED® is a registered trademark of the U.S. Green Building Council.

CERTIFICATIONS



GREENGUARD
GOLD CERTIFIED



EPD AVAILABLE



MATERIAL HEALTH:
BRONZE CERTIFIED



CRADLE-TO-CRADLE:
BRONZE CERTIFIED

STANDARD PATTERNS


Combi-Line enables you to create a unique combination of colors and materials with four completely different patterns.

The collections below offer a selection of metal and felt panels to inspire your next project.

Visit our website to see the full patterns for Dunes, Espresso, Pebbles and Bark.



DUNES



40HL55 - 7579 UMBER

40TL55 - 8458 FARM MAPLE

40HL55 - 7575 CREME

40HL55 - 7575 CREME

40TL55 - 8458 FARM MAPLE


40HL55 - 7575 CREME

40HL55 - 0280 COTTON WHITE

40HL55 - 7575 CREME



ESPRESSO



40HL55 - 7598 DARK GREY

40HL80 - 7594 BLACK

40TL55 - 1883 BLACK

40TL80 - 8424 WALNUT


40TL55 - 1883 BLACK

40HL80 - 7597 MIDDLE GREY

40HL80 - 7595 WHITE



BARK



40TL80 - 8424 WALNUT

40TL05 - 8458 FARM MAPLE

40HR64 - 7594 BLACK

40HR64 - 7596 LIGHT GREY


40HL80 - 8424 WALNUT

40HL64 - 7594 BLACK

40HL80 - 8458 FARM MAPLE



PEBBLES



40HL55 - 7575 CREME

40HL55 - 7575 CREME

40TL105 - 1883 BLACK

40TL80 - 8491 WHITE OAK

40TL80 - 8491 WHITE OAK

40TL105 - 1883 BLACK

40HL55 - 7577 MEDIUM BROWN

40HL55 - 7577 MEDIUM BROWN

COLORS - HEARTFELT®

HeartFelt® ceiling panels are available in white, black and three shades of grey, and five earth tones, offering opportunities to create visual gradients and rhythms at the ceiling plane. Coloration is inherent to the felted polyester material; the blend of colored and white fibers within each panel determines its shade. The material resists fading. NOTE: Colors are for illustration purposes only.

COLORS

HeartFelt - Greys



White
7593F



Light Grey
7596F




Middle Grey
7597F



Dark Grey
7598F



Black
7594F



*40HL55, 40HL80, 40HL105, 40HR64
Available in HeartFelt Greys

HeartFelt - Earth Tones



Creme
7575F



Light Brown
7576F



Middle Brown
7577F



Dark Brown
7578F



*40HL55
Available in HeartFelt Earth Tones



Umber
7579F



COLORS AND FINISHES – TAVOLA™ PANELS

A wide choice of metal colors and finishes as well as custom color matching are available upon request. See website for the most up to date information and to order samples. Colors are for illustration purposes only.

STANDARD PAINT COLORS




CUSTOM COLORS



WHITE FINISH OPTIONS

Powder-coat paint finish for Arctic White #1015P (Gloss 10-20); Crystalline White #1050P (Gloss 45-55); Supernova White #1085P (Gloss 80-90). Aviation White #1011P: Powder-coat paint finish offering – LRV 90 – 9% gloss finish.



BLACK FINISH OPTIONS

Powder-coat paint finish for Starless Black #5000P (Matte); Raven Black #5030P (Gloss 25-35); Sable Black #5060P (Gloss 65-75); Wet Glass Black #5095P (Gloss 90-95)



DECORATED (POWDER-COAT) WOOD-LOOK OPTIONS


Powder-coat paint finish. Formaldehyde-free, Class A composite panel.




Additional finishes available upon request. Please contact your local sales representative for more information.

PERFORATION PATTERNS (TAVOLA PANELS ONLY)


Standard patterns shown. Perforations not available on HeartFelt. Scale shown: 1:1, unless otherwise noted.




Non-perforated



Pattern #106
Perf. dia.: .098 in.
Open area: 16%



Pattern #115
Perf. dia.: .063 in.
Open area: 12%




Pattern #119
Perf. dia.: .098 in.
Open area: 8%




INSTALLATION EXAMPLES

Typical Isometric



Typical Section





PHYSICAL DATA

MATERIAL

Tavola Panels: Aluminum;
HeartFelt®: Non-Woven PES fibers (felt)

FIRE RATING

Class A Fire Rated per ASTM E84 and
ASTM E1264 (HeartFelt)
Canada – per CAN/ULC S102.2-10

SEISMIC RATING

ZONES A,B,C,D,E,F

VISUAL CONSIDERATIONS

Given the unique and special nature of our HeartFelt® ceiling product, steps should be taken (before and during installation, as well as over the lifetime of the ceiling) to avoid or minimize static and the accumulation of dust, lint, dirt or airborne particles on or around the felt.
Manufacturer does not warrant against or take responsibility for any such static or accumulation.

RECYCLED CONTENT

Metal – up to 85%

LIGHT REFLECTANCE

Varies with color

WARRANTY

1-year Limited Warranty.
Full warranty information can be found at certainteed.com/warranty

Acoustical test results available upon request.



CertainTeed ARCHITECTURAL

METAL • WOOD • FELT • FIBERGLASS & MINERAL FIBER • GYPSUM • SUSPENSION & INTEGRATED SYSTEMS
20 Moores Road, Malvern, PA 19355 800-366-4327 certainteed.com/architectural

© 03/23 CertainTeed, Printed in the USA, Code No. 12-II-1912-US-EN

