



Frameless wall panel with fully painted edges features outstanding sound absorption.

FEATURES AND BENEFITS

- Reduces echoes and improves speech clarity within a room
- Can be glued to ceiling and wall
- Endless design possibilities with different formats and colors to create various patterns
- Quick installation with two options to fix panels to the wall
- Frameless panels with fully painted white or gray edges
- Smooth, Texona fabric surface is available in a variety of colors
- Reveal edges painted; trim edges primed
- Texona surface supports UV curable ink-jet printing of images (by a professional printer)

ATTRIBUTES



**SAG
RESISTANT**



**RECYCLED
CONTENT**



**MOLD/MILDEW
RESISTANT
INHERENT**



**LR 0.81
(SEA SALT)**

LEED® v4

RECYCLED CONTENT	53%	
	PRE: 0%	POST: 53%

- ✓ MR: PBT Source Reduction (Healthcare)
- ✓ EQ: Acoustic Performance
- ✓ EQ: Prereq. Min. Acoustic Performance (Schools)
- ✓ MR: Sourcing Raw Materials
- ✓ MR: Environmental Product Declarations (EPDs)
- ✓ MR: Construction and Demolition Waste Management Planning


LEED® is a registered trademark of the U.S. Green Building Council.

CERTIFICATIONS & PRODUCT DECLARATIONS






EPD AVAILABLE




COLORS



AKUSTO ONE WALL PANELS - WHITE EDGE




AKUSTO ONE WALL PANELS - WHITE EDGE			SHAPE	DIMENSIONS MM (≈ IN.)	NRC	RECYCLED CONTENT	PIECES/ CARTON	SQ. FT./ CARTON	LBS./ CARTON
RECTANGLE SHAPE									
	NRC .95	3557 4026	Rectangle	292 x 1192 x 40 (≈ 11-1/2 x 47 x 1-1/2)	0.95	53%	2	7.5	9
		3557 4052	Rectangle	592 x 1192 x 40 (≈ 23-1/4 x 47 x 1-1/2)	0.95	53%	2	15.2	18
SQUARE SHAPE									
	NRC .95	3557 4000	Square	592 x 592 x 40 (≈ 23-1/4 x 23-1/4 x 1-1/2)	0.95	53%	2	7.5	9
CIRCLE SHAPE									
	NRC .95	3557 4078	Circle	D592 x 40 (≈ D23-1/4 x 1-1/2)	0.95	53%	2	5.9	9
		3557 4104	Circle	D792 x 40 (≈ D31 x 1-1/2)	0.95	53%	2	10.5	13
		3557 4130	Circle	D1192 x 40 (≈ D47 x 1-1/2)	0.95	53%	2	24.1	27

AKUSTO ONE WALL PANELS - GRAY EDGE


AKUSTO ONE WALL PANELS - GRAY EDGE			SHAPE	DIMENSIONS MM (≈ IN.)	NRC	RECYCLED CONTENT	PIECES/ CARTON	SQ. FT./ CARTON	LBS./ CARTON
RECTANGLE SHAPE									
	NRC .95	3557 4039	Rectangle	292 x 1192 x 40 (≈ 11-1/2 x 47 x 1-1/2)	0.95	53%	2	7.3	9
		3557 4065	Rectangle	592 x 1192 x 40 (≈ 23-1/4 x 47 x 1-1/2)	0.95	53%	2	15.2	18
SQUARE SHAPE									
	NRC .95	3557 4013	Square	592 x 592 x 40 (≈ 23-1/4 x 23-1/4 x 1-1/2)	0.95	53%	2	7.5	9
CIRCLE SHAPE									
	NRC .95	3557 4091	Circle	D592 x 40 (≈ D23-1/4 x 1-1/2)	0.95	53%	2	5.9	9
		3557 4117	Circle	D792 x 40 (≈ D31 x 1-1/2)	0.95	53%	2	10.5	13
		3557 4143	Circle	D1192 x 40 (≈ D47 x 1-1/2)	0.95	53%	2	24.1	27

Item numbers shown are for the Sea Salt color. To order colors please contact your Sales Representative.
CAN'T FIND A SIZE? Contact your local Sales Representative or call 800-233-8990.

ACCESSORIES

AKUSTO ONE ACCESSORIES		PRODUCT NAME	PIECES/ CARTON	USE
	2630 0016	Connect One Hook Fixing	8	Installed on walls and provides direct attachment for Akusto One SQ wall panels
	2631 1255	Connect One Trim	2	Installed on walls and provides channel into which Connect One Absorber Anchor is inserted
	2647 2177	Connect One Absorber Anchor	4	Installed in Akusto One SQ panels and for use with Connect One Trim for wall installation

EDGE DETAILS



PHYSICAL DATA

MATERIAL
Fiberglass

FIRE CLASS (ASTM E1264)
Tested according to ASTM E84 & CAN S102
Flame Spread: 25 or less
Smoke Developed: 50 or less

MOLD/MILDEW RESISTANCE
Fiberglass substrate is inherently resistant to the growth of mold and mildew.

MAINTENANCE
Wipe with a soft cloth or vacuum with brush attachment.

WARRANTY
10-year Ecophon Warranty.
Full warranty information can be found at certainteed.com/warranty.



CertainTeed ARCHITECTURAL

METAL • WOOD • FELT • FIBERGLASS & MINERAL FIBER • GYPSUM • SUSPENSION & INTEGRATED SYSTEMS
20 Moores Road, Malvern, PA 19355 800-233-8990 certainteed.com/architectural