

Acting Scene Background — Implementation Guide

Purpose: Port the NexusQ cinematic acting-scene animation to another website (e.g. AuditionQ).

Source: NexusQ branch `cinematic-background-test`

Date: 2026-08-11

Status: Test-proven on NexusQ; ready to copy

1. What this animation is

A full-viewport animated SVG background with:

- An **actor** performing in front of the camera
- A **cameraman** wearing a **director cap**, operating a cinema camera
- Studio **scenery** (cyclorama, lights, director chair, boom mic, cases, clapperboard)
- Smooth Framer Motion loops
- **Light mode + dark mode** support
- Mobile-reduced motion + `prefers-reduced-motion` support

It sits **behind** all website content and does not block clicks.

2. Files you need to create

Action	Path on target site	Notes
CREATE	<code>app/components/ActingSceneBackground.tsx</code>	Copy full source from Section 9
MODIFY	Homepage (e.g. <code>app/page.tsx</code>)	Mount background + wrap content (Section 5)
OPTIONAL	Theme / CSS tokens	Retune veil if no <code>bg-nq-bg</code> (Section 6)

Do NOT need: `AuroraBackground.tsx`, `FilmSetBackground.tsx`, `public/film-background.jpg`, or NexusQ card CSS fixes (unless the target has the same transparency bugs).

3. Dependencies

```
npm install framer-motion
```

Also required: React 18+, Next.js App Router client components (`"use client"`), Tailwind recommended.

4. Architecture (must keep)

```
ActingSceneBackground
  fixed · inset-0 · z-0 · pointer-events-none
  full-bleed SVG (preserveAspectRatio=xMidYMid slice)
```



Site content (relative z-10)

Navbar · Hero · Sections · Footer (stationary)

1. Background: `pointer-events-none` + `fixed inset-0` + `z-0`
2. Content: `relative z-10`
3. Parent: `relative` + `overflow-x-hidden`
4. SVG fills the screen with `h-full w-full` + `slice`

5. Exact page wiring (what to change)

Minimal pattern

```
import ActingSceneBackground from "../components/ActingSceneBackground";
// Keep your old background import commented – do not delete the file

export default function Home() {
  return (
    <main className="relative min-h-screen overflow-x-hidden">
      {/* <OldBackground /> */}
      <ActingSceneBackground />
      <div className="relative z-10">
        <Navbar />
        <Hero />
        {/* all existing sections unchanged */}
      </div>
    </main>
  );
}
```

6. Theme / readability adaptations

If there is no `bg-nq-bg`, replace the veil near the bottom of the component:

```
<div className="absolute inset-0 bg-nq-bg/30 dark:bg-nq-bg/38" />
```

With site tokens, for example:

```
<div className="absolute inset-0 bg-background/30 dark:bg-background/40" />
/* or */
<div className="absolute inset-0 bg-white/35 dark:bg-black/40" />
```

Use **solid** card backgrounds over this scene. Avoid Tailwind opacity on CSS-variable colors (e.g. `bg-surface/85`) — they often fail.

7. Implementation checklist

1. Create a **test branch** on the target repo
2. Install `framer-motion` if needed
3. Create `ActingSceneBackground.tsx` with Section 9 source
4. Wire homepage (fixed BG + z-10 content)

5. Comment out old background without deleting it
6. Test desktop, mobile, light, dark
7. Test reduced motion
8. Tune veil for text contrast
9. Confirm clicks work; no horizontal scroll
10. Optional feature flag; keep one-line revert

8. Performance and safety

- Transforms/opacity only (already done)
- Mobile uses smaller motion (`amp = 0.5`)
- Respects `prefers-reduced-motion`
- Start on homepage only
- Do not rewrite to Canvas/WebGL for v1

9. Full source code — `ActingSceneBackground.tsx`

Copy this entire file to the target project. A standalone copy also lives at `docs/ActingSceneBackground.tsx` .

```
"use client";

import { motion, useReducedMotion } from "framer-motion";
import { useEffect, useState } from "react";

/**
 * TEST ONLY – cinematic acting-scene background.
 * Does not replace AuroraBackground.tsx or FilmSetBackground.tsx.
 *
 * Scene: director-capped cameraman recording + actor performing.
 * Theme-aware for light + dark mode.
 */

export default function ActingSceneBackground() {
  const prefersReducedMotion = useReducedMotion();
  const [isMobile, setIsMobile] = useState(false);

  useEffect(() => {
    const mq = window.matchMedia("(max-width: 767px)");
    const update = () => setIsMobile(mq.matches);
    update();
    mq.addEventListener("change", update);
    return () => mq.removeEventListener("change", update);
  }, []);

  const ease = "easeInOut" as const;
  const amp = isMobile ? 0.5 : 1;

  return (
    <div
      aria-hidden
      className="pointer-events-none fixed inset-0 z-0 overflow-hidden"
    >
      {/* Theme-aware studio base */}
      <div className="absolute inset-0 bg-gradient-to-b from-[#efe6d8] via-[#e4d5c0] to-[#cbb89a] dark:from-[#0b1018] dark:via-[#121a24] dark:to-[#0a0e14]" />
    </div>
  );
}
```

```

    /* Ambient lights */
    <motion.div
      className="absolute left-[-8%] top-[0%] h-[50%] w-[50%] rounded-full bg-amber-300/40 blur-3xl dark:bg-amber-400/18"
      animate={
        prefersReducedMotion
          ? undefined
          : { opacity: [0.5, 0.75, 0.5], x: [0, 16 * amp, 0] }
      }
      transition={{ duration: 11, repeat: Infinity, ease }}
    />
    <motion.div
      className="absolute right-[-6%] top-[15%] h-[48%] w-[42%] rounded-full bg-sky-300/30 blur-3xl dark:bg-cyan-400/14"
      animate={
        prefersReducedMotion
          ? undefined
          : { opacity: [0.35, 0.55, 0.35], x: [0, -12 * amp, 0] }
      }
      transition={{ duration: 13, repeat: Infinity, ease }}
    />

    /* Full-viewport scene – cover entire screen (not a bottom box) */
    <div className="absolute inset-0">
      <svg
        viewBox="0 0 1280 680"
        preserveAspectRatio="xMidYMid slice"
        className="absolute inset-0 h-full w-full"
      >
        <defs>
          <radialGradient id="spotWarm" cx="50%" cy="20%" r="70%">
            <stop offset="0%" stopColor="#ffd089" stopOpacity="0.45" />
            <stop offset="100%" stopColor="#ffd089" stopOpacity="0" />
          </radialGradient>
          <filter id="softShadow" x="-20%" y="-20%" width="140%" height="140%">
            <feDropShadow dx="0" dy="8" stdDeviation="10" floodOpacity="0.25" />
          </filter>
        </defs>

        /* ===== SCENERY (behind characters) ===== */

        /* Back wall */
        <rect
          x="0"
          y="0"
          width="1280"
          height="480"
          className="fill-[#d5c4ae] dark:fill-[#1a2330]"
        />

        /* Lighting grid / ceiling beams */
        <g className="opacity-70 dark:opacity-50">
          <rect x="40" y="28" width="1200" height="10" rx="2" className="fill-[#6b7280] dark:fill-[#4b5563]"
        />

          {[120, 280, 440, 600, 760, 920, 1080].map((x) => (
            <rect
              key={x}
              x={x}
              y="38"
              width="6"
              height="55"
              rx="1"
              className="fill-[#78716c] dark:fill-[#57534e]"
            />
          ))}

          /* Hanging softbox left */
          <rect x="150" y="70" width="90" height="55" rx="6" className="fill-[#f8fafc] dark:fill-[#e2e8f0]"
        />

          <rect x="155" y="75" width="80" height="45" rx="4" className="fill-[#fde68a] dark:fill-

```

```

[#fbbf24]/70" />
    { /* Hanging softbox right */}
    <rect x="1020" y="78" width="80" height="48" rx="6" className="fill-[#f8fafc] dark:fill-[#e2e8f0]"
/>

    <rect x="1025" y="83" width="70" height="38" rx="4" className="fill-[#bae6fd] dark:fill-
[#38bdf8]/50" />
    </g>

    { /* Cyclorama backdrop curve */}
    <path
    d="M180 120 Q640 80 1100 120 L1120 470 Q640 520 160 470 Z"
    className="fill-[#ead9c0] dark:fill-[#243040]"
    />
    <ellipse cx="640" cy="455" rx="460" ry="40" fill="url(#spotWarm)" />

    { /* Studio floor */}
    <path
    d="M0 470 L1280 470 L1280 680 L0 680 Z"
    className="fill-[#b59f82] dark:fill-[#141c26]"
    />
    <path
    d="M0 470 Q640 505 1280 470"
    fill="none"
    className="stroke-black/10 dark:stroke-white/10"
    strokeWidth="2"
    />

    { /* Floor reflection wash */}
    <ellipse
    cx="640"
    cy="560"
    rx="480"
    ry="36"
    className="fill-black/8 dark:fill-black/30"
    />

    { /* Left scenery – director chair + plant */}
    <g filter="url(#softShadow)">
    { /* Plant pot */}
    <ellipse cx="95" cy="500" rx="28" ry="10" className="fill-black/15 dark:fill-black/35" />
    <path d="M78 470 L112 470 L106 500 L84 500 Z" className="fill-[#7c2d12] dark:fill-[#5c1a0a]" />
    <ellipse cx="95" cy="470" rx="20" ry="6" className="fill-[#9a3412]" />
    <path
    d="M95 465 Q70 420 55 390 Q85 410 95 440 Q105 410 135 390 Q120 420 95 465"
    className="fill-[#3f7d4e] dark:fill-[#2f6b3d]"
    />
    <path
    d="M95 460 Q88 430 75 405 Q100 425 95 455"
    className="fill-[#4f9a62] dark:fill-[#3d8350]"
    />

    { /* Director chair */}
    <g transform="translate(130,390)">
    <path
    d="M20 20 L20 120 M100 20 L100 120 M20 120 L5 155 M100 120 L115 155 M20 70 L100 70"
    fill="none"
    stroke="#b45309"
    strokeWidth="7"
    strokeLinecap="round"
    />
    <rect x="24" y="28" width="72" height="36" rx="2" className="fill-[#1c1917] dark:fill-[#0c0a09]"
/>

    <rect x="24" y="74" width="72" height="28" rx="2" className="fill-[#1c1917] dark:fill-[#0c0a09]"
/>

    <text
    x="60"
    y="52"
    textAnchor="middle"
    className="fill-[#a8a29e]"
    fontSize="11"

```

```

        fontFamily="system-ui,sans-serif"
        fontWeight="700"
    >
        DIRECTOR
    </text>
</g>
</g>

{/* Right scenery – equipment cases */}
<g filter="url(#softShadow)">
    <rect x="1085" y="470" width="95" height="55" rx="6" className="fill-[#1e293b] dark:fill-
[#0f172a]" stroke="#64748b" strokeWidth="2" />
    <rect x="1095" y="485" width="30" height="8" rx="2" className="fill-[#94a3b8]" />
    <rect x="1120" y="445" width="85" height="45" rx="6" className="fill-[#334155] dark:fill-
[#1e293b]" stroke="#64748b" strokeWidth="2" />
    <rect x="1130" y="458" width="28" height="7" rx="2" className="fill-[#94a3b8]" />
</g>

{/* Boom mic overhang */}
<g className="opacity-80">
    <path
        d="M980 95 L720 210"
        fill="none"
        stroke="#64748b"
        strokeWidth="5"
        strokeLinecap="round"
    />
    <ellipse cx="705" cy="218" rx="28" ry="14" className="fill-[#1e293b] dark:fill-[#0f172a]" />
    <rect x="692" y="212" width="26" height="12" rx="3" className="fill-[#334155]" />
</g>

{/* Floor light stands */}
<g>
    <path d="M250 200 L250 500" stroke="#78716c" strokeWidth="5" />
    <path d="M230 500 L270 500" stroke="#78716c" strokeWidth="6" strokeLinecap="round" />
    <rect x="220" y="175" width="60" height="40" rx="4" className="fill-[#fef3c7] dark:fill-
[#fbbf24]/60" />
    <path
        d="M280 195 L360 280 L340 320 L250 230 Z"
        className="fill-amber-200/35 dark:fill-amber-300/15"
    />

    <path d="M1040 210 L1040 500" stroke="#78716c" strokeWidth="5" />
    <path d="M1020 500 L1060 500" stroke="#78716c" strokeWidth="6" strokeLinecap="round" />
    <rect x="1010" y="185" width="60" height="40" rx="4" className="fill-[#e0f2fe] dark:fill-
[#38bdf8]/45" />
</g>

{/* Clapperboard on floor */}
<g transform="translate(300,505) rotate(-12)">
    <rect width="78" height="56" rx="3" className="fill-[#0a0a0a]" stroke="#e5e5e5" strokeWidth="2" />
    <rect width="78" height="16" className="fill-[#5f5f5f]" />
    <path d="M0 0 L14 16 M20 0 L34 16 M40 0 L54 16 M60 0 L74 16" stroke="#111" strokeWidth="5" />
</g>

{/* ===== ACTOR (connected silhouette) ===== */}
<motion.g
    style={{ transformOrigin: "420px 540px", willChange: "transform" }}
    animate={{
        prefersReducedMotion
            ? undefined
            : { y: [0, -5 * amp, 0], rotate: [0, -0.8 * amp, 0.6 * amp, 0] }
    }}
    transition={{ duration: 5.2, repeat: Infinity, ease }}
>
    {/* Shadow */}
    <ellipse cx="420" cy="555" rx="48" ry="12" className="fill-black/20 dark:fill-black/45" />

    {/* Shoes */}
    <ellipse cx="398" cy="545" rx="18" ry="8" className="fill-[#1c1917]" />

```

```

<ellipse cx="442" cy="545" rx="18" ry="8" className="fill-[#1c1917]" />

{/* Legs – continuous from hips */}
<path
  d="M395 400
    C392 440 388 490 392 538
    L410 538
    C412 490 412 445 415 400
    Z"
  className="fill-[#2a3548] dark:fill-[#1a2333]"
/>
<path
  d="M425 400
    C428 445 430 490 430 538
    L448 538
    C450 490 448 445 445 400
    Z"
  className="fill-[#334155] dark:fill-[#243044]"
/>

{/* Torso + hips as one shape */}
<path
  d="M378 275
    C400 255 440 255 462 275
    L472 400
    C445 418 395 418 368 400
    Z"
  className="fill-[#3b5f8a] dark:fill-[#4a74a8]"
/>
{/* Lapel / shirt line */}
<path
  d="M412 278 L420 278 L424 395 L408 395 Z"
  className="fill-[#d4b483]/55"
/>
{/* Collar */}
<path
  d="M400 275 L420 292 L440 275 L435 285 L420 298 L405 285 Z"
  className="fill-[#2f4d70] dark:fill-[#3d618c]"
/>

{/* Neck connected to torso + head */}
<rect x="408" y="248" width="24" height="32" rx="8" className="fill-[#e2b48f] dark:fill-[#d09a72]"
/>

{/* Head */}
<circle cx="420" cy="225" r="36" className="fill-[#e8bc98] dark:fill-[#d4a07c]" />
{/* Hair connected over head */}
<path
  d="M386 220
    C390 185 420 172 454 190
    C458 210 448 218 442 222
    C430 200 410 198 386 220 Z"
  className="fill-[#2a2118] dark:fill-[#1a1410]"
/>
{/* Ears */}
<ellipse cx="385" cy="228" rx="7" ry="10" className="fill-[#d9a882] dark:fill-[#c49268]" />
<ellipse cx="455" cy="228" rx="7" ry="10" className="fill-[#d9a882] dark:fill-[#c49268]" />
{/* Face */}
<circle cx="408" cy="226" r="3.2" className="fill-[#2c211c]" />
<circle cx="432" cy="226" r="3.2" className="fill-[#2c211c]" />
<path
  d="M410 244 C420 252 430 244"
  fill="none"
  stroke="#9a6b52"
  strokeWidth="2.4"
  strokeLinecap="round"
/>

{/* Left arm – attached at shoulder, one continuous limb */}
<motion.g

```

```

style={{ transformOrigin: "378px 295px" }}
animate={
  prefersReducedMotion
    ? undefined
    : { rotate: [0, -10 * amp, -4 * amp, 0] }
}
transition={{ duration: 4.6, repeat: Infinity, ease }}
>
<path
  d="M378 290
    C350 310 330 350 322 390
    C318 402 328 408 336 400
    C348 365 360 330 380 305
    Z"
  className="fill-[#334e72] dark:fill-[#3f638f]"
/>
{/* Hand attached to arm end */}
<ellipse cx="328" cy="402" rx="13" ry="11" className="fill-[#e2b48f] dark:fill-[#d09a72]" />
</motion.g>

{/* Right arm – raised acting gesture, attached at shoulder */}
<motion.g
  style={{ transformOrigin: "462px 295px" }}
  animate={
    prefersReducedMotion
      ? undefined
      : { rotate: [0, 14 * amp, 6 * amp, 16 * amp, 0] }
  }
  transition={{ duration: 4.0, repeat: Infinity, ease }}
>
  <path
    d="M462 292
      C490 275 520 250 545 228
      C555 220 548 208 536 214
      C510 240 485 265 460 285
      Z"
    className="fill-[#3b5f8a] dark:fill-[#4a74a8]"
  />
  <ellipse cx="542" cy="218" rx="14" ry="12" className="fill-[#e2b48f] dark:fill-[#d09a72]" />
</motion.g>

{/* ===== CAMERA + TRIPOD ===== */}
<g filter="url(#softShadow)">
  <path
    d="M820 360 L760 548 M820 360 L880 548 M820 360 L820 548"
    fill="none"
    stroke="#57534e"
    strokeWidth="9"
    strokeLinecap="round"
  />
  <circle cx="760" cy="550" r="9" className="fill-[#292524]" />
  <circle cx="880" cy="550" r="9" className="fill-[#292524]" />
  <circle cx="820" cy="550" r="9" className="fill-[#292524]" />

  <motion.g
    style={{ transformOrigin: "820px 330px" }}
    animate={
      prefersReducedMotion
        ? undefined
        : { rotate: [0, -1.2 * amp, 0.8 * amp, 0], y: [0, -2 * amp, 0] }
    }
    transition={{ duration: 7, repeat: Infinity, ease }}
  >
    {/* Camera body */}
    <rect
      x="760"
      y="295"
      width="120"
      height="72"

```



```

        rx="12"
        className="fill-[#1c1917] dark:fill-[#0c0a09]"
        stroke="#78716c"
        strokeWidth="2"
    />
    {/* Lens — facing actor */}
    <circle
        cx="752"
        cy="330"
        r="30"
        className="fill-[#0f172a]"
        stroke="#94a3b8"
        strokeWidth="4"
    />
    <circle cx="752" cy="330" r="16" className="fill-[#1e293b]" />
    <circle cx="752" cy="330" r="7" className="fill-[#38bdf8]/55" />
    {/* Top handle */}
    <rect x="795" y="278" width="48" height="12" rx="4" className="fill-[#44403c]" />
    {/* Side monitor */}
    <rect
        x="860"
        y="268"
        width="52"
        height="40"
        rx="5"
        className="fill-[#111827]"
        stroke="#64748b"
        strokeWidth="2"
    />
    <rect x="866" y="274" width="40" height="28" rx="2" className="fill-[#0ea5e9]/45" />
    <motion.circle
        cx="880"
        cy="288"
        r="4.5"
        className="fill-red-500"
        animate={
            prefersReducedMotion ? { opacity: 1 } : { opacity: [1, 0.15, 1] }
        }
        transition={{ duration: 1.15, repeat: Infinity, ease: "easeInOut" }}
    />
</motion.g>
</g>

{/* ===== CAMERAMAN (connected, director look) ===== */}
<motion.g
    style={{ transformOrigin: "960px 545px", willChange: "transform" }}
    animate={
        prefersReducedMotion
            ? undefined
            : { y: [0, -3 * amp, 0], x: [0, -3 * amp, 2 * amp, 0] }
    }
    transition={{ duration: 6.2, repeat: Infinity, ease }}
>
    <ellipse cx="960" cy="558" rx="42" ry="11" className="fill-black/20 dark:fill-black/45" />

    {/* Shoes */}
    <ellipse cx="942" cy="548" rx="16" ry="7" className="fill-[#1c1917]" />
    <ellipse cx="978" cy="548" rx="16" ry="7" className="fill-[#1c1917]" />

    {/* Legs continuous */}
    <path
        d="M940 415
            C938 455 936 500 938 542
            L954 542
            C956 500 956 455 955 415
            Z"
        className="fill-[#1f2937] dark:fill-[#111827]"
    />
    <path
        d="M965 415

```

```

        C966 455 968 500 968 542
        L984 542
        C986 500 984 455 980 415
        Z"
        className="fill-[#273549] dark:fill-[#1a2436]"
    />

    { /* Torso / director jacket – one piece into hips */ }
    <path
        d="M922 295
            C945 272 975 272 998 295
            L1008 415
            C980 435 940 435 912 415
            Z"
        className="fill-[#2c3e50] dark:fill-[#3a5168]"
    />
    { /* Jacket lapels */ }
    <path
        d="M948 300 L960 318 L972 300 L968 325 L960 340 L952 325 Z"
        className="fill-[#1e2d3d] dark:fill-[#2a3f52]"
    />
    { /* Red director scarf – attached to collar */ }
    <path
        d="M952 308
            C958 308 968 310 970 320
            L968 365
            C960 370 952 365 950 340
            Z"
        className="fill-[#b91c1c] dark:fill-[#dc2626]"
    />

    { /* Neck */ }
    <rect x="948" y="268" width="24" height="30" rx="7" className="fill-[#d2a67a] dark:fill-[#c49268]"
/>

    { /* Head + director cap (connected) */ }
    <motion.g
        style={{ transformOrigin: "960px 250px" }}
        animate={
            prefersReducedMotion
                ? undefined
                : { rotate: [0, -3.5 * amp, -1 * amp, -4 * amp, 0] }
        }
        transition={{ duration: 5, repeat: Infinity, ease }}
    >
        <circle cx="958" cy="245" r="33" className="fill-[#d9ad84] dark:fill-[#c99a70]" />
        { /* Cap brim + crown as one unit on head */ }
        <path
            d="M918 235
                C925 205 958 195 998 215
                C1000 230 990 240 980 242
                L918 242
                Z"
            className="fill-[#171717] dark:fill-[#0a0a0a]"
        />
        <ellipse cx="958" cy="238" rx="44" ry="12" className="fill-[#262626] dark:fill-[#171717]" />
        <circle cx="958" cy="222" r="4" className="fill-[#ca8a04]" />
        { /* Ear */ }
        <ellipse cx="928" cy="248" rx="6" ry="9" className="fill-[#c99a70]" />
        { /* Eye looking toward camera/actor */ }
        <circle cx="945" cy="248" r="3" className="fill-[#1c1917]" />
        <path
            d="M940 262 C948 268 956 262"
            fill="none"
            stroke="#8b5e45"
            strokeWidth="2.2"
            strokeLinecap="round"
        />
    </motion.g>

```

```

    { /* Arms attached to shoulders, reaching camera */ }
    <motion.g
      style={{ transformOrigin: "922px 315px" }}
      animate={
        prefersReducedMotion
          ? undefined
          : { rotate: [0, 4 * amp, -2 * amp, 0] }
      }
      transition={{ duration: 3.6, repeat: Infinity, ease }}
    >
      <path
        d="M922 310
          C885 325 855 335 830 332
          C820 330 820 318 830 318
          C858 322 888 315 920 302
          Z"
        className="fill-[#2c3e50] dark:fill-[#3a5168]"
      />
      <ellipse cx="828" cy="325" rx="12" ry="10" className="fill-[#d2a67a] dark:fill-[#c49268]" />
    </motion.g>

    <path
      d="M998 312
        C1020 340 1015 375 1000 400
        C992 408 982 400 988 390
        C998 365 1005 340 995 315
        Z"
      className="fill-[#273549] dark:fill-[#31485c]"
    />
    <ellipse cx="996" cy="402" rx="11" ry="9" className="fill-[#d2a67a] dark:fill-[#c49268]" />
  </motion.g>

  { /* Warm spotlight wash over actor */ }
  <motion.path
    d="M220 70 L360 500 L500 500 Z"
    className="fill-amber-200/25 dark:fill-amber-300/12"
    animate={
      prefersReducedMotion ? undefined : { opacity: [0.3, 0.55, 0.3] }
    }
    transition={{ duration: 8, repeat: Infinity, ease }}
  />
</svg>
</div>

{ /* Soft haze */ }
{ !prefersReducedMotion && (
  <motion.div
    className="absolute inset-0 bg-gradient-to-r from-amber-100/15 via-transparent to-sky-100/10
dark:from-amber-400/5 dark:to-cyan-400/5"
    animate={{ opacity: [0.35, 0.6, 0.35], x: ["-2%", "2%", "-2%"] }}
    transition={{ duration: isMobile ? 18 : 14, repeat: Infinity, ease }}
  />
)}

{ /* Readability veil */ }
<div className="absolute inset-0 bg-nq-bg/30 dark:bg-nq-bg/38" />
</div>
);
}

```

10. Quick copy commands

```

# PowerShell
Copy-Item docs\ActingSceneBackground.tsx C:\path\to\other-site\app\components\ActingSceneBackground.tsx

```

```
cd C:\path\to\other-site
npm install framer-motion
```

11. Rollback

1. Comment out `<ActingSceneBackground />`
2. Re-enable the previous background
3. Keep the new file until you decide permanently

12. Source of truth

- NexusQ branch: `cinematic-background-test`
- Component: `app/components/ActingSceneBackground.tsx`
- Guide + copy: `docs/`
- Do not merge to NexusQ `main` until approved

Generated for porting the NexusQ acting-scene background test to another website.