

# System Call Monitor Logs

Generated: 2025-03-24 21:43:04

---

## System Call Statistics

---

## System Call Logs

### Process ID: 1141

- open: /etc/passwd
- socket: AF\_INET
- fork:
- open: /etc/passwd
- write: /tmp/test.txt
- fork:
- mmap: 0x1000
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- fork:
- read: /usr/bin/python
- connect: 192.168.1.1:80
- read: /usr/bin/python
- socket: AF\_INET
- mmap: 0x1000
- read: /usr/bin/python
- fork:
- write: /tmp/test.txt
- mmap: 0x1000
- connect: 192.168.1.1:80
- mmap: 0x1000
- mmap: 0x1000
- read: /usr/bin/python
- write: /tmp/test.txt
- open: /etc/passwd
- socket: AF\_INET
- fork:
- mmap: 0x1000
- read: /usr/bin/python
- write: /tmp/test.txt
- socket: AF\_INET
- write: /tmp/test.txt
- open: /etc/passwd

- read: /usr/bin/python
- open: /etc/passwd
- socket: AF\_INET
- write: /tmp/test.txt
- connect: 192.168.1.1:80
- socket: AF\_INET
- connect: 192.168.1.1:80
- mmap: 0x1000
- read: /usr/bin/python
- fork:
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- fork:
- read: /usr/bin/python
- socket: AF\_INET
- socket: AF\_INET
- write: /tmp/test.txt
- open: /etc/passwd
- read: /usr/bin/python
- connect: 192.168.1.1:80
- open: /etc/passwd
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80
- mmap: 0x1000
- read: /usr/bin/python
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- open: /etc/passwd
- socket: AF\_INET
- mmap: 0x1000
- read: /usr/bin/python
- read: /usr/bin/python
- socket: AF\_INET
- mmap: 0x1000
- write: /tmp/test.txt
- mmap: 0x1000
- connect: 192.168.1.1:80
- read: /usr/bin/python
- fork:
- mmap: 0x1000
- open: /etc/passwd
- read: /usr/bin/python
- mmap: 0x1000

- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80
- read: /usr/bin/python
- fork:
- mmap: 0x1000
- fork:
- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80
- mmap: 0x1000
- connect: 192.168.1.1:80
- mmap: 0x1000
- read: /usr/bin/python
- connect: 192.168.1.1:80
- open: /etc/passwd
- socket: AF\_INET
- read: /usr/bin/python
- fork:
- write: /tmp/test.txt
- mmap: 0x1000
- read: /usr/bin/python
- socket: AF\_INET
- write: /tmp/test.txt
- fork:
- socket: AF\_INET
- mmap: 0x1000
- read: /usr/bin/python
- socket: AF\_INET
- connect: 192.168.1.1:80
- connect: 192.168.1.1:80
- fork:
- open: /etc/passwd
- open: /etc/passwd
- read: /usr/bin/python
- write: /tmp/test.txt
- fork:
- socket: AF\_INET
- write: /tmp/test.txt
- socket: AF\_INET
- connect: 192.168.1.1:80
- fork:
- mmap: 0x1000
- read: /usr/bin/python
- write: /tmp/test.txt
- fork:
- write: /tmp/test.txt

- socket: AF\_INET
- connect: 192.168.1.1:80
- open: /etc/passwd
- write: /tmp/test.txt
- write: /tmp/test.txt
- fork:
- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80
- open: /etc/passwd
- read: /usr/bin/python
- write: /tmp/test.txt
- mmap: 0x1000
- fork:
- socket: AF\_INET
- socket: AF\_INET
- fork:
- socket: AF\_INET
- write: /tmp/test.txt
- fork:
- open: /etc/passwd
- socket: AF\_INET
- write: /tmp/test.txt
- mmap: 0x1000
- mmap: 0x1000
- socket: AF\_INET
- socket: AF\_INET
- fork:
- read: /usr/bin/python
- mmap: 0x1000
- open: /etc/passwd
- connect: 192.168.1.1:80
- mmap: 0x1000
- open: /etc/passwd
- read: /usr/bin/python
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- read: /usr/bin/python
- open: /etc/passwd
- socket: AF\_INET
- write: /tmp/test.txt
- fork:
- read: /usr/bin/python
- fork:
- mmap: 0x1000
- fork:

- write: /tmp/test.txt
- mmap: 0x1000
- open: /etc/passwd
- read: /usr/bin/python
- socket: AF\_INET
- write: /tmp/test.txt
- open: /etc/passwd
- open: /etc/passwd
- write: /tmp/test.txt
- fork:
- mmap: 0x1000
- write: /tmp/test.txt
- fork:
- mmap: 0x1000
- mmap: 0x1000
- socket: AF\_INET
- fork:
- fork:
- read: /usr/bin/python
- open: /etc/passwd
- connect: 192.168.1.1:80
- mmap: 0x1000
- open: /etc/passwd
- socket: AF\_INET
- fork:
- read: /usr/bin/python
- connect: 192.168.1.1:80
- connect: 192.168.1.1:80
- mmap: 0x1000
- socket: AF\_INET
- fork:
- open: /etc/passwd
- connect: 192.168.1.1:80
- fork:
- read: /usr/bin/python
- write: /tmp/test.txt
- fork:
- read: /usr/bin/python
- fork:
- open: /etc/passwd
- read: /usr/bin/python
- socket: AF\_INET
- socket: AF\_INET
- connect: 192.168.1.1:80
- connect: 192.168.1.1:80
- open: /etc/passwd
- connect: 192.168.1.1:80

- fork:
- open: /etc/passwd
- write: /tmp/test.txt
- mmap: 0x1000
- read: /usr/bin/python
- mmap: 0x1000
- socket: AF\_INET
- write: /tmp/test.txt
- mmap: 0x1000
- socket: AF\_INET
- write: /tmp/test.txt
- open: /etc/passwd
- read: /usr/bin/python
- write: /tmp/test.txt
- open: /etc/passwd
- write: /tmp/test.txt
- open: /etc/passwd
- socket: AF\_INET
- mmap: 0x1000
- connect: 192.168.1.1:80
- open: /etc/passwd
- socket: AF\_INET
- fork:
- read: /usr/bin/python
- socket: AF\_INET
- mmap: 0x1000
- mmap: 0x1000
- open: /etc/passwd
- read: /usr/bin/python
- socket: AF\_INET
- connect: 192.168.1.1:80
- open: /etc/passwd
- write: /tmp/test.txt
- fork:
- read: /usr/bin/python
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- open: /etc/passwd
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- fork:
- fork:
- open: /etc/passwd
- socket: AF\_INET
- read: /usr/bin/python
- socket: AF\_INET
- mmap: 0x1000

- read: /usr/bin/python
- socket: AF\_INET
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- mmap: 0x1000
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- mmap: 0x1000
- socket: AF\_INET
- connect: 192.168.1.1:80
- open: /etc/passwd
- read: /usr/bin/python
- socket: AF\_INET
- write: /tmp/test.txt
- read: /usr/bin/python
- mmap: 0x1000
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- socket: AF\_INET
- fork:
- open: /etc/passwd
- socket: AF\_INET
- fork:
- open: /etc/passwd
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- fork:
- open: /etc/passwd
- read: /usr/bin/python
- read: /usr/bin/python
- socket: AF\_INET
- fork:
- connect: 192.168.1.1:80
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- socket: AF\_INET
- read: /usr/bin/python
- socket: AF\_INET
- open: /etc/passwd
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- fork:
- open: /etc/passwd
- read: /usr/bin/python
- write: /tmp/test.txt

- read: /usr/bin/python
- mmap: 0x1000
- open: /etc/passwd
- socket: AF\_INET
- fork:

## Process ID: 1155

- fork:
- write: /tmp/test.txt
- fork:
- mmap: 0x1000
- read: /usr/bin/python
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- write: /tmp/test.txt
- fork:
- open: /etc/passwd
- socket: AF\_INET
- fork:
- socket: AF\_INET
- open: /etc/passwd
- socket: AF\_INET
- mmap: 0x1000
- fork:
- mmap: 0x1000
- socket: AF\_INET
- connect: 192.168.1.1:80
- open: /etc/passwd
- socket: AF\_INET
- fork:
- read: /usr/bin/python
- connect: 192.168.1.1:80
- connect: 192.168.1.1:80
- fork:
- socket: AF\_INET
- connect: 192.168.1.1:80
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- socket: AF\_INET
- open: /etc/passwd
- read: /usr/bin/python
- socket: AF\_INET
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- open: /etc/passwd
- read: /usr/bin/python



- socket: AF\_INET
- fork:
- write: /tmp/test.txt
- open: /etc/passwd
- open: /etc/passwd
- read: /usr/bin/python
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- mmap: 0x1000
- connect: 192.168.1.1:80
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- mmap: 0x1000
- write: /tmp/test.txt
- connect: 192.168.1.1:80
- fork:
- mmap: 0x1000
- write: /tmp/test.txt
- mmap: 0x1000
- socket: AF\_INET
- mmap: 0x1000
- socket: AF\_INET
- fork:
- connect: 192.168.1.1:80
- mmap: 0x1000
- connect: 192.168.1.1:80
- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- read: /usr/bin/python
- connect: 192.168.1.1:80
- fork:
- read: /usr/bin/python
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- mmap: 0x1000
- mmap: 0x1000
- fork:
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- mmap: 0x1000
- read: /usr/bin/python
- fork:
- mmap: 0x1000
- socket: AF\_INET
- connect: 192.168.1.1:80

- read: /usr/bin/python
- connect: 192.168.1.1:80
- read: /usr/bin/python
- socket: AF\_INET
- connect: 192.168.1.1:80
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- mmap: 0x1000
- read: /usr/bin/python
- socket: AF\_INET
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- mmap: 0x1000
- connect: 192.168.1.1:80
- mmap: 0x1000
- read: /usr/bin/python
- write: /tmp/test.txt
- fork:
- socket: AF\_INET
- write: /tmp/test.txt
- write: /tmp/test.txt
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- write: /tmp/test.txt
- fork:
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- open: /etc/passwd
- socket: AF\_INET
- write: /tmp/test.txt
- fork:
- open: /etc/passwd
- connect: 192.168.1.1:80
- fork:
- connect: 192.168.1.1:80
- mmap: 0x1000
- socket: AF\_INET
- write: /tmp/test.txt
- connect: 192.168.1.1:80
- fork:
- mmap: 0x1000
- write: /tmp/test.txt
- fork:
- mmap: 0x1000

- fork:
- read: /usr/bin/python
- fork:
- read: /usr/bin/python
- fork:
- open: /etc/passwd
- read: /usr/bin/python
- write: /tmp/test.txt
- read: /usr/bin/python
- write: /tmp/test.txt
- socket: AF\_INET
- read: /usr/bin/python
- fork:
- socket: AF\_INET
- open: /etc/passwd
- fork:
- read: /usr/bin/python
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- fork:
- mmap: 0x1000
- open: /etc/passwd
- write: /tmp/test.txt
- fork:
- mmap: 0x1000
- connect: 192.168.1.1:80
- fork:
- connect: 192.168.1.1:80
- fork:
- mmap: 0x1000
- socket: AF\_INET
- write: /tmp/test.txt
- socket: AF\_INET
- write: /tmp/test.txt
- mmap: 0x1000
- read: /usr/bin/python
- connect: 192.168.1.1:80
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- fork:
- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80

- mmap: 0x1000
- read: /usr/bin/python
- socket: AF\_INET
- connect: 192.168.1.1:80
- fork:
- mmap: 0x1000
- open: /etc/passwd
- open: /etc/passwd
- socket: AF\_INET
- connect: 192.168.1.1:80
- mmap: 0x1000
- open: /etc/passwd
- read: /usr/bin/python
- fork:
- open: /etc/passwd
- write: /tmp/test.txt
- fork:
- connect: 192.168.1.1:80
- write: /tmp/test.txt
- fork:
- socket: AF\_INET