

Medication Refill Policy

Synthetic healthcare policy document for RAG testing

Document Notice

This file is synthetic and created only for healthcare AI assistant RAG testing. It does not contain real patient data, PHI, confidential client data, or actual medical advice.

1. Purpose

This policy describes how medication refill requests are reviewed, approved, denied, or redirected for clinical evaluation. The goal is to protect patient safety while allowing timely access to ongoing medications.

2. Eligible Refill Requests

A refill may be considered when the medication was previously prescribed by the organization, the patient has completed required follow-ups, no serious side effects are reported, and the medication is not restricted by law or internal safety rules.

- A refill may be considered when the medication was previously prescribed by the organization, the patient has completed required follow-ups, no serious side effects are reported, and the medication is not restricted by law or internal safety rules.

3. Non-Eligible Requests

Refills may be denied or delayed if the patient reports new or worsening symptoms, has missed required monitoring tests, requests a controlled or high-risk medication without review, or asks for a medication not previously prescribed by the clinic.

4. Telehealth Refill Rules

Telehealth refill review is allowed for stable patients when the medication is already prescribed and does not require a physical examination. The clinician may request a clinic visit, blood test, blood pressure check, or specialist review before approving the refill.

- Telehealth refill review is allowed for stable patients when the medication is already prescribed and does not require a physical examination.
- The clinician may request a clinic visit, blood test, blood pressure check, or specialist review before approving the refill.

5. Processing Time

Routine refill requests should be reviewed within two business days. Urgent refill requests should be triaged, but patients should be advised that emergency symptoms require urgent medical care rather than a routine refill process.

6. Patient Information Needed

Patients should provide name, date of birth, medication name, dosage, frequency, pharmacy details, remaining quantity, allergies, side effects, and whether any symptoms have changed since the last visit.

- Patients should provide name, date of birth, medication name, dosage, frequency, pharmacy details, remaining quantity, allergies, side effects, and whether any symptoms have changed since the last visit.

7. Documentation

All refill decisions must document the medication, quantity, approval or denial reason, clinician name, date, and follow-up instructions. Denied refills should include the next recommended step.

8. Safety Warnings

The AI assistant must not independently approve medication refills, change doses, stop medications, or provide diagnosis. It may summarize policy rules and direct patients to clinicians.

Quick Reference Table

Question	Policy Answer
How fast are routine refills reviewed?	Within two business days.
Can the AI approve refills?	No. The AI assistant must not independently approve refills or change medications.
What info is needed for refill?	Medication name, dosage, frequency, pharmacy, remaining quantity, allergies, side effects, and symptom changes.

Recommended RAG Test Prompts

- How fast are routine refills reviewed?
- Can the AI approve refills?
- What info is needed for refill?
- What information is not available in this document?
- Summarize the main rules from this document.

Version: 1.0 | Data Type: Synthetic | Intended Use: Hackathon prototype and RAG demonstration.