



Name: Ms. ARYA PRABHUDESAI Accession No.:

937934

Age/Gender: 23 Yrs / Female Lab No:

Specimen ID: 012012170151 Specimen:

COV28854 Nasal + Oral Swab

Referred By: M/S Redcliffe Life Sciences

Registered:

27/June/2021 3:30PM

Remark:

Reported:

27/June/2021 8:20PM

## **COVID REPORT**

Test Name: \*Covid 19 RT PCR

METHOD

Reverse Transcription Real Time PCR (ICMR approved kit)

RESULT

**COVID 19 - NOT DETECTED (NEGATIVE)** 

## INTERPRETATION

A 'Positive' or 'Detected' result implies the presence of SARS-CoV-2 in the given specimen.

A 'Negative' or 'Not Detected' result implies the absence of SARS-CoV-2 in the given specimen. However, it does not rule out the infection completely and should not be used as the sole basis for making decisions related to treatment or management of patient condition.

The test results are highly dependent on the appropriate sampling, handling and transportation. False positives can occur due to background RNA contamination at the laboratory or at preanalytical stages. False negatives may occur due to presence of PCR inhibitors or viral loads being below the limit of detection of the assay. Clinical correlation and confirmation with alternate methods is required. No clinical decisions should be taken purely on the basis of this report. Contact the laboratory immediately in case of any discrepancies in the report.

## COMMENTS

## ICMR Registration Number: AGILMPLCD **About COVID-19:**

COVID-19 is a new strain of the Coronavirus discovered in 2019 and was not identified in humans till then. Coronaviruses (CoV) are a large family of viruses that cause illness ranging from the common cold to more severe diseases such as Severe Acute Respiratory Syndrome (SARS-CoV) and Middle East Respiratory Syndrome (MERS-CoV). The disease may manifest into a variety of symptoms but not limited to common cold, fever, cough, shortness of breath amongst others. The symptoms may appear after 2-14 days of exposure. Many individuals without any symptoms have also been found to be positive in laboratory tests.

\*Test is not NABL accredited

\*\*\* End Of Report \*\*\*

Dr. SANDEEP SHARMA

Msc. PHD Head - Molecular Lab

Consultant Pathologist

DR. S. KUMAR

MBBS, MD

KRANTIVEER SINGH JANAGAL Msc (Human Genetics) Jr. Scientist