INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

Northwest Regional Office
330 W. US Highway 30, Suite F • Valparaiso, IN 46385
(800) 209-8892 • (219) 464-0233 • Fax (219) 464-0553 • www.idem.IN.gov

Mike Braun
Governor

Clint Woods
Commissioner

January 22, 2026

VIA ELECTRONIC MAIL:
Mr. Joseph Hanning
United States Steel Corporation
One North Broadway, MS 70A
Gary, IN 46402-3199
JEHanning@uss.com

Re: Document Review Enforcement Action Letter
United States Steel Corporation
Source ID 089-00121
Gary, Lake County

Dear Mr. Joseph Hanning:

A representative of the Indiana Department of Environmental Management (IDEM), Office of Air Quality (OAQ), has reviewed the Quarterly Deviation and Compliance Monitoring Report for the 3rd quarter of 2025 concerning United States Steel Corporation located at One North Broadway in Gary, Indiana. As a result of information obtained during that review, IDEM alleges a violation of 326 IAC 6.8-10-3, 40 CFR Part 63, Subpart FFFFF, 40 CFR Part 63, Subpart CCC ,and Conditions C.5(k), F.9.2(29) and F.10.2(3) of Title V Permit No. T089-46133-00121 (Permit) has occurred.

At the time of the review, the following violations were noted:

1) Pursuant to condition C.5(k) of the Permit, United States Steel Corporation shall meet a twenty percent (20%), three (3) minute average opacity standard.

   Based on information provided to IDEM, OAQ, United States Steel Corporation exceeded the opacity standard on two (2) occasions, on August 12, and September 19, 2025, respectively. At the No.2 QBOP Roof Monitor, on August 12, 2025, from 8:15:45 am to 8:18:30 am, there was a three-minute rolling average of twenty-three (23) percent (%). At the No.1 Bop Roof Monitor, on September 19, 2025, this event was not formally observed (Method 9) but is being reported based on credible evidence, in violation of 326 IAC 6.8-10-3 and Condition C.5(k) of the Permit.

2) Pursuant to condition Table 3 Row 12 of 40CFR 63 Subpart FFFFF, and Condition F.9.2(29) of the Permit, United States Steel Corporation shall maintain the opacity of secondary emissions that exit any opening in the BOPF shop or other building housing the BOPF shop or shop operation at or below 20 percent (3-minute average)

   Based on information provided to IDEM, OAQ, United States Steel Corporation exceeded the opacity standard on one (1) occasion, on September 19, 2025, at the No.1 BOP Roof Monitor. This event was not formally observed (Method 9) but is being reported based on credible evidence, in violation of 40 CFR Part 63, Subpart FFFFF, and Condition F.9.2(29) of the Permit.

This matter will be referred for formal enforcement action. IDEM Office of Air Quality would like to take this opportunity to encourage discussions concerning the facts of the case, any additional information that may be available, and to provide you with information concerning the enforcement process.

An enforcement case manager will contact you to discuss this matter and schedule an informational meeting concerning this matter. In the meantime, please direct any questions to Kevin Davis, Compliance Inspector, at 219-306-1240 or by email at ktdavis@idem.IN.gov.

Sincerely,

Randy K. Hoffman for

Charles Breitenfeldt, Deputy Director
Northwest Regional Office
Office of Air Quality

ACES ID: 316120

cc: Lake County Health Department
Mr. David McIver, Compliance and Enforcement Branch, Office of Air Quality

From: Hanning, Joseph E
To: ROBERTS, GOLDIE
Cc: Davis, Kevin T; McIver, David; "Nick Doffin"
Subject: RE: [External]-United States Steel Corporation (089-00121) Enforcement Action Letter
Date: Thursday, January 22, 2026 9:08:21 PM

EXTERNAL EMAIL: This email was sent from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

I received the document.

Thanks,
Joe

Joseph E. Hanning, PE
Manager – Environmental Control
U. S. Steel Gary Works
Office: (219) 888-4500
Cell: (412) 952-0474
jehanning@uss.com

From: ROBERTS, GOLDIE <GROBERTS@idem.IN.gov>
Sent: Thursday, January 22, 2026 12:52 PM
To: Hanning, Joseph E <JEHanning@uss.com>
Cc: Davis, Kevin T <KTDavis@idem.IN.gov>; McIver, David <DMcIver@idem.IN.gov>; 'Nick Doffin' <doffinx@lakecountyin.org>
Subject: [External]-United States Steel Corporation (089-00121) Enforcement Action Letter
Importance: High

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Subject: Enforcement Action Letter
United States Steel Corporation - ID# 089-00121

Dear Mr. Joseph Hanning:

Please find attached a PDF copy of the Enforcement Action Letter issued for United States Steel Corporation, Lake County, IN.
If you have questions about the inspection or document review that identified the issues noted in the letter, please contact Kevin Davis, Compliance Inspector, at (219) 306-1240 or

ktdavis@idem.IN.gov. Your case manager, who will serve as your contact regarding any enforcement action with respect to those issues, will communicate with you soon to schedule an informational meeting concerning this matter.

Please confirm your receipt of this electronic document.

Thank you

Goldie Roberts
Administrative Assistant
IDEM - Office of Air Quality
Compliance & Enforcement Branch
317-233-5523
groberts@idem.in.gov

DISCLAIMER & CONFIDENTIALITY NOTICE: This email neither constitutes an agreement to conduct transactions by electronic means nor creates any legally binding contract or enforceable obligation in the absence of a fully signed written contract. The information contained in this email and any attachments may be confidential, legally privileged and/or exempt from disclosure under applicable law. It has been sent for the sole use of the intended recipient(s). If the reader of this message is not an intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any unauthorized review, use, disclosure, dissemination, distribution, or copying of this communication, or any of its contents, is strictly prohibited. Any inadvertent or accidental disclosure of confidential, legally privileged and/or exempt information contained in this email does not constitute a knowing waiver of any rights regarding such information or materials. If you have received this communication in error, please reply to the sender and destroy all copies of the message (including any attachments).