

#### **Department of Computer Engineering**

#### **DBMS&QP LAB MINI PROJECT SYNOPSIS**

Title: AMS - Attendance Management System

#### **Abstract:**

The Attendance Marking System is a comprehensive solution designed for teachers to mark and track attendance of students.

#### **Description of Modules**

#### Eg:

- 1.Admin Module:
- Allows admin to create accounts for teachers and students.
- Allows admin creation of classes, class arms, terms and sessions.
- -Admin can delete and alter all of the above.

#### 2. Login Module:

- Enables separate login for admin and class teachers.
- 3. Attendance Marking Module:
  - Allows class teachers to mark students present or absent.
  - Allows you to check previous records of attendance.

#### **System Requirement**

- AMD Ryzen 3/5/7/9 processor
- Intel i3/i5/i7/i9 processor
- Windows 11/10 Home
- 4. GB RAM
- Min 0.5gb of available space

#### Tools to be used

Html,css,js Php,Mysql


#### **Team Details:**

Sr.No	Roll No	Name of Students	Signature
1	21CE05		
2	21CE08		
3	21CE30		



#### Department of Computer Engineering

#### Schema Diagram:



#### **Database Snapshot:**





### **Department of Computer Engineering**

ld	admissionNo	classId	classArmId	sessionTermId	status
162	ASDFLKJ	1	2	1	1
163	HSKSDD	1	2	1	1
164	JSLDKJ	1	2	1	1
172	HSKDS9EE	1	4	1	1
171	JKADA	1	4	1	0
170	JSFSKDJ	1	4	1	1
173	ASDFLKJ	1	2	1	1
174	HSKSDD	1	2	1	1
175	JSLDKJ	1	2	1	1
176	JSFSKDJ	1	4	1	0
177	JKADA	1	4	1	0
178	HSKDS9EE	1	4	1	0
179	ASDFLKJ	1	2	1	0
180	HSKSDD	1	2	1	1
181	JSLDKJ	1	2	1	1
182	ASDFLKJ	1	2	1	0
183	HSKSDD	1	2	1	0
184	JSLDKJ	1	2	1	1
185	ASDFLKJ	1	2	1	0
186	HSKSDD	1	2	1	0
187	JSLDKJ	1	2	1	0
188	AMS110	4	6	1	1
189	AMS133	4	6	1	0
190	AMS135	4	6	1	0
191	AMS144	4	6	1	1

#### Id className

- 1 Seven
- 3 Eight
- 4 Nine



# Padre Conceicao College of Engineering Department of Computer Engineering

ld	classId	classArmName	isAssigned
2	1	S1	1
4	1	S2	1
5	3	E1	1
6	4	N1	1

ld	firstName	lastName	emailAddress	password	phoneNo	classId	classArmId	dateCreated
1	Will	Kibagendi	teacher2@mail.com	pass123	09089898999	1	2	2023-11-22
4	Demola	Ade	teacher3@gmail.com	pass123	09672002882	1	4	2023-11-22
5	Ryan	Mbeche	teacher4@mail.com	pass123	7014560000	3	5	2023-11-22
6	John	Keroche	teacher@mail.com	pass123	0100000030	4	6	2023-11-22

ld	sessionName	termId	isActive	dateCreated
1	2021/2022	1	1	2022-10-31
3	2021/2022	2	0	2022-10-31



### **Department of Computer Engineering**

ld	firstName	lastName	otherName	admissionNumber	password	classId	classArmId
1	Thomas	Omari	none	AMS005	12345	1	2
3	Samuel	Ondieki	none	AMS007	12345	1	2
4	Milagros	Oloo	none	AMS011	12345	1	2
5	Luis	Ayo	none	AMS012	12345	1	4
6	Sandra	Sagero	none	AMS015	12345	1	4
7	Smith	Makori	Mack	AMS017	12345	1	4
8	Juliana	Kerubo	none	AMS019	12345	3	5
9	Richard	Semo	none	AMS021	12345	3	5
10	Jon	Mbeeka	none	AMS110	12345	4	6
11	Aida	Moraa	none	AMS133	12345	4	6
12	Miguel	Bush	none	AMS135	12345	4	6
13	Sergio	Hammons	none	AMS144	12345	4	6
14	Lyn	Rogers	none	AMS148	12345	4	6
15	James	Dominick	none	AMS151	12345	4	6
16	Ethel	Quin	none	AMS159	12345	4	6
17	Roland	Estrada	none	AMS161	12345	4	6

#### ld termName

1 First

2 Second

3 Third

### **Code:**

### Index.php

<?php
include 'Includes/dbcon.php';
session\_start();
?>

<!DOCTYPE html> <html lang="en">

<head>



```
<meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  <link href="img/logo/attnlg.jpg" rel="icon">
  <title>Login</title>
  k href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
tvpe="text/css">
  <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet" type="text/css">
  k href="css/ruang-admin.min.css" rel="stylesheet">
</head>
<body class="bg-gradient-login" style="background-image:</pre>
url('img/logo/loral1.jpe00g');">
  <!-- Login Content -->
  <div class="container-login">
     <div class="row justify-content-center">
       <div class="col-xl-10 col-lg-12 col-md-9">
          <div class="card shadow-sm my-5">
            <div class="card-body p-0">
               <div class="row">
                 <div class="col-lg-12">
                    <div class="login-form">
                      <h5 align="center">STUDENT ATTENDANCE SYSTEM</h5>
                      <div class="text-center">
                        <img src="img/logo/attnlg.jpg"
style="width:100px;height:100px">
                        <br><br>>
                        <h1 class="h4 text-gray-900 mb-4">Login Panel</h1>
                      </div>
                      <form class="user" method="Post" action="">
                        <div class="form-group">
                           <select required name="userType" class="form-control</pre>
mb-3">
                             <option value="">--Select User Roles--</option>
                             <option value="Administrator">Administrator
                             <option value="ClassTeacher">ClassTeacher</option>
                           </select>
                        </div>
                        <div class="form-group">
                           <input type="text" class="form-control" required
name="username" id="exampleInputEmail" placeholder="Enter Email Address">
                        </div>
                        <div class="form-group">
```



```
<input type="password" name="password" required
class="form-control" id="exampleInputPassword" placeholder="Enter Password">
                        </div>
                        <div class="form-group">
                           <div class="custom-control custom-checkbox small"</pre>
style="line-height: 1.5rem;">
                             <input type="checkbox" class="custom-control-input"</pre>
id="customCheck">
                             <!-- <label class="custom-control-label"
for="customCheck">Remember
               Me</label> -->
                           </div>
                        </div>
                        <div class="form-group">
                           <input type="submit" class="btn btn-success btn-block"
value="Login" name="login" />
                        </div>
                      </form>
                      <?php
 if(isset($ POST['login'])){
  $userType = $_POST['userType'];
  $username = $ POST['username'];
  $password = $ POST['password'];
  $password = md5($password);
  if($userType == "Administrator"){
   $query = "SELECT * FROM tbladmin WHERE emailAddress = '$username' AND
password = '$password'";
   $rs = $conn->query($query);
   $num = $rs->num rows;
   $rows = $rs->fetch assoc();
   if(\text{$num > 0})
    $ SESSION['userId'] = $rows['Id'];
    $ SESSION['firstName'] = $rows['firstName'];
    $ SESSION['lastName'] = $rows['lastName'];
    $ SESSION['emailAddress'] = $rows['emailAddress'];
    echo "<script type = \"text/javascript\">
    window.location = (\"Admin/index.php\")
    </script>";
```



```
else{
     echo "<div class='alert alert-danger' role='alert'>
     Invalid Username/Password!
     </div>";
   }
  else if($userType == "ClassTeacher"){
   $query = "SELECT * FROM tblclassteacher WHERE emailAddress = '$username'
AND password = '$password'";
   $rs = $conn->query($query);
   $num = $rs->num rows;
   $rows = $rs->fetch assoc();
   if(\text{num} > 0)
     $ SESSION['userId'] = $rows['Id'];
     $ SESSION['firstName'] = $rows['firstName'];
     $ SESSION['lastName'] = $rows['lastName'];
     $ SESSION['emailAddress'] = $rows['emailAddress'];
     $ SESSION['classId'] = $rows['classId'];
     $ SESSION['classArmId'] = $rows['classArmId'];
     echo "<script type = \"text/javascript\">
     window.location = (\"ClassTeacher/index.php\")
     </script>":
   }
   else{
     echo "<div class='alert alert-danger' role='alert'>
     Invalid Username/Password!
     </div>";
  else{
     echo "<div class='alert alert-danger' role='alert'>
     Invalid Username/Password!
     </div>";
  }
```



\$num = \$rs->num rows;

### Padre Conceicao College of Engineering

### **Department of Computer Engineering**

?>

```
<!-- <hr>
            <a href="index.html" class="btn btn-google btn-block">
             <i class="fab fa-google fa-fw"></i> Login with Google
            </a>
            <a href="index.html" class="btn btn-facebook btn-block">
             <i class="fab fa-facebook-f fa-fw"></i> Login with Facebook
            </a> -->
                      <div class="text-center">
                      </div>
                    </div>
                 </div>
               </div>
            </div>
          </div>
       </div>
    </div>
  </div>
  <!-- Login Content -->
  <script src="vendor/jquery/jquery.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
  <script src="vendor/jquery-easing/jquery.easing.min.js"></script>
  <script src="js/ruang-admin.min.js"></script>
</body>
</html>
adminindex.php
<?php
include '../Includes/dbcon.php';
include '../Includes/session.php';
  $query = "SELECT tblclass.className,tblclassarms.classArmName
  FROM tblclassteacher
  INNER JOIN tblclass ON tblclass.ld = tblclassteacher.classId
  INNER JOIN tblclassarms ON tblclassarms.ld = tblclassteacher.classArmId
  Where tblclassteacher.Id = '$_SESSION[userId]'";
  $rs = $conn->query($query);
```



#### Department of Computer Engineering

\$rrw = \$rs->fetch\_assoc();

```
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
 <meta name="description" content="">
 <meta name="author" content="">
 <link href="img/logo/attnlg.jpg" rel="icon">
 <title>Dashboard</title>
 k href="../vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
 <link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet" type="text/css">
 k href="css/ruang-admin.min.css" rel="stylesheet">
</head>
<body id="page-top">
 <div id="wrapper">
  <!-- Sidebar -->
 <?php include "Includes/sidebar.php";?>
  <!-- Sidebar -->
  <div id="content-wrapper" class="d-flex flex-column">
   <div id="content">
    <!-- TopBar -->
      <?php include "Includes/topbar.php";?>
    <!-- Topbar -->
    <!-- Container Fluid-->
    <div class="container-fluid" id="container-wrapper">
      <div class="d-sm-flex align-items-center justify-content-between mb-4">
       <h1 class="h3 mb-0 text-gray-800">Administrator Dashboard</h1>
       class="breadcrumb">
        <a href="./">Home</a>
        class="breadcrumb-item active" aria-current="page">Dashboard
       </01>
      </div>
      <div class="row mb-3">
      <!-- Students Card -->
      <?php
$query1=mysqli_query($conn,"SELECT * from tblstudents");
$students = mysqli num rows($query1);
```



```
?>
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row no-gutters align-items-center">
            <div class="col mr-2">
             <div class="text-xs font-weight-bold text-uppercase mb-1">Students</div>
             <div class="h5 mb-0 mr-3 font-weight-bold text-gray-800"><?php echo</pre>
$students;?></div>
             <div class="mt-2 mb-0 text-muted text-xs">
              <!-- <span class="text-success mr-2"><i class="fas fa-arrow-up"></i>
20.4%</span>
              <span>Since last month
             </div>
            </div>
            <div class="col-auto">
             <i class="fas fa-users fa-2x text-info"></i>
            </div>
           </div>
         </div>
        </div>
       </div>
       <!-- Class Card -->
        <?php
$query1=mysqli query($conn,"SELECT * from tblclass");
$class = mysqli num rows($query1);
?>
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row align-items-center">
            <div class="col mr-2">
             <div class="text-xs font-weight-bold text-uppercase mb-1">Classes</div>
             <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$class:?></div>
             <div class="mt-2 mb-0 text-muted text-xs">
              <!-- <span class="text-success mr-2"><i class="fa fa-arrow-up"></i>
3.48%</span>
              <span>Since last month
             </div>
            </div>
            <div class="col-auto">
             <i class="fas fa-chalkboard fa-2x text-primary"></i>
            </div>
           </div>
         </div>
        </div>
```



```
</div>
       <!-- Class Arm Card -->
        <?php
$query1=mysqli query($conn,"SELECT * from tblclassarms");
$classArms = mysqli num rows($query1);
?>
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row no-gutters align-items-center">
            <div class="col mr-2">
             <div class="text-xs font-weight-bold text-uppercase mb-1">Class
Arms</div>
             <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$classArms;?></div>
             <div class="mt-2 mb-0 text-muted text-xs">
              <!-- <span class="text-success mr-2"><i class="fas fa-arrow-up"></i>
12%</span>
              <span>Since last years/span> -->
             </div>
            </div>
            <div class="col-auto">
             <i class="fas fa-code-branch fa-2x text-success"></i>
            </div>
           </div>
         </div>
        </div>
       </div>
       <!-- Std Att Card -->
       <?php
$query1=mysqli query($conn,"SELECT * from tblattendance");
$totAttendance = mysqli num rows($query1);
?>
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row no-gutters align-items-center">
            <div class="col mr-2">
             <div class="text-xs font-weight-bold text-uppercase mb-1">Total Student
Attendance</div>
             <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$totAttendance;?></div>
             <div class="mt-2 mb-0 text-muted text-xs">
              <!-- <span class="text-danger mr-2"><i class="fas fa-arrow-down"></i>
1.10%</span>
              <span>Since yesterday</span> -->
```



```
</div>
            </div>
            <div class="col-auto">
             <i class="fas fa-calendar fa-2x text-secondary"></i>
            </div>
           </div>
         </div>
        </div>
       </div>
       <!-- Teachers Card -->
       $query1=mysqli query($conn,"SELECT * from tblclassteacher");
       $classTeacher = mysqli num rows($query1);
       ?>
              <div class="col-xl-3 col-md-6 mb-4">
                <div class="card h-100">
                 <div class="card-body">
                  <div class="row no-gutters align-items-center">
                    <div class="col mr-2">
                     <div class="text-xs font-weight-bold text-uppercase mb-1">Class
Teachers</div>
                     <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$classTeacher;?></div>
                     <div class="mt-2 mb-0 text-muted text-xs">
                      <!-- <span class="text-success mr-2"><i class="fas
fa-arrow-up"></i> 12%</span>
                      <span>Since last years/span> -->
                     </div>
                   </div>
                   <div class="col-auto">
                     <i class="fas fa-chalkboard-teacher fa-2x text-danger"></i>
                   </div>
                  </div>
                 </div>
                </div>
              </div>
               <!-- Session and Terms Card -->
       <?php
       $query1=mysqli_query($conn,"SELECT * from tblsessionterm");
       $sessTerm = mysqli num rows($query1);
              <div class="col-xl-3 col-md-6 mb-4">
                <div class="card h-100">
                 <div class="card-body">
```



```
<div class="row no-gutters align-items-center">
                    <div class="col mr-2">
                     <div class="text-xs font-weight-bold text-uppercase</pre>
mb-1">Session & Terms</div>
                     <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$sessTerm;?></div>
                     <div class="mt-2 mb-0 text-muted text-xs">
                      <!-- <span class="text-success mr-2"><i class="fas
fa-arrow-up"></i> 12%</span>
                      <span>Since last years/span> -->
                     </div>
                    </div>
                    <div class="col-auto">
                     <i class="fas fa-calendar-alt fa-2x text-warning"></i>
                    </div>
                  </div>
                 </div>
                </div>
               </div>
               <!-- Terms Card -->
       <?php
       $query1=mysqli query($conn,"SELECT * from tblterm");
       $termonly = mysqli num rows($query1);
       ?>
               <div class="col-xl-3 col-md-6 mb-4">
                <div class="card h-100">
                 <div class="card-body">
                   <div class="row no-gutters align-items-center">
                    <div class="col mr-2">
                     <div class="text-xs font-weight-bold text-uppercase</pre>
mb-1">Terms</div>
                     <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$termonly;?></div>
                     <div class="mt-2 mb-0 text-muted text-xs">
                      <!-- <span class="text-success mr-2"><i class="fas
fa-arrow-up"></i> 12%</span>
                      <span>Since last years/span> -->
                     </div>
                    </div>
                    <div class="col-auto">
                     <i class="fas fa-th fa-2x text-info"></i>
                    </div>
                   </div>
                 </div>
                </div>
```



#### Department of Computer Engineering

```
</div>
      <!--Row-->
      <!-- <div class="row">
       <div class="col-lg-12 text-center">
         >Do you like this template ? you can download from <a
href="https://github.com/indrijunanda/RuangAdmin"
           class="btn btn-primary btn-sm" target=" blank"><i class="fab fa-fw
fa-github"></i>&nbsp;GitHub</a>
       </div>
      </div> -->
     </div>
     <!---Container Fluid-->
   </div>
   <!-- Footer -->
   <?php include 'includes/footer.php';?>
   <!-- Footer -->
  </div>
 </div>
 <!-- Scroll to top -->
 <a class="scroll-to-top rounded" href="#page-top">
  <i class="fas fa-angle-up"></i>
 </a>
 <script src="../vendor/jquery/jquery.min.js"></script>
 <script src="../vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
 <script src="../vendor/jquery-easing/jquery.easing.min.js"></script>
 <script src="js/ruang-admin.min.js"></script>
 <script src="../vendor/chart.js/Chart.min.js"></script>
 <script src="is/demo/chart-area-demo.is"></script>
</body>
</html>
```

#### ClassTeacherIndex

```
<?php
include '../Includes/dbcon.php';
include '../Includes/session.php';</pre>
```



#### Department of Computer Engineering

INNER JOIN tblclass ON tblclass.ld = tblclassteacher.classld INNER JOIN tblclassarms ON tblclassarms.ld = tblclassteacher.classArmId Where tblclassteacher.ld = '\$\_SESSION[userId]'";

```
$rs = $conn->query($query);
  $num = $rs->num rows;
  $rrw = $rs->fetch assoc();
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
 <meta name="description" content="">
 <meta name="author" content="">
 <link href="img/logo/attnlg.jpg" rel="icon">
 <title>Dashboard</title>
 link href="../vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
 <link href="../vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet" type="text/css">
 k href="css/ruang-admin.min.css" rel="stylesheet">
</head>
<body id="page-top">
 <div id="wrapper">
  <!-- Sidebar -->
 <?php include "Includes/sidebar.php";?>
  <!-- Sidebar -->
  <div id="content-wrapper" class="d-flex flex-column">
   <div id="content">
    <!-- TopBar -->
      <?php include "Includes/topbar.php";?>
    <!-- Topbar -->
    <!-- Container Fluid-->
    <div class="container-fluid" id="container-wrapper">
     <div class="d-sm-flex align-items-center justify-content-between mb-4">
      <h1 class="h3 mb-0 text-gray-800">Class Teacher Dashboard</h1>
      class="breadcrumb">
        <a href="./">Home</a>
        Dashboard
      </div>
```



```
<div class="row mb-3">
      <!-- New User Card Example -->
      <?php
$query1=mysqli query($conn,"SELECT * from tblstudents where classId =
'$ SESSION[classId]' and classArmId = '$ SESSION[classArmId]'");
$students = mysqli num rows($query1);
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row no-gutters align-items-center">
            <div class="col mr-2">
             <div class="text-xs font-weight-bold text-uppercase mb-1">Students</div>
             <div class="h5 mb-0 mr-3 font-weight-bold text-gray-800"><?php echo</pre>
$students;?></div>
             <div class="mt-2 mb-0 text-muted text-xs">
              <!-- <span class="text-success mr-2"><i class="fas fa-arrow-up"></i>
20.4%</span>
               <span>Since last month
             </div>
            </div>
            <div class="col-auto">
             <i class="fas fa-users fa-2x text-info"></i>
            </div>
           </div>
         </div>
        </div>
       </div>
       <!-- Earnings (Monthly) Card Example -->
        <?php
$query1=mysqli query($conn,"SELECT * from tblclass");
$class = mysqli_num_rows($query1);
?>
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row align-items-center">
            <div class="col mr-2">
             <div class="text-xs font-weight-bold text-uppercase mb-1">Classes</div>
             <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$class;?></div>
             <div class="mt-2 mb-0 text-muted text-xs">
              <!-- <span class="text-success mr-2"><i class="fa fa-arrow-up"></i>
3.48%</span>
               <span>Since last month</span> -->
             </div>
```



```
</div>
            <div class="col-auto">
             <i class="fas fa-chalkboard fa-2x text-primary"></i>
            </div>
           </div>
         </div>
        </div>
       </div>
       <!-- Earnings (Annual) Card Example -->
        <?php
$query1=mysqli query($conn,"SELECT * from tblclassarms");
$classArms = mysqli num rows($query1);
?>
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row no-gutters align-items-center">
            <div class="col mr-2">
             <div class="text-xs font-weight-bold text-uppercase mb-1">Class
Arms</div>
             <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$classArms;?></div>
             <div class="mt-2 mb-0 text-muted text-xs">
              <!-- <span class="text-success mr-2"><i class="fas fa-arrow-up"></i>
12%</span>
              <span>Since last years/span> -->
             </div>
            </div>
            <div class="col-auto">
             <i class="fas fa-code-branch fa-2x text-success"></i>
            </div>
           </div>
         </div>
        </div>
       </div>
       <!-- Pending Requests Card Example -->
$query1=mysqli query($conn,"SELECT * from tblattendance where classId =
'$ SESSION[classId]' and classArmId = '$ SESSION[classArmId]'");
$totAttendance = mysqli num rows($query1);
?>
       <div class="col-xl-3 col-md-6 mb-4">
        <div class="card h-100">
         <div class="card-body">
           <div class="row no-gutters align-items-center">
            <div class="col mr-2">
```



```
<div class="text-xs font-weight-bold text-uppercase mb-1">Total Student
Attendance</div>
             <div class="h5 mb-0 font-weight-bold text-gray-800"><?php echo</pre>
$totAttendance;?></div>
              <div class="mt-2 mb-0 text-muted text-xs">
               <!-- <span class="text-danger mr-2"><i class="fas fa-arrow-down"></i>
1.10%</span>
               <span>Since yesterday</span> -->
             </div>
            </div>
            <div class="col-auto">
             <i class="fas fa-calendar fa-2x text-warning"></i>
            </div>
           </div>
          </div>
        </div>
       </div>
      <!--Row-->
      <!-- <div class="row">
       <div class="col-lg-12 text-center">
        Do you like this template? you can download from <a
href="https://github.com/indrijunanda/RuangAdmin"
           class="btn btn-primary btn-sm" target=" blank"><i class="fab fa-fw
fa-github"></i>&nbsp;GitHub</a>
       </div>
      </div> -->
    </div>
    <!---Container Fluid-->
   </div>
   <!-- Footer -->
   <?php include 'includes/footer.php';?>
   <!-- Footer -->
  </div>
 </div>
 <!-- Scroll to top -->
 <a class="scroll-to-top rounded" href="#page-top">
  <i class="fas fa-angle-up"></i>
 </a>
 <script src="../vendor/jquery/jquery.min.js"></script>
 <script src="../vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
 <script src="../vendor/jquery-easing/jquery.easing.min.js"></script>
 <script src="js/ruang-admin.min.js"></script>
```



```
<script src="../vendor/chart.js/Chart.min.js"></script>
 <script src="is/demo/chart-area-demo.is"></script>
</body>
</html>
```

```
ClassTeacherLogin
<?php
include 'Includes/dbcon.php';
session start();
?>
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1,</pre>
shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">
  <link href="img/logo/attnlg.jpg" rel="icon">
  <title>Code Camp BD - Login</title>
  k href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet"
type="text/css">
  k href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet" type="text/css">
  k href="css/ruang-admin.min.css" rel="stylesheet">
</head>
<body class="bg-gradient-login">
  <!-- Login Content -->
  <div class="container-login">
     <div class="row justify-content-center">
       <div class="col-xl-10 col-lg-12 col-md-9">
          <div class="card shadow-sm my-5">
            <div class="card-body p-0">
              <div class="row">
                 <div class="col-lq-12">
                    <div class="login-form">
                      <div class="text-center">
                        <img src="img/logo/attnlg.jpg"
style="width:100px;height:100px">
```



```
<br><br><
                        <h1 class="h4 text-gray-900 mb-4">Login</h1>
                      </div>
                      <form class="user" method="Post" action="">
                        <div class="form-group">
                           <input type="text" class="form-control" required</pre>
name="username" id="exampleInputEmail" placeholder="Enter Email Address">
                        </div>
                        <div class="form-group">
                           <input type="password" name="password" required
class="form-control" id="exampleInputPassword" placeholder="Enter Password">
                        </div>
                        <div class="form-group">
                           <div class="custom-control custom-checkbox small"</pre>
style="line-height: 1.5rem;">
                             <input type="checkbox" class="custom-control-input"</pre>
id="customCheck">
                             <!-- <label class="custom-control-label"
for="customCheck">Remember
                Me</label> -->
                           </div>
                        </div>
                        <div class="form-group">
                           <input type="submit" class="btn btn-primary btn-block"</p>
value="Login" name="login" />
                        </div>
                      </form>
                      <?php
 if(isset($ POST['login'])){
  $username = $ POST['username'];
  $password = $_POST['password'];
  $password = md5($password);
  $query = "SELECT * FROM tblclassteacher WHERE emailAddress = '$username'
AND password = '$password'";
  $rs = $conn->query($query);
  $num = $rs->num rows;
  $rows = $rs->fetch assoc();
  if(\text{num} > 0)
   $ SESSION['userId'] = $rows['Id'];
   $ SESSION['firstName'] = $rows['firstName'];
```



```
$_SESSION['lastName'] = $rows['lastName'];
   $ SESSION['emailAddress'] = $rows['emailAddress'];
   $_SESSION['classId'] = $rows['classId'];
   $ SESSION['classArmId'] = $rows['classArmId'];
   echo "<script type = \"text/javascript\">
   window.location = (\"ClassTeacher/index.php\")
   </script>";
  }
  else{
   echo "<div class='alert alert-danger' role='alert'>
   Invalid Username/Password!
   </div>";
  }
?>
                      <!-- <hr>
            <a href="index.html" class="btn btn-google btn-block">
             <i class="fab fa-google fa-fw"></i> Login with Google
            </a>
            <a href="index.html" class="btn btn-facebook btn-block">
             <i class="fab fa-facebook-f fa-fw"></i> Login with Facebook
            </a> -->
                     <hr>
                     <div class="text-center">
                        <a class="font-weight-bold small"
href="classTeacherLogin.php">Class Teacher
Login!</a>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;
                        <!-- <a class="font-weight-bold small" href=".php">Cooperative
Account!</a>&nbsp;&nbsp;&nbsp;&nbsp;
            <a class="font-weight-bold small" href="forgotPassword.php">Forgot
Password?</a> -->
                      </div>
                      <div class="text-center">
                      </div>
                   </div>
                 </div>
              </div>
            </div>
         </div>
       </div>
    </div>
```



### **Department of Computer Engineering**

```
</div>
  <!-- Login Content -->
  <script src="vendor/jquery/jquery.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
  <script src="vendor/jquery-easing/jquery.easing.min.js"></script>
  <script src="js/ruang-admin.min.js"></script>
</body>
</html>
Logout.php
<?php
session start();
session destroy(); // destroy session
 echo "<script type = \"text/javascript\">
 window.location = (\"../index.php\");
 </script>";
 ?>
```

#### Website snapshots:



**Department of Computer Engineering** 

### Index of /

<u>Name</u>	Last modified	Size	<u>Description</u>
Student-Attendance-S>	≥ 2023-11-21 19:36	; -	

Apache/2.4.56 (Win64) OpenSSL/1.1.1t PHP/8.2.4 Server at localhost Port 80

