

PulseEDU

Workflow Guide

Screen-by-screen, function-by-function, per-role reference for the engineering team.

This document maps every screen in the PulseEDU staff and parent applications to the functions exposed on it, and for each function describes what each user role can do. It is intended as a baseline test plan for QA and as a single-source-of-truth for product handoffs to new engineers.

Generated: 2026-05-10

Source: lib/db/src/schema, artifacts/api-server/src/routes, artifacts/client/src/components

How to read this guide

The guide is organized top-down: Authentication, the App Shell, then each major product area as its own section. Inside each section you will find one or more screens. Inside each screen:

- Purpose — what the screen is for, in one paragraph.
- Visibility — which roles can navigate to it at all.
- Functions — every action a user can take on the screen, with a per-role behavior list.
- Notes — gotchas, dependencies, and known follow-ups.

Every per-role line answers two questions: 'is this role even allowed to see this affordance?' and 'if yes, what is the exact behavior they get?'. When a row says a role is hidden, the affordance must not render — and the matching server route must return 403.

QA pass: walk every screen with each role profile in Settings !' Staff Preview. The visible affordances must match the rows in this document.

User Roles Glossary

Roles are additive: SuperUser implies Admin everywhere; District Admin implies Admin within the district. Several capability flags (cap_manage_displays, etc.) can grant a teacher narrow extra access without elevating them to a full role.

SuperUser

Scope: District-wide (all schools, all districts)

Engineering / district-IT level. Sees Tenancy panel, can switch between any school, manages district integrations, can grant/revoke any role. Implicitly counts as Admin everywhere.

District Admin

Scope: District-wide (all schools in their district)

Cross-school analytics and policy. District Overview view aggregates every school side-by-side; can read/write everything in their district but does not manage tenancy.

Admin

Scope: Single school

Principal / AP. Full edit on every tile in their school: staff roles, settings, signage, store, safety plan library, case investigations (including admin-only video evidence + AI Consistency Check), reopening cases.

Dean

Scope: Single school

Investigator without full admin authority. Sees the Investigations Hub, can collect statements, manage cases, run investigations and footage requests. Cannot edit catalog/settings tiles unless also granted Admin.

Behavior Specialist

Scope: Single school

Core Team member. Reads/writes every teacher's Tier 2/3 entries, manages strategy catalog, sees Behavior Specialist hub, MTSS plans, investigations (as a Case Investigator). Manages bell schedules and displays.

MTSS Coordinator

Scope: Single school

Core Team. Same intervention/case investigator privileges as Behavior Specialist; owns MTSS Plan creation/editing and the MTSS Coordinator hub.

School Psychologist

Scope: Single school

Core Team for intervention purposes (reads/writes any teacher's tier work). Excluded from the discipline-investigation chain — does not see the Case Investigator privileges of Dean/BS/MTSS for investigations.

Guidance Counselor

Scope: Single school

Owns Safety Plans (alongside Core Team). Sees Safety Plan editor + library; not an automatic Core Team member otherwise.

PBIS Coordinator

Scope: Single school

Owns the PBIS Hub: thresholds, school-wide expectations, school store catalog, PBIS Points dashboards, and house standings on signage.

Teacher

Scope: Their classes / their roster

Default staff role. Logs hall passes, tardies, PBIS points, accommodation events, interventions for their own students. Read-only on School Store and most catalogs. Sees their Teacher Roster.

Parent

Scope: Their student(s) only

Lives in /parent/* portal — separate from the staff app. Magic-link / invite-based login. Reads HeartBEAT data (PBIS, hall passes, tardies, accommodations, staff notes) for any student linked to their account; can switch between siblings.

1. Authentication & First Run

Every staff role uses the same sign-in screen; routing/visibility branches once the session is established. Parents sign in through a separate /parent/* path with magic-link invites managed by Admins.

Staff Sign-in

Nav path: / (root, when unauthenticated)

Audience: All staff roles

Purpose

Authenticate a staff member into a single school context. Multi-school users (SuperUser, District Admin) land on a school switcher after auth.

Function — Sign in

Email + password (or SSO if district has it configured).

Per-role behavior:

All staff — Authenticate; failed attempts are rate-limited per server policy.

Function — Pick active school

After login, multi-school accounts pick which school context to operate in. Single-school accounts skip this.

Per-role behavior:

SuperUser — See every school across every district.

District Admin — See every school in their assigned district.

Admin, Dean, Behavior Specialist, MTSS Coordinator, Teacher — Skip — auto-bound to their assigned school.

Notes:

- School context lives in middleware as req.schoolId; every server query filters by it.

Onboarding Checklist

Nav path: Auto-displays on first login for Admins until cleared

Audience: Admins only

Purpose

Phase-by-phase setup wizard so a new school comes online without missing a configuration step (bell schedule, locations, kiosks, signage, PBIS thresholds, etc.).

Function — Tick a step complete

Marks a row as done; persists on the school_onboarding_state table.

Per-role behavior:

Admin — Tick any step; only Admins see the checklist.

Teacher, Dean, Behavior Specialist, MTSS Coordinator, Guidance Counselor — Do not see the checklist at all.

Function — Export onboarding PDF

Generates a printable copy of the checklist with 'how this works' copy alongside each step. Useful for handoff to a co-administrator.

Per-role behavior:

Admin — Download the PDF (server-rendered via pdfkit).

2. App Shell — Sidebar, Quick Access, Top Bar

The sidebar is feature-flag aware and role aware. Every nav item is hidden if the user lacks the relevant capability; the visible set is the user's effective toolbox. School-level feature flags can hide entire modules even from Admins.

Left Sidebar

Nav path: Always visible (collapsible)

Audience: All staff

Purpose

Primary navigation. Items are grouped: Daily Ops (Hall Passes, Tardies, PBIS, Family Comm), Interventions, Investigations, Insights, Admin. Each group is hidden if the user has no items in it.

Function — Quick Access (top of sidebar)

Promotes 1–3 high-priority items based on pending work. Verify Pullouts gets promoted here when the queue is non-empty (replaces its later in-list slot to avoid duplication).

Per-role behavior:

Teacher — Sees Hall Passes, Tardies, PBIS Points, My Interventions, Family Comm (per feature flags).

Dean — Sees Investigations, Hall Passes, Verify Pullouts (when pending).

Admin — Sees everything that is enabled for the school plus admin-only entries.

Function — Investigations entry

Routes to Watchlist Hub. Visibility-gated.

Per-role behavior:

Admin, SuperUser, District Admin, Dean, Behavior Specialist, MTSS Coordinator — See the entry.

Teacher, Guidance Counselor, PBIS Coordinator — Do not see Investigations in the sidebar.

Function — Settings entry

Routes to Settings Hub (tile launcher).

Per-role behavior:

Admin, SuperUser, District Admin — Always visible.

Behavior Specialist, MTSS Coordinator — Visible — limited tile set (bell schedules, intervention strategies, etc.).

Teacher — Hidden.

Screen notes:

- Nav-key feature map: hallPasses !' HallPasses, pbis !' Pbis, schoolStore !' SchoolStore, etc. Admins can disable a feature for their school in Settings !' Feature Configuration; the matching nav item disappears for everyone, including Admins, until re-enabled.

School Switcher (top bar)

Nav path: Top bar, only for multi-school accounts

Audience: SuperUser, District Admin

Purpose

Re-bind the active school context without re-authenticating. Updates req.schoolId for every subsequent request.

Function — Switch school

Persists the chosen school in the staff session. All open tabs/sections re-fetch with the new schoolId.

Per-role behavior:

SuperUser — Switch to any school in any district.

District Admin — Switch to any school in their district.

Admin, Teacher, Dean, Behavior Specialist, MTSS Coordinator — No switcher — single-school binding.

3. Daily Operations

The screens teachers and front-office staff use every period.

Hall Passes

Nav path: Sidebar !' Hall Passes

Audience: All staff (teachers most often)

Purpose

Issue a hall pass to a student, watch the clock, and check them back in. Powers the in-room flow plus the kiosk signage.

Function — Create pass

Pick student, destination, optional note. Creates a hall_passes row, may notify the destination teacher's allowlist.

Per-role behavior:

Teacher — Create a pass for any student in their roster; destination must be on their teacher allowlist if configured.

Admin, Dean — Create passes school-wide (any student, any destination), bypassing teacher allowlist.

Function — Check in / out

Stamps left_at and arrived_at, optionally returned_at. Drives stale/red highlighting after threshold.

Per-role behavior:

Teacher — Check in/out passes they own or that arrive at their room.

Admin, Dean — Override any pass.

Function — Hall Pass Queue

School-wide queue of active passes. Auto-resets per bell-schedule period (or 45-min idle bucket as fallback). Used at the front desk to spot-check who is out of class.

Per-role behavior:

Admin, Dean, Behavior Specialist, MTSS Coordinator — View and manage.

Teacher — View only.

Notes:

- Requires a default bell schedule for period-based reset; otherwise falls back to idle-time bucketing.

Function — Per-student pass limit

Caps how many passes a student can hold open / per day.

Per-role behavior:

Admin — Configure global default in Settings !' School.

Teacher — Override per student via Roster row.

Tardy Pass

Nav path: Sidebar !' Tardy Pass

Audience: All staff

Purpose

Quick capture of late arrivals tied to a period from the bell schedule.

Function — Log tardy

Pick student + period; writes a tardies row. Aggregated into Insights !' Engagement and the Parent Portal.

Per-role behavior:

Teacher — Log tardies for their own students.

Admin, Dean — Log for any student.

Function — Edit / delete

Correct a wrong-student or wrong-period entry.

Per-role behavior:

Teacher — Edit their own entries (audit-logged).

Admin — Edit/delete any entry.

PBIS Points

Nav path: Sidebar !' PBIS Points

Audience: All staff

Purpose

Award positive-behavior points to students using school-defined reasons. Drives house standings on signage and the school/classroom store ledger.

Function — Award points

Pick student(s) + reason + optional note. Multi-select supported for whole-class awards.

Per-role behavior:

Teacher — Award to any student in their roster.

Admin, Dean, PBIS Coordinator — Award school-wide.

Function — Note templates

Reusable pre-written notes for common awards (e.g. 'On-task during fire drill'). Speeds up entry on slow devices.

Per-role behavior:

PBIS Coordinator — Manage templates.

Teacher — Pick from templates.

Function — Reasons catalog

School-wide list of award reasons (e.g. 'Showed leadership').

Per-role behavior:

PBIS Coordinator — Add / edit / retire reasons.

Teacher — Use only.

School Store (read-only catalog)

Nav path: Sidebar !' School Store

Audience: All staff

Purpose

Browse the school-wide rewards catalog so teachers can answer 'what can I redeem?' from the classroom.

Function — Browse items

Lists school store items with cost, image, stock.

Per-role behavior:

All staff — Read-only browse.

Function — Redeem

Spend a student's PBIS balance for an item; deducts points and writes a store_orders row.

Per-role behavior:

PBIS Coordinator, Admin — Redeem on a student's behalf.

Teacher — View only — redemption happens at the PBIS Hub or at admin.

Classroom Store

Nav path: Inside PBIS Hub / per-teacher

Audience: Teachers

Purpose

Per-teacher reward catalog (unique to each teacher). Lets teachers run a parallel economy alongside the school store.

Function — Manage items

CRUD on classroom store items with thumbnail, cost, stock.

Per-role behavior:

Teacher — Full edit on their own classroom store.

Admin — Read across all teacher catalogs (audit).

Function — Redeem

Spend points for a classroom item.

Per-role behavior:

Teacher — Redeem for their own students.

Spotlight

Nav path: Header pill / Quick Access

Audience: All staff

Purpose

Recognize a student publicly — short message + optional photo that surfaces on signage.

Function — Launch spotlight

Pick student, write message, optional emoji. Appears in signage rotation immediately.

Per-role behavior:

Teacher — Spotlight any student in their roster.

Admin, PBIS Coordinator — Spotlight any student in the school.

Accommodations

Nav path: Sidebar !' Accommodations

Audience: All staff who teach the student

Purpose

Log when an accommodation was provided (extended time, fidget, separate room, etc.) for IEP/504 evidence.

Function — Log accommodation use

Pick accommodation + student. Stamps the date and optional context.

Per-role behavior:

Teacher — Log for their own students.

MTSS Coordinator, Admin — Log school-wide.

Function — View accommodation log

Chronological list per student.

Per-role behavior:

All staff who can see the student — Read.

Parent — Read for their child via Parent Portal (if enabled in Parent Portal Sections).

4. Interventions (Tier 2 / Tier 3 / MTSS)

The intervention stack: who logs it, who tracks completion, who reads the strategy catalog.

Log Intervention

Nav path: Sidebar !' Log Intervention (tier-aware launcher)

Audience: All staff

Purpose

Single launcher that figures out whether the picked student is on a Tier 2 or Tier 3 plan and routes the form accordingly.

Function — Pick student

Searches the student finder; surfaces tier badge.

Per-role behavior:

Teacher — Search across their roster.

Core Team — Search across the entire school.

Function — Submit Tier 2 daily entry

Daily check-in / check-out signal (CICO) form: morning rating, afternoon rating, behavior notes.

Per-role behavior:

Teacher — Submit for their own students.

Core Team — Submit on behalf of any teacher.

Function — Submit Tier 3 weekly progress

Weekly ratings against goal categories with strategy-used checkboxes.

Per-role behavior:

Teacher — Submit for their own students.

Core Team — Submit for any student.

My Interventions

Nav path: Sidebar !' My Interventions

Audience: All staff

Purpose

Personal queue: which of MY students are owed an intervention check-in today? Surfaces the count in the Bell notification.

Function — Today list

Filterable list of owed entries grouped by student.

Per-role behavior:

Teacher — See their own owed list.

Core Team — See their own AND a 'Today across school' aggregate.

Function — Bell notification

Sidebar bell shows count of owed entries; clicking jumps here.

Per-role behavior:

All staff with owed entries — See the bell.

Intervention Reports

Nav path: Sidebar !' Interventions (Core Team only)

Audience: Core Team

Purpose

Completion-rate report and tier roll-ups across all teachers.

Function — Completion report

% of expected entries actually logged per teacher / per student / per week. Drill-in to see missed days.

Per-role behavior:

[All Core Team](#) — View.

[Teacher](#) — Hidden.

Function — Strategy catalog

School-wide list of Tier 3 strategies grouped by category (e.g. self-regulation, social skills).

Per-role behavior:

[All Core Team](#) — Add / edit / retire categories and strategies.

[Teacher](#) — View only via the Tier 3 weekly form.

MTSS Plans

Nav path: Sidebar ! MTSS Coordinator hub

Audience: MTSS Coordinator + Admins

Purpose

Tier 2 / Tier 3 intervention plan tracking: goal setting, weekly progress monitoring, completion reports.

Function — Create plan

Pick student, set tier, choose goal categories, assign owner.

Per-role behavior:

[MTSS Coordinator](#) — Create / edit / archive any plan.

[Admin](#) — Same.

[Teacher](#) — View their own students' active plans (read-only).

Function — Goal version history

Tier 3 goals are append-only versioned — editing a goal creates a new version with effective_from timestamp.

Per-role behavior:

[Core Team](#) — Edit (creates new version).

Function — Weekly progress monitor

Rating + note per goal per week.

Per-role behavior:

[Teacher](#) — Submit for their own students on the plan.

[Core Team](#) — Submit on behalf of teacher.

Request Pullout

Nav path: Sidebar ! Request Pullout

Audience: Teachers

Purpose

Teacher requests an intervention pullout for a specific student/period. Admins/Core Team triage and verify in the Verify Pullouts queue.

Function — Submit request

Pick student + reason from the pullout reasons catalog + period.

Per-role behavior:

[Teacher](#) — Submit.

Function — Verify Pullouts (admin queue)

Queue view of pending requests with approve/reject. Promoted to Quick Access in the sidebar when count > 0.

Per-role behavior:

Admin, Behavior Specialist, MTSS Coordinator — Verify, approve, reject, add note.

Teacher — See status of their own requests only.

5. Safety Plans

Per-student behavioral / physical safety checklists with a school-wide library.

Safety Plan Editor

Nav path: Click red 'SP' pill on the Teacher Roster, or via Investigations

Audience: Guidance Counselor + Core Team

Purpose

Build/edit a student's active safety plan from the school-wide item library.

Function — Add item

Pick from the school's library; or write a free-text custom item. Each item carries a category (e.g. de-escalation, restraint protocol).

Per-role behavior:

Guidance Counselor, All Core Team — Add/edit/remove items, mark plan active/inactive.

Teacher — View the active plan for their own students (read-only).

Admin, Dean — Read across school.

Function — Audit log

Every change is timestamped with author. Append-only.

Per-role behavior:

All who can read the plan — View history.

Function — Library management

School-wide reusable items.

Per-role behavior:

Guidance Counselor, All Core Team — CRUD on the library.

Teacher — Hidden.

Screen notes:

- Active safety plan presence drives the red 'SP' indicator on the Teacher Roster and Student Profile so teachers know to review before a difficult interaction.

6. Investigations (Watchlist Suite)

The discipline investigation stack — Hub, Schoolwide Behavior Network, Case Detail (with Investigation tab), Student Graph. Visibility is gated on Admin / Dean / Behavior Specialist / MTSS Coordinator (the 'Case Investigator' set), with admin-only sub-affordances inside.

Investigations Hub (Watchlist Hub)

Nav path: Sidebar !' Investigations

Audience: Case Investigators (Admin / Dean / Behavior Specialist / MTSS Coordinator) + SuperUser / District Admin

Purpose

Mission control for behavior cases — alerts, orbit (students in flight), active cases, recent incidents, witness statements queue.

Function — Active cases panel

Top-6 active cases (open/monitoring/escalated) by default. Inline search box + status pill row (Active / Open / Monitoring / Escalated / Closed / All) reveals filtered results live.

Per-role behavior:

Investigators — Open any case from the panel.

Admin — Plus the '+ New' button to launch the New Case modal.

Notes:

- Search matches case title, case number (full '25-26-0042' or bare '42'), and lead staff name.
- Slice-to-6 only applies when the default Active filter is selected and search is empty; otherwise all matches show.

Function — Orbit list

Students currently 'in flight' in any active case. Sphere icon next to each links to their Student Graph.

Per-role behavior:

Investigators — Click to drill in.

Function — Statements intake

Pending witness statements with status (requested / reminded / completed / waived) + Dismissed tab for triaged-out statements that can be restored.

Per-role behavior:

Investigators — Send reminders, mark complete, dismiss with reason.

Admin — Plus restore-from-dismissed.

Function — Recent incidents feed

Loose interactions not yet promoted to a case. Includes severity color coding.

Per-role behavior:

Investigators — Promote to a new case (opens Promote-to-Case modal) or attach to an existing case.

Admin — Same plus delete.

Function — Open Schoolwide Behavior Network button

Routes to the network visualization.

Per-role behavior:

Investigators — Click.

Schoolwide Behavior Network

Nav path: Investigations Hub !' 'Open Network' button

Audience: Case Investigators

Purpose

School-wide spider-web map of who keeps showing up together in incidents. Each active case is its own ring of student spheres; the loose ring at the top holds students with interactions but no case.

Function — Time window filter

Restrict to last N days (default 30).

Per-role behavior:

Investigators — Change window.

Function — Click sphere

Opens the Student Graph for that student.

Per-role behavior:

Investigators — Drill in.

Function — Click case label

Opens the Case Detail.

Per-role behavior:

Investigators — Drill in.

Function — Sphere sizing

Adapts to spiral spacing (clamp 0.45–1.6 of base) so high-frequency students visibly pop on dense schools without overwhelming a sparse view.

Per-role behavior:

All viewers — Read sizing as visual cue.

Case Detail

Nav path: Hub !' click case row, or Network !' click case label

Audience: Case Investigators (visibility) + Admins (admin-only sub-affordances)

Purpose

All artifacts of one investigation: incidents, participants, statements, video evidence, AI consistency check, notes, audit log.

Function — Tab nav: Overview / Investigation

Overview is the default participant + incidents list. Investigation tab launches the per-incident ring (see next screen).

Per-role behavior:

All who can see the case — Switch tabs.

Function — Edit title / summary / lead

Inline edit with audit row.

Per-role behavior:

Admin, Dean, Behavior Specialist, MTSS Coordinator — Edit.

Function — Change status

Move between open / monitoring / escalated. Closing requires the dedicated Close modal (cannot be done via this dropdown).

Per-role behavior:

Investigators — Move between non-closed statuses.

All — Cannot reopen via PATCH — server rejects status='open' on a currently-closed case and directs to /reopen.

Function — Close case (modal)

Opens CloseCaseModal: required outcome dropdown (from the school's catalog), required note when outcome is 'other'. Writes outcome_code, outcome_note, closed_by_*, audit row.

Per-role behavior:

Investigators — Close.

All — Cannot close without picking an outcome — server enforces.

Function — Reopen case

Admin-only. Prompts for a reason ("e5 chars). Preserves prior outcome metadata; flips status to open and writes audit row.

Per-role behavior:

Admin, SuperUser, District Admin — Reopen.

Dean, Behavior Specialist, MTSS Coordinator — Hidden — server returns 403.

Function — Witness statements panel

Per-incident statements with reader, complete/remind/dismiss/restore.

Per-role behavior:

Investigators — Manage.

Function — @-mention chips in statements / notes

Typing @ inserts a structured chip (Display Name | STUDENTID). Persisted in the body and indexed in case_mentions.

Per-role behavior:

Anyone editing statement / note — Insert chips.

Function — MentionSuggestStrip

After typing/save preview, AI scans the body against the roster and proposes additional mentions ('We think this also references X, Y'). One-click insert.

Per-role behavior:

Anyone editing — See suggestions; suggestions are NOT auto-confirmed — they only become structured mentions when the user clicks insert.

Function — AI Consistency Check (admin-only)

Header pill + side panel + per-row dot. Runs Anthropic against statements within the case, flags contradictions/corroborations.

Per-role behavior:

Admin, SuperUser, District Admin — Run / view findings; dismiss with justification.

Dean, Behavior Specialist, MTSS Coordinator — Hidden.

Notes:

- Phase-3 of the case suite. Dismissal is persistent suppression scoped to the case.

Function — Video Evidence panel (admin-only)

Upload / link camera feed clips, tag students appearing in the clip.

Per-role behavior:

Admin, SuperUser, District Admin — Manage.

Other Investigators — Hidden.

Function — Case notes (timeline)

Append-only running notes (meeting summaries, parent calls, room moves).

Per-role behavior:

All who can see the case — Add notes.

Function — Footage requests panel

Request that the camera operator pull a window of footage; tracks status.

Per-role behavior:

Investigators — Submit / view.

Investigation Tab (per-incident ring)

Nav path: Case Detail !' Investigation tab

Audience: Case Investigators

Purpose

Per-incident witness graph. Center = the incident; rings = principals, witnesses with statements, mentioned-but-silent students.

Function — Incident selector

Pick which incident on the case to render.

Per-role behavior:

Investigators — Switch incidents.

Function — Ring layout

Anchor (incident) at center; principal participants closest; witness-statement authors next; mentioned-but-silent on the outer ring.

Per-role behavior:

Investigators — Read.

Function — Edges

Drawn ONLY from confirmed structured @-mentions in case_mentions, plus corroborate/contradict pairs from case_consistency_findings. AI suggestions never become edges until confirmed.

Per-role behavior:

All viewers — Read edges as evidence trail.

Function — Side panel (statement reader)

Reuses the case detail's statement reader; shows the highlighted mention's neighborhood.

Per-role behavior:

All who can see the statement — Read.

Function — Request statement (mentioned-only spheres)

If a student is mentioned in someone else's statement but has no statement of their own, a 'Request statement' button appears on their sphere.

Per-role behavior:

Investigators — Send request — creates a witness_statements row in 'requested' state.

Student Graph

Nav path: Network sphere click, or Hub orbit click

Audience: Investigators

Purpose

Single-student spider — every case the student touches and the other students they overlap with.

Function — Open case from graph

Click any case label.

Per-role behavior:

Investigators — Drill in.

7. Insights Dashboards

Aggregate analytics across the school. All dashboards share grade and time-window filters and support drill-down to a Student Profile.

Insights !' Student Watchlist

Nav path: Sidebar !' Insights !' Watchlist

Audience: All staff

Purpose

Per-staffer watchlist of students they want to keep an eye on; cross-references HeartBEAT data.

Function — Add student to my watchlist

Star a student to subscribe to their daily roll-up.

Per-role behavior:

All staff — Manage their own list.

Function — Group entries

Bucket your watchlisted students by tag (e.g. 'AM Tier 2 cohort').

Per-role behavior:

All staff — Manage their own groups.

Engagement Dashboard

Nav path: Sidebar !' Insights !' Engagement

Audience: All staff

Purpose

Tardies, attendance, hall-pass time-out-of-class. Top-N lists per grade with disaggregation by demographic (when configured).

Function — Filters

Grade band, time window, optional demographic disaggregation.

Per-role behavior:

All staff — Filter.

Function — Drill-in to student

Click a row to open Student Profile with the same time window pre-applied.

Per-role behavior:

All staff — Drill.

Behavior Dashboard

Nav path: Sidebar !' Insights !' Behavior

Audience: All staff

Purpose

Discipline incidents, escalations, repeat actors, location heat.

Function — Top-N

Repeat actors / locations.

Per-role behavior:

All staff — View.

Function — Drill-in

Open the case file or student profile.

Per-role behavior:

[Investigators](#) — Open case file.

[Teacher](#) — Open student profile only.

Academics Dashboard

Nav path: Sidebar !' Insights !' Academics

Audience: All staff

Purpose

FAST scores and academic trajectory.

Function — Trajectory chart

Per-window FAST scores plotted with grade-level reference lines.

Per-role behavior:

[All staff](#) — View.

SEB / SEL Dashboard

Nav path: Sidebar !' Insights !' SEB/SEL

Audience: Core Team + Counselors

Purpose

Social-emotional and behavioral screener data, intervention overlay.

Function — Cohort view

Filter to students with screener scores in a band.

Per-role behavior:

[Core Team + Guidance Counselor](#) — View.

Equity Dashboard

Nav path: Sidebar !' Insights !' Equity

Audience: Admins + District Admin

Purpose

Disparities across race / IEP / 504 / ELL bands for discipline and engagement.

Function — Disaggregation table

Side-by-side rates by demographic.

Per-role behavior:

[Admin](#), [District Admin](#), [SuperUser](#) — View.

[Teacher](#), [Dean](#) — Hidden by school policy gate (configurable).

Early Warning Dashboard

Nav path: Sidebar !' Insights !' Early Warning

Audience: Core Team

Purpose

Composite indicators (attendance, behavior, academic, intervention completion) flagging students sliding off track.

Function — Threshold tuning

Score weighting per indicator. Persisted per-school in Settings !' PBIS Thresholds and equivalent.

Per-role behavior:

[Admin](#) — Tune.

[Core Team](#) — View.

Student Profile

Nav path: Drill-in from any dashboard or roster

Audience: All staff who can see the student

Purpose

Single-student 360°: HeartBEAT, FAST, accommodations, safety plan badge, current cases, intervention plans, parent contacts.

Function — Tabs

Engagement / Behavior / Academics / SEB / Interventions / Notes.

Per-role behavior:

[All staff who teach or work with the student](#) — Read.

Function — Add staff note

Free-text note pinned to the student's profile.

Per-role behavior:

[Teacher](#) — Add notes for their own students.

[Core Team](#) — Add for any student.

Function — Open case from profile

Direct link to any case the student is on.

Per-role behavior:

[Investigators](#) — Open.

8. Teacher Roster

The day-to-day teacher view of their students.

Teacher Roster

Nav path: Sidebar !' Quick Access !' Roster

Audience: Teachers (their own); Core Team (any teacher's)

Purpose

List view of students the teacher is responsible for, with FAST scores, ESE/504/ELL flags, safety plan indicator, and quick actions.

Function — Row actions

Pass / Tardy / PBIS / Spotlight / Open Profile / Open Safety Plan (when present).

Per-role behavior:

Teacher — Use any action on a student in their own roster.

Core Team — Same on any teacher's roster.

Function — FAST scores column

Most recent score with delta from prior window.

Per-role behavior:

All viewers — Read.

Function — Program flags

ESE / 504 / ELL pills next to the name.

Per-role behavior:

All viewers — Read.

Function — Safety Plan pill ('SP' red badge)

Indicates the student has an active safety plan; click to open editor.

Per-role behavior:

Teacher — Click !' opens read-only viewer.

Guidance Counselor, Core Team — Click !' opens editor.

Function — Switch to another teacher's roster

Dropdown at top.

Per-role behavior:

Teacher — Hidden.

Core Team — Switch to any teacher in the school.

9. Admin Hub & ISS

Admin-facing operational dashboards: ISS log, recent admin actions, Verify Pullouts, ISS Dashboard.

Admin Hub

Nav path: Sidebar !' Admin Hub

Audience: Admin (and SuperUser/District Admin)

Purpose

Recent admin activity feed: ISS assignments, OSS, dismissals, role changes.

Function — Recent feed

Reverse-chron list of admin actions. Click row !' opens the underlying record.

Per-role behavior:

[Admin](#), [SuperUser](#), [District Admin](#) — View any action.

Function — ISS log row !' detail (planned)

Future: click an ISS assignment to see the full record with edit/delete affordances guarded by 'has any day been served yet'. Required reason-for-edit prompt; audit row written. (See replit.md !' Future work.)

Per-role behavior:

[Admin](#) — Will edit when shipped.

ISS Dashboard

Nav path: Sidebar !' ISS Dashboard

Audience: Admin + ISS room staff (capability-flag granted)

Purpose

Daily roster of students serving in-school suspension; per-period attendance marking, served/rolled state, redirect to OSS handoff if needed.

Function — Mark period present

Updates iss_attendance_day row.

Per-role behavior:

[ISS room staff](#) — Mark present per period.

[Admin](#) — Mark + override.

Function — Roll forward

Carry uncompleted day to next school day.

Per-role behavior:

[Admin](#) — Roll.

Verify Pullouts

Nav path: Sidebar !' Quick Access (when pending) or Verify Pullouts entry

Audience: Admin / Behavior Specialist / MTSS Coordinator

Purpose

Approve teacher-submitted intervention pullout requests.

Function — Approve / Reject

Final disposition + optional note. Approved pullouts surface in My Interventions and student plan.

Per-role behavior:

[Admin](#), [Behavior Specialist](#), [MTSS Coordinator](#) — Approve / reject.

10. Displays / Signage

TV signage in hallways and the kiosk experience.

Displays (admin)

Nav path: Sidebar !' Displays

Audience: Admin / Core Team / staff with cap_manage_displays

Purpose

Per-school playlists for digital signage TVs (image, video, audio, PDF).

Function — Manage playlist

Add / reorder / schedule items.

Per-role behavior:

Core Team — Manage.

Teacher with cap_manage_displays — Manage.

Function — Per-display override

Pin a single item or freeze the rotation on a specific TV.

Per-role behavior:

Admin — Override.

Function — Heartbeat sections

Curated cards (PBIS standings, hall pass live count, etc.) configured per school.

Per-role behavior:

Admin — Configure visibility.

Display Show (TV-facing)

Nav path: /signage/* (no auth — opens via signed kiosk URL)

Audience: Public TV viewers

Purpose

Read-only fullscreen rotation of the playlist + Heartbeat cards.

Function — Auto-rotate

Cycles items per schedule.

Per-role behavior:

Public viewers — Watch.

Function — Active hall pass strip

Live count of out-of-class students.

Per-role behavior:

Public viewers — Watch.

Kiosk Banner / Activation

Nav path: Settings !' Kiosk Setup

Audience: Admin

Purpose

Provisioning a hallway tablet/computer as a hall pass kiosk with a stable token.

Function — Activate kiosk

Generates a kiosk activation token; the device exchanges it for a long-lived viewer token.

Per-role behavior:
Admin — Activate.

11. Data Importer

CSV upload pipeline for assessments, rosters, and behavior data.

Data Imports

Nav path: Settings !' Data Imports

Audience: Admin

Purpose

Upload CSV !' pick template !' preview mapped rows !' commit. Each import is rollback-able while still in the audit window.

Function — Upload CSV

Drop file, choose template (Assessments / Roster / Behavior).

Per-role behavior:

[Admin](#) — Upload.

Function — Preview & map

Show first N rows mapped to columns; warn on type mismatches.

Per-role behavior:

[Admin](#) — Preview.

Function — Commit

Persist rows. Returns import_id for rollback.

Per-role behavior:

[Admin](#) — Commit.

Function — Rollback

Reverse a prior import within the rollback window.

Per-role behavior:

[Admin](#) — Rollback.

12. Settings (per tile)

Settings hub launches every per-school configuration tile. Tiles a user can't open are hidden, so the visible set IS their permission profile.

Settings Hub (launcher)

Nav path: Sidebar !' Settings

Audience: Admin / Core Team / SuperUser / District Admin

Purpose

Tile launcher grouped by Hall Pass Operations / School Identity & Schedule / Family & Signage / Feature Configuration / Admin & Tenancy.

Function — Open a tile

Routes to the tile's editor.

Per-role behavior:

Admin — See all tiles.

Core Team — See subset.

Bell Schedules

Nav path: Settings !' Bell Schedule

Audience: Admin / Behavior Specialist / MTSS Coordinator

Purpose

Define periods. Mark one schedule as default — required for the Hall Pass Queue's period-based reset.

Function — Create / edit schedule

Period list with start/end times.

Per-role behavior:

Admin / BS / MTSS — Edit.

Function — Mark default

Drives queue reset.

Per-role behavior:

Admin / BS / MTSS — Mark.

Locations & Allowlist

Nav path: Settings !' Locations / Allowlist / Teacher Allowlist

Audience: Admin

Purpose

Control valid hall pass destinations and which teachers may receive passes.

Function — Manage location list

CRUD on locations.

Per-role behavior:

Admin — Edit.

Function — Manage destination allowlist

Per-teacher receivable destinations.

Per-role behavior:

Admin — Edit.

School (identity)

Nav path: Settings !' School

Audience: Admin

Purpose

School name, address, default pass limit, time zone references.

Function — Edit fields

—

Per-role behavior:

[Admin](#) — Edit.

School Branding & Logo Generator

Nav path: Settings !' Branding / Logo Generator

Audience: Admin

Purpose

Upload school logo, set color palette, generate alternate logo variants.

Function — Upload logo

Object Storage backed; school-scoped ACL.

Per-role behavior:

[Admin](#) — Upload.

Function — Generate variants

AI-generated logo variants.

Per-role behavior:

[Admin](#) — Generate.

PBIS Thresholds

Nav path: Settings !' PBIS Thresholds

Audience: Admin / PBIS Coordinator

Purpose

Tune house standings cutoffs, store affordability thresholds, milestone bands.

Function — Edit thresholds

Persists to school_settings.

Per-role behavior:

[Admin](#) / [PBIS Coordinator](#) — Edit.

School Feature Configuration

Nav path: Settings !' School Features

Audience: Admin

Purpose

Master switches: Hall Passes / Tardy Pass / Family Comm / PBIS / School Store / Accommodations / Log Intervention / Request Pullout / MTSS Plans / Bell Schedule / Displays.

Function — Toggle feature

Off !' corresponding sidebar item hidden for everyone in the school. Used to onboard a school in stages.

Per-role behavior:

[Admin](#) — Toggle.

Parent Portal Sections

Nav path: Settings !' Parent Portal Sections

Audience: Admin

Purpose

Configure which HeartBEAT sections (PBIS, hall passes, tardies, accommodations, staff notes) parents see.

Function — Toggle section

Per-section on/off.

Per-role behavior:

[Admin](#) — Toggle.

School-wide Expectations

Nav path: Settings !' Expectations

Audience: Admin / PBIS Coordinator

Purpose

Define the school's PBIS expectations matrix (e.g. Be Respectful / Be Responsible / Be Safe across locations).

Function — Edit matrix

—

Per-role behavior:

[Admin / PBIS Coordinator](#) — Edit.

Intervention Strategies

Nav path: Settings !' Intervention Strategies

Audience: Core Team

Purpose

Strategy categories + strategies for the Tier 3 weekly form.

Function — CRUD on categories / strategies

—

Per-role behavior:

[Core Team](#) — Edit.

ISS Settings

Nav path: Settings !' ISS Settings

Audience: Admin

Purpose

Reasons catalog, per-day period count, roll-forward behavior.

Function — Edit

—

Per-role behavior:

[Admin](#) — Edit.

Staff Defaults

Nav path: Settings !' Staff Defaults

Audience: Admin

Purpose

Default permissions / capabilities applied to any newly-added staff member.

Function — Set defaults

—

Per-role behavior:

[Admin](#) — Edit.

Staff Directory

Nav path: Settings !' Staff Directory

Audience: Admin

Purpose

List of all staff for the school with role pills and last-login.

Function — Open Roles Matrix

Bulk role granting/revoking.

Per-role behavior:

[Admin](#) — Open.

Camera Registry

Nav path: Settings !' Cameras

Audience: Admin (capability-flagged)

Purpose

Catalog of building cameras for footage requests in cases.

Function — Add camera

Name, location, identifier.

Per-role behavior:

[Admin](#) — Add.

Case Outcomes Catalog

Nav path: Settings !' Case Outcomes

Audience: Admin / SuperUser / District Admin

Purpose

Per-school configurable catalog of case-closure outcomes. Closing a case requires picking from this catalog (no skip).

Function — List active outcomes

Default seeded set: no_action / conflict_resolution / mediation / parent_contact / office_referral / iss_assigned / oss_assigned / safety_plan_update / other.

Per-role behavior:

[Admin](#) / [SuperUser](#) / [District Admin](#) — View.

Function — Add / edit / disable

Inline edit label + description + sort order; toggle active. Disabling retires the outcome from new closures but preserves historical citations.

Per-role behavior:

[Admin](#) / [SuperUser](#) / [District Admin](#) — Edit.

Tenancy

Nav path: Settings !' Tenancy

Audience: SuperUser only

Purpose

Add/rename schools, manage districts.

Function — Add school

Per-role behavior:

SuperUser — Add.

Function — Rename / archive

Per-role behavior:

SuperUser — Edit.

Notifications

Nav path: Settings !' Notifications

Audience: Admin

Purpose

Pending admin notifications (alerts that require attention) + email-reminder configuration.

Function — Read / dismiss

Per-role behavior:

Admin — Manage.

Staff Preview ('view-as')

Nav path: Settings !' Staff Preview

Audience: Admin

Purpose

Render the app as if signed in as another staff role to verify what they see (no impersonation in writes).

Function — Pick a role profile

Read-only preview lens.

Per-role behavior:

Admin — Preview.

School Plans (safety plan library)

Nav path: Settings !' School Plans

Audience: Guidance Counselor + Core Team

Purpose

School-wide safety plan item library + categories.

Function — CRUD on items

Per-role behavior:

Guidance Counselor + Core Team — Edit.

13. Parent Portal

Standalone /parent/* application bundled with the staff app. Parents sign in via magic-link invites managed by Admins.

Parent Access (admin tooling)

Nav path: Sidebar !' Family Communication !' Parent Access

Audience: Admin

Purpose

Manage parent invites, link parents to students, configure which sections each parent sees, send invitation emails.

Function — Invite parent

Email + link to one or more students.

Per-role behavior:

Admin — Invite.

Function — Revoke

Disable a parent's access.

Per-role behavior:

Admin — Revoke.

Parent HeartBEAT (the parent's view)

Nav path: /parent/* (separate from staff app)

Audience: Parent

Purpose

Read-only HeartBEAT data for their student(s).

Function — View HeartBEAT

PBIS, hall passes, tardies, accommodations, staff notes — exactly the sections enabled in Settings !' Parent Portal Sections.

Per-role behavior:

Parent — Read for any linked student.

Function — Sibling switcher

Switch between children when one parent account is linked to multiple students.

Per-role behavior:

Parent — Switch.

Function — Export PDF

Download a snapshot of the report.

Per-role behavior:

Parent — Export.

14. Cross-cutting Concerns

Behaviors that are not a screen on their own but are visible across many screens. Worth a separate read so QA covers them on every relevant page.

Multi-tenancy & School Scoping

Nav path: Every server route, every dashboard query

Audience: All staff

Purpose

Every read/write filters by req.schoolId. SuperUser may operate across schools but the active context is still bound; District Admin works district-wide.

Function — Cross-school reads (District Admin)

District Overview aggregates every school side-by-side; underlying queries filter by district_id and group by school_id.

Per-role behavior:

District Admin — Read across district.

Screen notes:

- QA: every list view should be re-tested with a multi-school account context-switched mid-session to confirm the previous school's rows do not leak in.

Audit Trails

Nav path: Investigations Case Detail, ISS log (planned), interaction edits

Audience: Admin (read), all editors (write)

Purpose

Sensitive mutations write an audit row with actor, before/after JSON, and a required reason on certain actions (case reopen, future ISS edits).

Function — Reopen case

Required reason "e5 chars; audit payload includes prior outcome code.

Per-role behavior:

Admin, SuperUser, District Admin — Reopen + reason.

Function — Edit / dismiss with reason

Several flows already require a justification (statement dismiss, AI consistency dismiss). Planned: ISS edit/trim/delete with required reason.

Per-role behavior:

Admin — Edit + reason.

Feature Flags (per-school)

Nav path: Settings !' School Features

Audience: Admin

Purpose

Disabling a feature hides every entry point: sidebar item, Quick Access promotion, dashboard tile.

Function — Disable a feature

Server keeps data but UI is hidden.

Per-role behavior:

Admin — Disable.

How-to-use Help (HowToUseHelp)

Nav path: Inline on every major screen

Audience: All staff

Purpose

Per-screen collapsible 'How to use' panel with role-aware sections (RoleSection). Source of truth for in-app docs; should be refreshed any time a screen gains a new affordance.

Function — Read help

Click to expand.

Per-role behavior:

All staff — Read.

Maintenance

When you ship a new screen or function, append a row to this document — do not let it drift. The 'How to use' panels inside the app (HowToUseHelp / RoleSection) should mirror the per-role behavior recorded here.

Future expansions tracked in replit.md !' Future work include: Witness Statement chronological numbering, Admin Hub ISS log edit/delete with audit, AI Consistency Check onboarding step + telemetry tile, school-local timezone for case-number derivation, Core Team 'How this works' refresh after the 4-phase case enhancement suite. Each of these will add new rows to the relevant screen above.