


TaskFlow — Postman Test Kanıtları

Görev ve Proje Yönetim Sistemi REST API · Node.js Backend Programlama Bitirme Projesi · Arzu Koca · 2026

Aşağıda CRUD işlemlerinin (ekleme, listeleme, detay, güncelleme, silme) Postman üzerinde başarıyla test edildiğine dair ekran görüntüleri yer almaktadır.

1a. POST /tasks — Görev Ekleme (201 Created)



1b. POST /tasks — İkinci Görev

The image shows a Postman interface for a REST client. The top bar includes a search bar, 'Invite', 'Upgrade', and various icons. The main area is divided into tabs: Overview, POST http://localhost:3000/, and a plus icon. The 'POST http://localhost:3000/' tab is active, showing the URL 'http://localhost:3000/tasks' and a 'Send' button. Below the URL bar, there are tabs for Docs, Params, Authorization, Headers, Body, Scripts, Tests, and Settings. The 'Body' tab is selected, showing a JSON body with the following content:

```
1 {
2   "title": "API endpoint testlerinin yazılması",
3   "description": "CRUD uçlarının Postman ile test edilmesi",
4   "priority": "low",
5   "assignee": "Arzu"
6 }
7
```

Below the body tab, there are radio buttons for 'none', 'form-data', 'x-www-form-urlencoded', 'raw' (selected), 'binary', and 'GraphQL'. There is also a 'JSON' dropdown and a 'Schema' button. The bottom section shows the response, which is a 201 Created status with a JSON body. The response is displayed in a 'JSON' tab, with a 'Preview' button and a 'Visualize' button. The response body is as follows:

```
1 {
2   "id": "8e9f6a40-0840-450d-8768-7fbec77f03cb",
3   "title": "API endpoint testlerinin yazılması",
4   "description": "CRUD uçlarının Postman ile test edilmesi",
5   "status": "pending",
6   "priority": "low",
7   "assignee": "Arzu",
8   "createdAt": "2026-08-22T10:17:54.807Z",
9   "updatedAt": "2026-08-22T10:17:54.807Z"
10 }
```

The bottom status bar shows 'The coast is clear!' and 'Globals Vault Tools'.

1c. POST /tasks — Üçüncü Görev

The screenshot shows a REST client interface with the following details:


- Request:**
 - Method: POST
 - URL: http://localhost:3000/tasks
 - Body (raw):

```
1 {
2   "title": "Veritabanı şema tasarımı",
3   "description": "Görev ve kullanıcı tabloları için şema hazırlanması",
4   "priority": "medium",
5   "assignee": "Arzu"
6 }
```
- Response:**
 - Status: 201 Created
 - Body (JSON):

```
1 {
2   "id": "82461803-78ea-420c-a056-caf2f3891d7d",
3   "title": "Veritabanı şema tasarımı",
4   "description": "Görev ve kullanıcı tabloları için şema hazırlanması",
5   "status": "pending",
6   "priority": "medium",
7   "assignee": "Arzu",
8   "createdAt": "2026-08-22T10:16:47.241Z",
9   "updatedAt": "2026-08-22T10:16:47.241Z"
10 }
```

The interface also includes a search bar, navigation tabs (Overview, Params, Authorization, Headers, Body, Scripts, Tests, Settings), and a status bar at the bottom with the message "The coast is clear!" and links to Globals, Vault, and Tools.

2. GET /tasks — Görev Listeleme (200 OK)



Overview | POST http://localhost:3000/ | GET http://localhost:3000/t/ +

http://localhost:3000/tasks

GET | http://localhost:3000/tasks | Send

Docs | Params | Authorization | Headers 7 | Body | Scripts | Tests | Settings | Cookies

Query Params

Key	Value	Description	Bulk Edit	...
Key	Value	Description		

Body | Cookies | Headers 7 | Test Results | 200 OK • 6 ms • 1.09 KB • ...

{ } JSON | Preview | Visualize | ...

```
1 [
2   {
3     "id": "337d6f91-1dbd-4fe6-bccd-2052a8c046d3",
4     "title": "Kullanıcı giriş ekranı tasarımı",
5     "description": "Login sayfası arayüz tasarımının hazırlanması",
6     "status": "pending",
7     "priority": "high",
8     "assignee": "Arzu",
9     "createdAt": "2026-08-22T10:15:16.441Z",
10    "updatedAt": "2026-08-22T10:15:16.441Z"
11  },
12  {
13    "id": "82461803-78ea-420c-a056-caf2f3891d7d",
14    "title": "Veritabanı şema tasarımı",
15    "description": "Görev ve kullanıcı tabloları için şema hazırlanması",
16    "status": "pending",
17    "priority": "medium",
18    "assignee": "Arzu",
19    "createdAt": "2026-08-22T10:16:47.241Z",
20    "updatedAt": "2026-08-22T10:16:47.241Z"
21  },
22  {
23    "id": "8e9f6a40-0840-450d-8768-7fbc77f03cb",
24    "title": "API endpoint testlerinin yazılması",
25    "description": "CRUD uçlarının Postman ile test edilmesi",
26    "status": "pending"
27  }
28 ]
```

✦ The coast is clear! | Globals | Vault | Tools | ...

3. GET /tasks/:id — Görev Detayı (200 OK)

Search

Invite Upgrade

Overview

POST http://localhost:3000/ GET http://localhost:3000/t GET http://localhost:3000/t

No environment

http://localhost:3000/tasks/337d6f91-1dbd-4fe6-bccd-2052a8c046d3

Save Share

GET

http://localhost:3000/tasks/337d6f91-1dbd-4fe6-bccd-2052a8c046d3

Send

Docs Params Authorization Headers 7 Body Scripts Tests Settings

Cookies

Query Params

Key	Value	Description	Bulk Edit	
Key	Value	Description		

Body Cookies Headers 7 Test Results

200 OK 5 ms 532 B

{ } JSON

Preview Visualize

```
1 {
2   "id": "337d6f91-1dbd-4fe6-bccd-2052a8c046d3",
3   "title": "Kullanıcı giriş ekranı tasarımı",
4   "description": "Login sayfası arayüz tasarımının hazırlanması",
5   "status": "pending",
6   "priority": "high",
7   "assignee": "Arzu",
8   "createdAt": "2026-08-22T10:15:16.441Z",
9   "updatedAt": "2026-08-22T10:15:16.441Z"
10 }
```

The coast is clear!

Globals Vault Tools

4. PUT /tasks/:id — Görev Güncelleme (200 OK)

The screenshot displays a REST client interface with a search bar at the top. Below the search bar, there's a tab bar with 'Overview', 'POST http://localhost:3000/', 'GET http://localhost:3000/t:', 'GET http://localhost:3000/t:', and 'PUT http://localhost:3000/t:'. The 'PUT' tab is selected. The URL bar shows 'http://localhost:3000/tasks/337d6f91-1dbd-4fe6-bccd-2052a8c046d3'. The 'Send' button is visible. Below the URL bar, there's a tab bar with 'Docs', 'Params', 'Authorization', 'Headers 9', 'Body', 'Scripts', 'Tests', and 'Settings'. The 'Body' tab is selected. The body content is a JSON object:

```
1 {
2   "status": "completed"
3 }
```

 Below the body tab, there's a radio button group with options: 'none', 'form-data', 'x-www-form-urlencoded', 'raw' (selected), 'binary', and 'GraphQL'. The 'JSON' option is also visible. Below the radio buttons, there's a 'Schema' button and a 'Beautify' button. The main area shows the response body in JSON format:

```
1 {
2   "id": "337d6f91-1dbd-4fe6-bccd-2052a8c046d3",
3   "title": "Kullanıcı giriş ekranı tasarımı",
4   "description": "Login sayfası arayüz tasarımının hazırlanması",
5   "status": "completed",
6   "priority": "high",
7   "assignee": "Aizu",
8   "createdAt": "2026-08-22T10:15:16.441Z",
9   "updatedAt": "2026-08-22T10:22:08.507Z"
10 }
```

 The status bar at the bottom shows '200 OK', '9 ms', and '534 B'. The bottom of the interface has a status bar with 'The coast is clear!' and 'Globals Vault Tools'.

PUT http://localhost:3000/tasks/337d6f91-1dbd-4fe6-bccd-2052a8c046d3

Body

```
1 {
2   "status": "completed"
3 }
```

200 OK • 9 ms • 534 B

```
{
  "id": "337d6f91-1dbd-4fe6-bccd-2052a8c046d3",
  "title": "Kullanıcı giriş ekranı tasarımı",
  "description": "Login sayfası arayüz tasarımının hazırlanması",
  "status": "completed",
  "priority": "high",
  "assignee": "Aizu",
  "createdAt": "2026-08-22T10:15:16.441Z",
  "updatedAt": "2026-08-22T10:22:08.507Z"
}
```

The coast is clear!

5. DELETE /tasks/:id — Görev Silme (200 OK)

The image shows a Postman interface for a DELETE request. The URL is `http://localhost:3000/tasks/8e9f6a40-0840-450d-8768-7fbec77f03cb`. The method is **DELETE**. The response is a **200 OK** status with a response time of 9 ms and a body size of 558 B. The response body is a JSON object:

```
{  "message": "Görev silindi.",  "task": {    "id": "8e9f6a40-0840-450d-8768-7fbec77f03cb",    "title": "API endpoint testlerinin yazılması",    "description": "CRUD uçlarının Postman ile test edilmesi",    "status": "pending",    "priority": "low",    "assignee": "Arzu",    "createdAt": "2026-08-22T10:17:54.807Z",    "updatedAt": "2026-08-22T10:17:54.807Z"  }}}
```

The interface also shows a 'Query Params' table with columns 'Key', 'Value', 'Description', and 'Bulk Edit'. The 'Body' tab is selected, and the response is displayed in JSON format. The status bar at the bottom indicates 'The coast is clear!' and provides links to 'Globals', 'Vault', and 'Tools'.