

## **Universidade do Minho**

Escola de Engenharia

John Longname Doe

A Very Long and Impressive Thesis Title With a Line Break



# **Universidade do Minho**Escola de Engenharia

John Longname Doe

# A Very Long and Impressive Thesis Title With a Line Break

Dissertação de Mestrado Mestrado em Engenharia Informática

Trabalho efetuado sob a orientação do(a)

John Doe Adviser Name
John Doe Co-Adviser Name

#### DIREITOS DE AUTOR E CONDIÇÕES DE UTILIZAÇÃO DO TRABALHO POR TERCEIROS

Este é um trabalho académico que pode ser utilizado por terceiros desde que respeitadas as regras e boas práticas internacionalmente aceites, no que concerne aos direitos de autor e direitos conexos.

Assim, o presente trabalho pode ser utilizado nos termos previstos na licença abaixo indicada.

Caso o utilizador necessite de permissão para poder fazer um uso do trabalho em condições não previstas no licenciamento indicado, deverá contactar o autor, através do RepositóriUM da Universidade do Minho.

#### Licença concedida aos utilizadores deste trabalho



Creative Commons Atribuição-NãoComercial-Compartilhalgual 4.0 Internacional CC BY-NC-SA 4.0

https://creativecommons.org/licenses/by-nc-sa/4.0/deed.pt

DECLARAÇÃO DE	INTEGRIDADE
Declaro ter atuado com integridade na elaboração do recorri à prática de plágio nem a qualquer forma de uti resultados em nenhuma das etapas conducente à sua	lização indevida ou falsificação de informações ou
Mais declaro que conheço e que respeitei o Código de	Conduta Ética da Universidade do Minho.
Localização) (Data)	

(John Longname Doe)

Lorem ipsum.

# **Agradecimentos**

The acknowledgements. You are free to write this section at your own will. However, usually it starts with the institutional acknowledgements (adviser, institution, grants, workmates, ...) and then comes the personal acknowledgements (friends, family, ...).

Resumo

Independentemente da língua em que está escrita a dissertação, é necessário um resumo na língua do

texto principal e um resumo noutra língua. Assume-se que as duas línguas em questão serão sempre o

Português e o Inglês.

O template colocará automaticamente em primeiro lugar o resumo na língua do texto principal e depois

o resumo na outra língua. Por exemplo, se a dissertação está escrita em Português, primeiro aparecerá

o resumo em Português, depois em Inglês, seguido do texto principal em Português. Se a dissertação

está escrita em Inglês, primeiro aparecerá o resumo em Inglês, depois em Português, seguido do texto

principal em Inglês.

O resumo não deve exceder uma página e deve responder às seguintes questões:

• Qual é o problema?

• Porque é que ele é interessante?

• Qual é a solução?

• O que resulta (implicações) da solução?

E agora vamos fazer um teste com uma quebra de linha no hífen a ver se a धान्X duplica o hífen na

linha seguinte...

ZZZZ

Sim! Funciona!:)

Palavras-chave: Palavras-chave (em Português) ...

٧

**Abstract** 

The dissertation must contain two versions of the abstract, one in the same language as the main text,

another in a different language. The package assumes that the two languages under consideration are

always Portuguese and English.

The package will sort the abstracts in the appropriate order. This means that the first abstract will be

in the same language as the main text, followed by the abstract in the other language, and then followed

by the main text. For example, if the dissertation is written in Portuguese, first will come the summary

in Portuguese and then in English, followed by the main text in Portuguese. If the dissertation is written

in English, first will come the summary in English and then in Portuguese, followed by the main text in

English.

The abstract shoul not exceed one page and should answer the following questions:

• What's the problem?

• Why is it interesting?

• What's the solution?

· What follows from the solution?

Keywords: Keywords (in English) ...

νi

# Índice

Lis	sta de	Figura	5	ix
Lis	sta de	Tabela	s	x
Lis	stagei	ns		хi
Lis	sta de	Algorit	mos	xii
Gle	ossár	io		xiii
Sig	glas			χv
Síı	mbolo	os		xviii
1	Intro	oduction	1	1
	1.1	A Bit of	History	. 1
	1.2	Disclair	mer	. 1
2	The	sisDIFC	TNL User's Manual	2
	2.1	Introdu	ction	. 2
	2.2	Folder	Structure	. 3
	2.3	novatl	nesis.cls Class Options	. 4
	2.4	Additio	nal considerations about the class options	. 6
		2.4.1	The main language	. 6
		2.4.2	Class of Text	. 6
		2.4.3	Printing	. 7
		2.4.4	Font Size	. 7
		2.4.5	Text Encoding	. 7
		2.4.6	Examples	. 7
	2.5	How to	Write Using 町X	. 8
	2.6	Exampl	e glossary, acronyms, and symbols	. 8
3	A SH	ort MT-	Y Tutorial with Evamples	a

	3.1	Document Structure	9
	3.2	Dealing with Bibliogrpahy	9
	3.3	Inserting Tables	9
	3.4	Importing Images	9
	3.5	Floats, Figures and Captions	9
	3.6	Text Formatting	11
	3.7	Generating PDFs from 🖾 K	11
		3.7.1 Generating PDFs with pdflatex	11
		3.7.2 Dealing with Images	11
		3.7.3 Creating Source Files Compatible with both latex and pdflatex	12
	3.8	Equações	16
	3.9	Algorithms	18
Bil	oliogr	afia	19
Аp	êndic	ees	20
A	Appe	endix 1 Lorem Ipsum	20
В	Appe	endix 2 Lorem Ipsum	22
An	exos		24
ı	Anne	ex 1 Lorem Ipsum	24

# **Lista de Figuras**

3.1	A figure with two sub-figures!	10
3.2	Imagem em formato bitmap (JPG)	14
3.3	Imagem em formato PDF vectorial	15
3.4	Exemplo de utilização de <i>subbottom</i>	16

# Lista de Tabelas

3.1	est results summary	3

# Listagens

3.1	Hello World	 																		16

# **Lista de Algoritmos**

3.1	Calculate $y = x^n$		 																18	;

## Glossário

aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mau-

ris.

computer An electronic device which is capable of receiving information (data) in a particular

form and of performing a sequence of operations in accordance with a predetermined but variable set of procedural instructions (program) to produce a result in the form

of information or signals.

cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu

tellus sit amet tortor gravida placerat.

donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac

quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo.

integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bi-

bendum. Aenean faucibus.

lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac,

adipiscing vitae, felis. Curabitur dictum gravida mauris.

maecenas lacinia nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula

feugiat magna. Nunc eleifend consequat lorem.

morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a

nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridi-

culus mus.

morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla.

Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis

quis, diam. Duis eget orci sit amet orci dignissim rutrum.

nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accum-

san bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi.

nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo.

libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo.

nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis.

sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus.

# **Siglas**

aaa acornym aaaaab acornym aababa acornym aba

abbrev abbreviation of a longer text

AEU adipiscing elit ut

AFM aenean faucibus morbi

AMD a magna donec

ANP ac nunc praesent

ATG amet tortor gravida

AVF adipiscing vitae felis

bbb acornym bbb

CAS curabitur auctor semper
CDG curabitur dictum gravida
CEA congue eu accumsan
CIV consectetuer id vulputate

DIA duis eget orci

DNM dolor nulla malesuada
DNMC duis nibh mi congue
DRN dignissim rutrum nam

EII est iaculis in
ENE et netus et
EPA eu pulvinar at

ESQ eleifend sagittis quis

ESV eget sem vel ETS eu tellus sit FUP fringilla ultrices phasellus

LID lorem ipsum dolor

LNE libero nonummy eget

LUB leo ultrices bibendum

LVU lectus vestibulum urna

MAC mollis ac nulla

MFA malesuada fames ac MNA mauris nam arcu

MTS morbi tristique senectus

NDV nulla donec varius

NPH neque pellentesque habitant

OER orci eget risus

PEV purus elit vestibulum PIS placerat integer sapien PQV pretium quis viverra

SAO sit amet orci SNE sem nulla et

STC sit amet consectetuer

TEM turpis egestas mauris

ULC ut leo cras
UPA ut placerat ac

VAE vehicula augue eu
VMR viverra metus rhoncus

# **Símbolos**

- $\pi$  the numerical value of pi
- r the radius of a circle

Capitulo

## Introduction

This work is licensed under the Creative Commons Attribution-NonCommercial 4.0 International License. To view a copy of this license, visit

http://creativecommons.org/licenses/by-nc/4.0/.

### 1.1 A Bit of History

The *novathesis* was originally developed to help MSc and PhD students of the Computer Science and Engineering Department of the Faculty of Sciences and Technology of NOVA University of Lisbon (DIFCT-NOVA) to write their thesis and dissertations Using MEX. These student can easily cope with MEX by themselves, and the only need some help in the bootstrap process to make their life easier.

However, as the template spread out among the students from other degrees at FCT-NOVA, the demand for am easier-to-use template as grown. And the template in its current shape aims at answering the expectations of those that, although they are not familiar with programming nor with markup languages, so still feel brave enough to give  $\Delta T_F X$  a try and rejoice with the beauty of the texts typeset by this system.

#### 1.2 Disclaimer

It is up to you, the student, to read the FCT and/or NOVA regulations on how to format and submit your MSc or PhD dissertation.

This template is endorsed by the FCT-NOVA and even linked from its web pages, but it is not an official template. This template exists to make your life easier, but in the end of the line you are accountable for both the looks and the contents of the document you submit as your dissertation.

## **ThesisDIFCTNL User's Manual**

#### 2.1 Introduction

# These instructions are outdated! Please see also the "template.tex" file!

This chapter describes how to use the MEX *novathesis* template (and the "novathesis.cls" class file).

Let's start with some simple suggestions:

- 1. No! You don't have to use this template to write your thesis. You don't even have to use MEX. However, writing a thesis is serious stuff, and which tool you shall use to write it is not a decision to make lighthearted.
- 2. MEX is hard enough by itself. This template aims at making your life easier, but not easy. If you choose to use this template to write your thesis, you are very welcome. However, don't expect me to provide you help with MEX. Look for help with your friends (you have some friends, don't you?), or search the web, or try even to read some book(s) on MEX. In the end you will certainly find the experience rewarding.
- 3. So, don't forget, when you come to the point of "How do I do this with 上下X?" look for help! Google is your best friend.
- 4. If you believe the difficulty is related with the *novathesis* template itself (and not with <a href="MEX">MEX</a>), please **do not** send me an email asking for help. Please look for help in the *novathesis* Google Group (URL) and

the *novathesis* Facebook group (URL). If you can't find help there from previous posts/messages, then post your own question. Hopefully someone will answer you.

Now, let's go to a major issue for Windows users. Characters have to be encoded in files as numbers, and that is how character encodings were born. ASCII and EBCDIC standards are long lost in the past. The world now uses UTF-8. Well, not all the world... Windows is still stick in its *codepages*, and "latin1" is what windows uses as the codepage for Western Europe. This messes up with the template. Please be sure you use an editor with UTF-8 support. *Go to the preferences/options/... of your text editor and set up its default file encoding as UTF-8*.

#### 2.2 Folder Structure

The *novathesis* template is organized into files and folders. At the main level it includes the following files and folders:

novathesis.cls	file	The main class file. It will include additional files from
		novathesis-files folder.
template.tex	file	The main user file. Use this file as the main file for your thesis.
bibliography.bib	file	An example of a bibliography file. You may have has many as you want.
template.pdf	file	A possible result of applying pdfMEX to the template.tex file. The
		template supports multiple types of documents (e.g., MSc dissertation,
		PhD thesis,) and multiple Schools (e.g., FCT-NOVA, FCSH-NOVA,
		IST-UL, FC-UL,) and each will produce different results.
Chapters	folder	Examples of thesis chapters. Replace them with your own chapters.
Examples	folder	Some more examples of the use of the template for different document
		types and Schools.
Scripts	folder	Some (possibly useful) scripts for Unix-based systems (Linux, Mac
		OSx). If you are a windows user, ignore this folder (you may safely
		delete it if you want).
novathesis-files	folder	Additional files for the novathesis.cls file. Unless you know what
		you are doing, avoid messing up with the files and folders inside this
		folder (except for deleting the unused Schools, see below).

The novathesis-files folder contains additional files and folders that complement the main novathesis.cls file. These are:

README.txt	file	A file that should be read! :)
fix-babel.clo	file	Simple fixes to the babel package.
lang-text.clo	file	Translations of important strings used in the template. Currently fully sup-
		ported are Portuguese and English, but French is on the way. If you add
		translations for your own language, please be so kind and send them to
		me. Thank you!
options.clo	file	Processing of novathesis.cls options. Don't mess with this!
packages.clo	file	Additional packages to be loaded into the <i>novathesis</i> template. You should
		not mess with this!
spine.clo	file	This file is loaded only if the option spine=true, and includes the type-
		setting of the book spine.
ChapStyles	folder	Contains a lot of files, one for each chapter style. If you really know what
		you are doing, you may add your own chapter style here.
FontStyles	folder	Contains a few files, one for each set of fonts (main text font, chapter font,
		section font, subsection font, etc). If you really know what you are doing,
		you may add your own set here.
Schools	folder	Configuration files for each school. This folder is organized into subfolders,
		one for each university. You may safely delete all the subfolders except the
		one for your University. Then open the subfolder of your University and you
As stated above	the Sch	may safely delete all the subfolders except the one for your School/Faculty.

As stated above, the Schools folder contains per-university folders and per-school (faculty) subfolders. Currently these are the available folders:

ul/ist	tolder	The folder for the <i>Instituto Superior Técnico</i> of the <i>University of Lisbon</i> .
nova/fcsh	folder	The folder for the Faculty of Human and Social Sciences of the NOVA Uni-
		versity of Lisbon.
nova / fct	folder	The folder for the Faculty of Sciences and Technology of the NOVA Univer-
		sity of Lisbon.
nova/novaims	folder	The folder for the Information and Management School of the NOVA Uni-
		versity of Lisbon.

# 2.3 novathesis.cls Class Options

The novathesis class can be customized with the options listed below.

**docdegree=OPT** phd(\*), phdplan, phdprop, msc, mscplan, bsc

The type of the document: PhD Thesis (default), PhD Plan, PhD Proposal, MSc Disseration, MSc Plan, BSc Report

**school=OPT** nova/fct(\*), nova/fcsh, nova/ims, ul/ist, ul/fc

The name of the school. This option changes the typesetting of the cover and some School specific formating, like margins, fonts, paragraph spacing and indentation, etc...

#### lang=OPT en(\*), pt

The main language for the document. Currently only Portuguese and English are supported. Other languages are expected to be support in forthcoming versions.

**fontstyle=OPT** bookman, charter, fourier, kpfonts(\*), mathpazo1, mathpazo2, newcent

The font set to be used in the document. Please note that a font set include definitions for the main text, headings, maths, etc.

**chapstyle=OPT** bianchi, bluebox, brotherton, dash, default, elegant(\*), ell, ger, hansen, ist, jenor, lyhne, madsen, pedersen, veelo, vz14, vz34, vz43

The chapter style, i.e., the look of the chapter beginning.

#### converlang=OPT en, pt(\*)

The language to be used when typesetting the cover page.

#### otherlistsat=OPT front(\*), back

Where to put the other lists besides the table of contents. The default is (front) before the main text. But some scientific areas prefer them at the end of the document (back), just before the Appendixes.

#### **aftercover=OPT** true, false(\*)

Include or don't include the contents of the "aftercover" file. The default is for this file to be ignored (if if it exists).

#### **linkscolor=OPT** darkblue(\*), black

The color for all the hyperlinks in the PDF file. The "media=paper" option (see below) will override this option to "black"

#### spine=OPT true, false(\*)

Generate the book spine and the last page in the PDF.

#### **biblatex=OPT** OPT={list of options for biblatex}

Customize biblatex, the bibliography management system used in this class. Probably you will want to change the value of the biblatex "style" option. For other customizations of biblatex check its manual.

#### **memoir=OPT** OPT={list of options for memoir}

Customize the base class memoir. The memoir manual should be the first document to be consulted when looking for "how can I do this?" You may wnat to change the base font size from 11pt to a smaller (10pt) or larger (12pt) size. Also, remember to change the "draft" to final when your document is finished.

#### **media=OPT** screen(\*), paper

Behavior to be customized in the school options/configuration. Expected definitions for screen are: left and right margins are equal and use colored links. Expected definitions for paper are: left and right margins are different and use black links.

## 2.4 Additional considerations about the class options

In this section we will provide some additional considerations about some of the customizations available as class options.

#### 2.4.1 The main language

The choice of the main language with the option "lang=OPT" affects:

- The order of the summaries. First is printed the abstract in the main language and then in the foreign language. This means that if your main language for the document in English, you will see first the "abstract" (in English) and then the "resumo" (in Portuguese). If you switch the main language for the document for Portuguese, it will also automatically switch the order of the summaries to "resumo" and then "abstract".
- The names for document sectioning. E.g., "Chapter" vs. "Capítulo", "Table of Contents" vs. "Índice", "Figure" vs. "Figura", etc.
- The type of documents in the bibliogrpahy. E.g., "Technical Report" vs. "Relatório Técnico", "PhD Thesis" vs. "Tese de Doutoramento", etc.

No mater which language you chose, you will always have the appropriate hyphenation rules according to the language at that point. You always get Portuguese hyphenation rules in the "Resumo", english hyphenation rules in the "Abstract", and then the main language hyphenation rules for the rest of the document.

#### 2.4.2 Class of Text

You must choose the class of text for the document. The available options are:

- 1. **bsc** BSc graduation report.
- \*mscplan Preparation of MSc dissertation. This is a preliminary report graduate students at DI-FCT-NOVA must prepare to conclude the first semester of the two-semesters MSc work. The files specified by \dedicatoryfile and \acknowledgmentsfile are ignored, even if present, for this class of document.

- 3. **msc** MSc dissertation.
- 4. **phdprop** Proposal for a PhD work. The files specified by \dedicatoryfile and \acknowledgmentsfile are ignored, even if present, for this class of document.
- 5. **prepphd** Preparation of a PhD thesis. This is a preliminary report PhD students at DI-FCT-NOVA must prepare before the end of the third semester of PhD work. The files specified by \dedicatoryfile and \acknowledgmentsfile are ignored, even if present, for this class of document.
- 6. **phd** PhD dissertation.

#### 2.4.3 Printing

You must choose how your document will be printed. The available options are:

- 1. **oneside** Single side page printing.
- 2. \*twoside Double sided page printing.

#### 2.4.4 Font Size

You must select the encoding for your text. The available options are:

- 1. **11pt** Eleven (11) points font size.
- 2. \*12pt Twelve (12) points font size. You should really stick to 12pt...

#### 2.4.5 Text Encoding

You must choose the font size for your document. The available options are:

- 1. **latin1** Use Latin-1 (ISO 8859-1) encoding. Most probably you should use this option if you use Windows;
- 2. **utf8** Use UTF8 encoding. Most probably you should use this option if you are not using Windows.

#### 2.4.6 Examples

Let's have a look at a couple of examples:

• Preparation of PhD thesis, in portuguese, with 11pt size and to be printed single sided (I wonder why one would do this!)

\documentclass[prepphd,pt,11pt,oneside,latin1]{thesisdifct-nova}

 MSc dissertation, in english, with 12pt size and to be printed double sided \documentclass[msc,en,12pt,twoside,utf8]{thesisdifct-nova}

## 2.5 How to Write Using ETEX

Please have a look at Chapter 3, where you may find many examples of <u>MEX</u>constructs, such as Sectioning, inserting Figures and Tables, writing Equations, Theorems and algorithms, exhibit code listings, etc.

# 2.6 Example glossary, acronyms, and symbols

# A Short Letex Tutorial with Examples

This Chapter aims at exemplifying how to do common stuff with MEX. We also show some stuff which is not that common! ;)

Please, use these examples as a starting point, but you should always consider using the *Big Oracle* (aka, Google, your best friend) to search for additional information or alternative ways for achieving similar results.

- 3.1 Document Structure
- 3.2 Dealing with Bibliogrpahy
- 3.3 Inserting Tables
- 3.4 Importing Images
- 3.5 Floats, Figures and Captions

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec

varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.



Figura 3.1: A figure with two sub-figures!

#### And this is a small text that references the Figure 3.1 and its Subfigures 3.1a and 3.1b.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

#### 3.6 Text Formatting

## 3.7 Generating PDFs from LTEX

#### 3.7.1 Generating PDFs with pdflatex

You may create PDF files either by using latex to generate a DVI file, and then use one of the many DVI-2-PDF converters, such as dvipdfm.

Alternatively, you may use pdflatex, which will immediately generate a PDF with no intermediate DVI or PS files. In some systems, such as Apple, PDF is already the default format for ATEX. I strongly recommend you to use this approach, unless you have a very good argument to go for latex + dvipdfm.

A typical pass for a document with figures, cross-references and a bibliography would be:

- \$ pdflatex template
- \$ bibtex template
- \$ pdflatex template
- \$ pdflatex template

You will notice that there is a new PDF file in the working directory called template.pdf. Simple:)

Please note that, to be sure all table of contents, cross-references and bibliographic citations are upto-date, you must run latex once, then bibtex, and then latex twice.

#### 3.7.2 Dealing with Images

You may process the same source files with both latex or pdflatex. But, if your text include images, you must be careful. latex and pdflatex accept images in different (exclusive) formats. For latex you

may use EPS ou PS figures. For pdflatex you may use JPG, PNG or PDF figures. I strongly recommend you to use PDF figures in vectorial format (do not use bitmap images unless you have no other choice).

#### 3.7.3 Creating Source Files Compatible with both latex and pdflatex

Do not include the extension of the file in the \includegraphics command. E.g., use \includegraphics{sonwman} and not

\includegraphics{sonwman.eps}.

If you use the first form, latex or pdflatex will add an appropriate file extension.

This means that, if you plan to use only pdflatex, you need only to keep (preferably) a PDF version of all the images. If you plan to use also latex, then you also need an EPS version of each image.

#### To be included in the sections above

Para fazer citações, deverá usar-se a chave da referência no ficheiro BibTeX. Se for uma única referência [2], usar um "~" para ligar o \cite{...} à palavra que o precede (...referência~\cite{Artho04}). Caso queira fazer múltiplas citações [6–8], deverá agrupá-las dentro de um úinico \cite{...}.

Note que o ficheiro de bibliografia pode ter tantas entradas quantas quiser. Apenas aquelas cuja chave seja referenciada no texto é que serão incluidas na listagem de bibliografia.

Footnotes<sup>1</sup> will be numbered and shown in the bottom of the page.

A Tabela 3.1 ilustra alguns conceitos importantes associados à contrução de tabelas:

- i) Não usar linhas verticais;
- ii) A legenda deve ficar por cima da tabela;
- iii) Usar as macros \toprule, \midrule e \bottomrule para fazer a linha horizontal superior, interiores e inferior, respectivamente.

Test	Anomalies	Warnings	Correct	Categories	Missed
[3] Connection	2	2	1	С	1
[1] Coordinates'03	1	4	1	2B, 1C	0
[1] Local Variable	1	2	1	Α	0
[1] NASA	1	1	1	_	0
[2] Coordinates'04	1	4	1	<i>3C</i>	0
[2] Buffer	0	7	0	2A, 1B, 2C, 2D	0
[2] Double-Check	0	2	0	1A, 1B	0
[4] StringBuffer	1	0	0	_	1
[9] Account	1	1	1	_	0
[9] Jigsaw	1	2	1	С	0
[9] Over-reporting	0	2	0	1A, 1C	0
[9] Under-reporting	1	1	1	_	0
[5] Allocate Vector	1	2	1	С	0
Knight Moves	1	3	1	2B	0
Total	12	33	10	5A, 6B, 10C, 2D	2

Tabela 3.1: Test results summary.

As figuras a inserir no documento deverão ser de qualidade, preferencialmente em formato vectorial (PDF vectorial) e não em *bitmap* (PNG, JPG, etc). As imagens *bitmap* (Figura 3.2) não escalam bem e têm reflexos negativos na qualidade do seu docuemnto. Pelo contrário, as imagens *vectoriais* Figura 3.3 escalam muito tanto quanto o necessário sem degradar a qualidade da imagem.

Só deve usar *screenshots* se não tive mesmo nenhuma alternativa. Em vez e gerar um *screenshot*, tente usar uma impressora virtual PDF e imprimir para um ficheiro PDF. Regra geral obterá um PDF vetorial. Mesmo que o seu PDF contenha imagens, elas terão sempre qualidade maior ou igual à que obteria com um *screenshot*.

<sup>&</sup>lt;sup>1</sup>This is a simple footnote.




Figura 3.2: Imagem em formato bitmap (JPG)



Figura 3.3: Imagem em formato PDF vectorial

Para agregar várias figuras numa única... Poderá assim referenciar o conjunto 3.4, a priemira delas 3.4 ou a segunda 3.4a.




Figura 3.4: Exemplo de utilização de subbottom

Para incluir listagens de código no seu documento, deverá incluir o pacote *listings* e depois usar o ambiente *Istlisting*, como exemplificado na Listagem 3.1.

Listagem 3.1: Hello World

```
/**

* The HelloWorldApp class implements an application that

* simply prints "Hello World!" to standard output.

*/

class HelloWorldApp {%

public static void main(String[] args) {%

System.out.println("Hello World!"); // Display the string.

}

}
```

# 3.8 Equações

O LaTeX é uma ferramenta poderosa para escrever em estilo matemático. Permite inserir fórmulas no meio do texto como por exemplo esta:  $ax^2 + bx + c = 0$ . Também permite que as fórmulas sejam destacadas numa linha separada e centradas na página

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$
$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

ou numeradas

$$aaa$$
 (3.1)

que depois pode ser referida no texto como sendo a equação 3.1

aa

$$a$$
 (3.2)

$$b$$
 (3.3)

$$c$$
 (3.4)

(3.5)

**Simplest form of the** *Central Limit Theorem*: Let  $X_1, X_2, \cdots$  be a sequence of iid random variables with mean 0 and variance 1 on a probability space  $(\Omega, \mathcal{F}, \mathbb{P})$ . Then

$$\mathbb{P}\left(\frac{X_1+\cdots+X_n}{\sqrt{n}}\leq y\right)\to \mathfrak{N}(y)\coloneqq \int_{-\infty}^y \frac{\mathrm{e}^{-t^2/2}}{\sqrt{2\pi}}\,\mathrm{d}t\quad \text{as } n\to\infty,$$

or, equivalently, letting  $S_n := \sum_{1}^{n} X_k$ ,

$$\mathbb{E} f\left(S_n/\sqrt{n}\right) \to \int_{-\infty}^{\infty} f(t) \frac{\mathrm{e}^{-t^2/2}}{\sqrt{2\pi}} \, \mathrm{d}t \quad \text{as } n \to \infty \text{, for every } f \in \mathrm{b} C(\mathbb{R}).$$

$$I_j = \int_{\Omega} f_j(x) d\mu(x) \tag{3.6}$$

$$F = \sum_{i=1}^{n} \frac{1}{n_i} \sum_{j=1}^{n_i} \omega_i(X_{i,j}) \frac{f(X_{i,j})}{p_i(X_{i,j})}$$
(3.7)

$$\omega_i(x) = \frac{n_i p_i(x)}{\sum_k n_k p_k(x)} \tag{3.8}$$

$$I = \sum_{s>0} \sum_{t>0} \omega_{s,t}(x_{s,t}) \frac{f_j(x_{s,t})}{p_{s,t}(x_{s,t})}$$
(3.9)

# 3.9 Algorithms

end while

```
Algoritmo 3.1 Calculate y = x^n
Require: n \ge 0 \lor x \ne 0
Ensure: y = x^n
   y \Leftarrow 1
   if n < 0 then
        X \Leftarrow 1/x
        N \leftarrow -n
   else
        X \leftarrow x
        N \leftarrow n
   end if
   while N \neq 0 do
        if N is even then
            X \leftarrow X \times X
             N \leftarrow N/2
        else if N is odd then
             y \Leftarrow y \times X
             N \Leftarrow N - 1
        end if
```

# **Bibliografia**

- [1] C. Artho, K. Havelund e A. Biere. *High-Level Data Races*. 2003. url: citeseer.ist.psu.edu/artho03highlevel.html.
- [2] C. Artho, K. Havelund e A. Biere. "Using Block-Local Atomicity to Detect Stale-Value Concurrency Errors". Em: *ATVA*. Ed. por F. Wang. Vol. 3299. Lecture Notes in Computer Science. Springer, 2004, pp. 150–164. isbn: 3-540-23610-4.
- [3] N. E. Beckman, K. Bierhoff e J. Aldrich. "Verifying Correct Usage of Atomic Blocks and Typestate". Em: SIGPLAN Not. 43.10 (2008), pp. 227–244. issn: 0362-1340. doi: http://doi.acm.org/ 10.1145/1449955.1449783.
- [4] C. Flanagan e S. N. Freund. "Atomizer: a dynamic atomicity checker for multithreaded programs". Em: *POPL '04: Proceedings of the 31st ACM SIGPLAN-SIGACT symposium on Principles of programming languages.* Venice, Italy: ACM, 2004, pp. 256–267. isbn: 1-58113-729-X. doi: http://doi.acm.org/10.1145/964001.964023.
- [5] IBM's Concurrency Testing Repository.
- [6] J. E. B. Moss. *Nested transactions: an approach to reliable distributed computing*. Cambridge, MA, USA: Massachusetts Institute of Technology, 1985. isbn: 0-262-13200-1.
- [7] N. Shavit e D. Touitou. "Software transactional memory". Em: *PODC '95: Proceedings of the four-teenth annual ACM symposium on Principles of distributed computing*. Ottowa, Ontario, Canada: ACM, 1995, pp. 204–213. isbn: 0-89791-710-3. doi: http://doi.acm.org/10.1145/224964. 224987.
- [8] A. Silberschatz, H. F. Korth e S. Sudarshan. *Database System Concepts*. Fifth. McGraw-Hill, 2006. isbn: 007-124476-X.
- [9] C. von Praun e T. R. Gross. "Static Detection of Atomicity Violations in Object-Oriented Programs". Em: *Journal of Object Technology*. 2003, p. 2004.

A p ê n d i c e

# **Appendix 1 Lorem Ipsum**

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem

ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

A p ê n d i c e

# **Appendix 2 Lorem Ipsum**

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem

ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.

# Anexo

# **Annex 1 Lorem Ipsum**

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem

ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetuer.