

# Nessus Scan Report

## qa3app09

- **Nessus Scan Information** (Port: 0, Severity: 0)
- **Open Port Re-check** (Port: 0, Severity: 0)
- **Terminal Services Doesn't Use Network Level Authentication (NLA)** (Port: 3389, Severity: 2)
- **Device Type** (Port: 0, Severity: 0)
- **Common Platform Enumeration (CPE)** (Port: 0, Severity: 0)
- **Terminal Services Use SSL/TLS** (Port: 3389, Severity: 0)
- **OS Identification** (Port: 0, Severity: 0)
- **Ethernet Card Manufacturer Detection** (Port: 0, Severity: 0)
- **VMware Virtual Machine Detection** (Port: 0, Severity: 0)
- **Microsoft Windows Remote Desktop Protocol Server Man-in-the-Middle Weakness** (Port: 3389, Severity: 2)
- **RDP Screenshot** (Port: 3389, Severity: 0)
- **Terminal Services Encryption Level is Medium or Low** (Port: 3389, Severity: 2)
- **Terminal Services Encryption Level is not FIPS-140 Compliant** (Port: 3389, Severity: 1)
- **HyperText Transfer Protocol (HTTP) Information** (Port: 80, Severity: 0)
- **Windows Terminal Services Enabled** (Port: 3389, Severity: 0)
- **HTTP Server Type and Version** (Port: 80, Severity: 0)
- **HTTP Methods Allowed (per directory)** (Port: 80, Severity: 0)
- **SMB Signing Disabled** (Port: 445, Severity: 2)
- **Web Server Unconfigured - Default Install Page Present** (Port: 80, Severity: 0)
- **Service Detection** (Port: 80, Severity: 0)
- **Inconsistent Hostname and IP Address** (Port: 0, Severity: 0)
- **Host Fully Qualified Domain Name (FQDN) Resolution** (Port: 0, Severity: 0)
- **Traceroute Information** (Port: 0, Severity: 0)
- **Nessus Windows Scan Not Performed with Admin Privileges** (Port: 0, Severity: 0)
- **Microsoft Windows SMB Registry : Nessus Cannot Access the Windows Registry** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 3389, Severity: 0)
- **Nessus SYN scanner** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 80, Severity: 0)
- **Nessus SYN scanner** (Port: 135, Severity: 0)
- **Nessus SYN scanner** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Log In Possible** (Port: 445, Severity: 0)
- **Microsoft Windows SMB NativeLanManager Remote System Information Disclosure** (Port: 445, Severity: 0)
- **Windows NetBIOS / SMB Remote Host Information Disclosure** (Port: 137, Severity: 0)
- **DCE Services Enumeration** (Port: 49152, Severity: 0)
- **DCE Services Enumeration** (Port: 49153, Severity: 0)
- **DCE Services Enumeration** (Port: 49175, Severity: 0)
- **DCE Services Enumeration** (Port: 49173, Severity: 0)
- **DCE Services Enumeration** (Port: 49154, Severity: 0)
- **DCE Services Enumeration** (Port: 49174, Severity: 0)
- **DCE Services Enumeration** (Port: 445, Severity: 0)
- **DCE Services Enumeration** (Port: 135, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 445, Severity: 0)

## qa3app06

- **Nessus Scan Information** (Port: 0, Severity: 0)
- **Open Port Re-check** (Port: 0, Severity: 0)
- **Device Type** (Port: 0, Severity: 0)
- **Common Platform Enumeration (CPE)** (Port: 0, Severity: 0)
- **OS Identification** (Port: 0, Severity: 0)
- **HyperText Transfer Protocol (HTTP) Information** (Port: 80, Severity: 0)
- **HTTP Server Type and Version** (Port: 80, Severity: 0)
- **HTTP Methods Allowed (per directory)** (Port: 80, Severity: 0)
- **Ethernet Card Manufacturer Detection** (Port: 0, Severity: 0)
- **VMware Virtual Machine Detection** (Port: 0, Severity: 0)
- **Microsoft Windows Remote Desktop Protocol Server Man-in-the-Middle Weakness** (Port: 3389, Severity: 2)
- **Web Server Unconfigured - Default Install Page Present** (Port: 80, Severity: 0)
- **RDP Screenshot** (Port: 3389, Severity: 0)
- **Terminal Services Encryption Level is Medium or Low** (Port: 3389, Severity: 2)
- **Terminal Services Encryption Level is not FIPS-140 Compliant** (Port: 3389, Severity: 1)
- **Windows Terminal Services Enabled** (Port: 3389, Severity: 0)

- **SMB Signing Disabled** (Port: 445, Severity: 2)
- **Service Detection** (Port: 80, Severity: 0)
- **Inconsistent Hostname and IP Address** (Port: 0, Severity: 0)
- **Host Fully Qualified Domain Name (FQDN) Resolution** (Port: 0, Severity: 0)
- **Traceroute Information** (Port: 0, Severity: 0)
- **Nessus Windows Scan Not Performed with Admin Privileges** (Port: 0, Severity: 0)
- **Microsoft Windows SMB Registry : Nessus Cannot Access the Windows Registry** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 3389, Severity: 0)
- **Nessus SYN scanner** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 80, Severity: 0)
- **Nessus SYN scanner** (Port: 135, Severity: 0)
- **Nessus SYN scanner** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Log In Possible** (Port: 445, Severity: 0)
- **Microsoft Windows SMB NativeLanManager Remote System Information Disclosure** (Port: 445, Severity: 0)
- **Windows NetBIOS / SMB Remote Host Information Disclosure** (Port: 137, Severity: 0)
- **DCE Services Enumeration** (Port: 49152, Severity: 0)
- **DCE Services Enumeration** (Port: 49153, Severity: 0)
- **DCE Services Enumeration** (Port: 49177, Severity: 0)
- **DCE Services Enumeration** (Port: 49254, Severity: 0)
- **DCE Services Enumeration** (Port: 49253, Severity: 0)
- **DCE Services Enumeration** (Port: 49154, Severity: 0)
- **DCE Services Enumeration** (Port: 445, Severity: 0)
- **DCE Services Enumeration** (Port: 135, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 445, Severity: 0)

## qa3app05

- **Nessus Scan Information** (Port: 0, Severity: 0)
- **Open Port Re-check** (Port: 0, Severity: 0)
- **Device Type** (Port: 0, Severity: 0)
- **Common Platform Enumeration (CPE)** (Port: 0, Severity: 0)
- **OS Identification** (Port: 0, Severity: 0)
- **Ethernet Card Manufacturer Detection** (Port: 0, Severity: 0)
- **VMware Virtual Machine Detection** (Port: 0, Severity: 0)
- **Microsoft Windows Remote Desktop Protocol Server Man-in-the-Middle Weakness** (Port: 3389, Severity: 2)
- **RDP Screenshot** (Port: 3389, Severity: 0)
- **Terminal Services Encryption Level is Medium or Low** (Port: 3389, Severity: 2)
- **Terminal Services Encryption Level is not FIPS-140 Compliant** (Port: 3389, Severity: 1)
- **Windows Terminal Services Enabled** (Port: 3389, Severity: 0)
- **HyperText Transfer Protocol (HTTP) Information** (Port: 80, Severity: 0)
- **HTTP Server Type and Version** (Port: 80, Severity: 0)
- **HTTP Methods Allowed (per directory)** (Port: 80, Severity: 0)
- **SMB Signing Disabled** (Port: 445, Severity: 2)
- **Web Server Unconfigured - Default Install Page Present** (Port: 80, Severity: 0)
- **Service Detection** (Port: 80, Severity: 0)
- **Inconsistent Hostname and IP Address** (Port: 0, Severity: 0)
- **Host Fully Qualified Domain Name (FQDN) Resolution** (Port: 0, Severity: 0)
- **Traceroute Information** (Port: 0, Severity: 0)
- **Nessus Windows Scan Not Performed with Admin Privileges** (Port: 0, Severity: 0)
- **Microsoft Windows SMB Registry : Nessus Cannot Access the Windows Registry** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 3389, Severity: 0)
- **Nessus SYN scanner** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 80, Severity: 0)
- **Nessus SYN scanner** (Port: 135, Severity: 0)
- **Nessus SYN scanner** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Log In Possible** (Port: 445, Severity: 0)
- **Microsoft Windows SMB NativeLanManager Remote System Information Disclosure** (Port: 445, Severity: 0)
- **Windows NetBIOS / SMB Remote Host Information Disclosure** (Port: 137, Severity: 0)
- **DCE Services Enumeration** (Port: 49152, Severity: 0)
- **DCE Services Enumeration** (Port: 49153, Severity: 0)
- **DCE Services Enumeration** (Port: 49177, Severity: 0)
- **DCE Services Enumeration** (Port: 49253, Severity: 0)
- **DCE Services Enumeration** (Port: 49154, Severity: 0)
- **DCE Services Enumeration** (Port: 49252, Severity: 0)
- **DCE Services Enumeration** (Port: 445, Severity: 0)
- **DCE Services Enumeration** (Port: 135, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 139, Severity: 0)

- **Microsoft Windows SMB Service Detection** (Port: 445, Severity: 0)

## qa3app04

- **Nessus Scan Information** (Port: 0, Severity: 0)
- **Open Port Re-check** (Port: 0, Severity: 0)
- **Device Type** (Port: 0, Severity: 0)
- **Common Platform Enumeration (CPE)** (Port: 0, Severity: 0)
- **OS Identification** (Port: 0, Severity: 0)
- **HyperText Transfer Protocol (HTTP) Information** (Port: 80, Severity: 0)
- **HTTP Server Type and Version** (Port: 80, Severity: 0)
- **HTTP Methods Allowed (per directory)** (Port: 80, Severity: 0)
- **Ethernet Card Manufacturer Detection** (Port: 0, Severity: 0)
- **VMware Virtual Machine Detection** (Port: 0, Severity: 0)
- **Microsoft Windows Remote Desktop Protocol Server Man-in-the-Middle Weakness** (Port: 3389, Severity: 2)
- **Web Server Unconfigured - Default Install Page Present** (Port: 80, Severity: 0)
- **RDP Screenshot** (Port: 3389, Severity: 0)
- **Terminal Services Encryption Level is Medium or Low** (Port: 3389, Severity: 2)
- **Terminal Services Encryption Level is not FIPS-140 Compliant** (Port: 3389, Severity: 1)
- **Windows Terminal Services Enabled** (Port: 3389, Severity: 0)
- **SMB Signing Disabled** (Port: 445, Severity: 2)
- **Service Detection** (Port: 80, Severity: 0)
- **Inconsistent Hostname and IP Address** (Port: 0, Severity: 0)
- **Host Fully Qualified Domain Name (FQDN) Resolution** (Port: 0, Severity: 0)
- **Traceroute Information** (Port: 0, Severity: 0)
- **Nessus Windows Scan Not Performed with Admin Privileges** (Port: 0, Severity: 0)
- **Microsoft Windows SMB Registry : Nessus Cannot Access the Windows Registry** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 3389, Severity: 0)
- **Nessus SYN scanner** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 80, Severity: 0)
- **Nessus SYN scanner** (Port: 135, Severity: 0)
- **Nessus SYN scanner** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Log In Possible** (Port: 445, Severity: 0)
- **Microsoft Windows SMB NativeLanManager Remote System Information Disclosure** (Port: 445, Severity: 0)
- **Windows NetBIOS / SMB Remote Host Information Disclosure** (Port: 137, Severity: 0)
- **DCE Services Enumeration** (Port: 49152, Severity: 0)
- **DCE Services Enumeration** (Port: 49153, Severity: 0)
- **DCE Services Enumeration** (Port: 49251, Severity: 0)
- **DCE Services Enumeration** (Port: 49176, Severity: 0)
- **DCE Services Enumeration** (Port: 49154, Severity: 0)
- **DCE Services Enumeration** (Port: 49252, Severity: 0)
- **DCE Services Enumeration** (Port: 445, Severity: 0)
- **DCE Services Enumeration** (Port: 135, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 445, Severity: 0)

## qa3app03

- **Nessus Scan Information** (Port: 0, Severity: 0)
- **Open Port Re-check** (Port: 0, Severity: 0)
- **Device Type** (Port: 0, Severity: 0)
- **Common Platform Enumeration (CPE)** (Port: 0, Severity: 0)
- **OS Identification** (Port: 0, Severity: 0)
- **Ethernet Card Manufacturer Detection** (Port: 0, Severity: 0)
- **VMware Virtual Machine Detection** (Port: 0, Severity: 0)
- **Microsoft Windows Remote Desktop Protocol Server Man-in-the-Middle Weakness** (Port: 3389, Severity: 2)
- **RDP Screenshot** (Port: 3389, Severity: 0)
- **Terminal Services Encryption Level is Medium or Low** (Port: 3389, Severity: 2)
- **Terminal Services Encryption Level is not FIPS-140 Compliant** (Port: 3389, Severity: 1)
- **Windows Terminal Services Enabled** (Port: 3389, Severity: 0)
- **HyperText Transfer Protocol (HTTP) Information** (Port: 80, Severity: 0)
- **HTTP Server Type and Version** (Port: 80, Severity: 0)
- **HTTP Methods Allowed (per directory)** (Port: 80, Severity: 0)
- **SMB Signing Disabled** (Port: 445, Severity: 2)
- **Web Server Unconfigured - Default Install Page Present** (Port: 80, Severity: 0)
- **Service Detection** (Port: 80, Severity: 0)
- **Inconsistent Hostname and IP Address** (Port: 0, Severity: 0)

- **Host Fully Qualified Domain Name (FQDN) Resolution** (Port: 0, Severity: 0)
- **Traceroute Information** (Port: 0, Severity: 0)
- **Nessus Windows Scan Not Performed with Admin Privileges** (Port: 0, Severity: 0)
- **Microsoft Windows SMB Registry : Nessus Cannot Access the Windows Registry**(Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 3389, Severity: 0)
- **Nessus SYN scanner** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 80, Severity: 0)
- **Nessus SYN scanner** (Port: 135, Severity: 0)
- **Nessus SYN scanner** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Log In Possible** (Port: 445, Severity: 0)
- **Microsoft Windows SMB NativeLanManager Remote System Information Disclosure** (Port: 445, Severity: 0)
- **Windows NetBIOS / SMB Remote Host Information Disclosure** (Port: 137, Severity: 0)
- **DCE Services Enumeration** (Port: 49152, Severity: 0)
- **DCE Services Enumeration** (Port: 49153, Severity: 0)
- **DCE Services Enumeration** (Port: 49176, Severity: 0)
- **DCE Services Enumeration** (Port: 49253, Severity: 0)
- **DCE Services Enumeration** (Port: 49154, Severity: 0)
- **DCE Services Enumeration** (Port: 49252, Severity: 0)
- **DCE Services Enumeration** (Port: 445, Severity: 0)
- **DCE Services Enumeration** (Port: 135, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 445, Severity: 0)

## qa3app02

- **Nessus Scan Information** (Port: 0, Severity: 0)
- **Open Port Re-check** (Port: 0, Severity: 0)
- **Common Platform Enumeration (CPE)** (Port: 0, Severity: 0)
- **Device Type** (Port: 0, Severity: 0)
- **OS Identification** (Port: 0, Severity: 0)
- **HTTP Server Type and Version** (Port: 10002, Severity: 0)
- **HTTP Server Type and Version** (Port: 80, Severity: 0)
- **HTTP Methods Allowed (per directory)** (Port: 80, Severity: 0)
- **Ethernet Card Manufacturer Detection** (Port: 0, Severity: 0)
- **VMware Virtual Machine Detection** (Port: 0, Severity: 0)
- **Microsoft Windows Remote Desktop Protocol Server Man-in-the-Middle Weakness** (Port: 3389, Severity: 2)
- **Web Server Unconfigured - Default Install Page Present** (Port: 80, Severity: 0)
- **TCP Channel Detection** (Port: 7001, Severity: 0)
- **RDP Screenshot** (Port: 3389, Severity: 0)
- **Terminal Services Encryption Level is Medium or Low**(Port: 3389, Severity: 2)
- **Terminal Services Encryption Level is not FIPS-140 Compliant**(Port: 3389, Severity: 1)
- **Windows Terminal Services Enabled** (Port: 3389, Severity: 0)
- **SMB Signing Disabled** (Port: 445, Severity: 2)
- **Service Detection** (Port: 10002, Severity: 0)
- **Service Detection** (Port: 80, Severity: 0)
- **Inconsistent Hostname and IP Address** (Port: 0, Severity: 0)
- **Host Fully Qualified Domain Name (FQDN) Resolution** (Port: 0, Severity: 0)
- **Traceroute Information** (Port: 0, Severity: 0)
- **Nessus Windows Scan Not Performed with Admin Privileges** (Port: 0, Severity: 0)
- **Microsoft Windows SMB Registry : Nessus Cannot Access the Windows Registry**(Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 7001, Severity: 0)
- **Nessus SYN scanner** (Port: 10002, Severity: 0)
- **Nessus SYN scanner** (Port: 3389, Severity: 0)
- **Nessus SYN scanner** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 80, Severity: 0)
- **Nessus SYN scanner** (Port: 135, Severity: 0)
- **Nessus SYN scanner** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Log In Possible** (Port: 445, Severity: 0)
- **Microsoft Windows SMB NativeLanManager Remote System Information Disclosure** (Port: 445, Severity: 0)
- **Windows NetBIOS / SMB Remote Host Information Disclosure** (Port: 137, Severity: 0)
- **DCE Services Enumeration** (Port: 49152, Severity: 0)
- **DCE Services Enumeration** (Port: 49153, Severity: 0)
- **DCE Services Enumeration** (Port: 49188, Severity: 0)
- **DCE Services Enumeration** (Port: 49154, Severity: 0)
- **DCE Services Enumeration** (Port: 49156, Severity: 0)
- **DCE Services Enumeration** (Port: 49155, Severity: 0)
- **DCE Services Enumeration** (Port: 445, Severity: 0)
- **DCE Services Enumeration** (Port: 135, Severity: 0)

- **Microsoft Windows SMB Service Detection** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 445, Severity: 0)

## qa3app01

- **Nessus Scan Information** (Port: 0, Severity: 0)
- **Open Port Re-check** (Port: 0, Severity: 0)
- **Terminal Services Doesn't Use Network Level Authentication (NLA)** (Port: 3389, Severity: 2)
- **Device Type** (Port: 0, Severity: 0)
- **Common Platform Enumeration (CPE)** (Port: 0, Severity: 0)
- **Terminal Services Use SSL/TLS** (Port: 3389, Severity: 0)
- **OS Identification** (Port: 0, Severity: 0)
- **HyperText Transfer Protocol (HTTP) Information** (Port: 80, Severity: 0)
- **HTTP Server Type and Version** (Port: 80, Severity: 0)
- **Ethernet Card Manufacturer Detection** (Port: 0, Severity: 0)
- **VMware Virtual Machine Detection** (Port: 0, Severity: 0)
- **HTTP Methods Allowed (per directory)** (Port: 80, Severity: 0)
- **Microsoft Windows Remote Desktop Protocol Server Man-in-the-Middle Weakness** (Port: 3389, Severity: 2)
- **Web Server Unconfigured - Default Install Page Present** (Port: 80, Severity: 0)
- **RDP Screenshot** (Port: 3389, Severity: 0)
- **Terminal Services Encryption Level is Medium or Low** (Port: 3389, Severity: 2)
- **Terminal Services Encryption Level is not FIPS-140 Compliant** (Port: 3389, Severity: 1)
- **Windows Terminal Services Enabled** (Port: 3389, Severity: 0)
- **SMB Signing Disabled** (Port: 445, Severity: 2)
- **Service Detection** (Port: 80, Severity: 0)
- **Inconsistent Hostname and IP Address** (Port: 0, Severity: 0)
- **Host Fully Qualified Domain Name (FQDN) Resolution** (Port: 0, Severity: 0)
- **Traceroute Information** (Port: 0, Severity: 0)
- **Nessus Windows Scan Not Performed with Admin Privileges** (Port: 0, Severity: 0)
- **Microsoft Windows SMB Registry : Nessus Cannot Access the Windows Registry** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 445, Severity: 0)
- **Nessus SYN scanner** (Port: 3389, Severity: 0)
- **Nessus SYN scanner** (Port: 80, Severity: 0)
- **Nessus SYN scanner** (Port: 135, Severity: 0)
- **Nessus SYN scanner** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Log In Possible** (Port: 445, Severity: 0)
- **Microsoft Windows SMB NativeLanManager Remote System Information Disclosure** (Port: 445, Severity: 0)
- **Windows NetBIOS / SMB Remote Host Information Disclosure** (Port: 137, Severity: 0)
- **DCE Services Enumeration** (Port: 49152, Severity: 0)
- **DCE Services Enumeration** (Port: 49153, Severity: 0)
- **DCE Services Enumeration** (Port: 49176, Severity: 0)
- **DCE Services Enumeration** (Port: 49175, Severity: 0)
- **DCE Services Enumeration** (Port: 49154, Severity: 0)
- **DCE Services Enumeration** (Port: 49174, Severity: 0)
- **DCE Services Enumeration** (Port: 445, Severity: 0)
- **DCE Services Enumeration** (Port: 135, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 139, Severity: 0)
- **Microsoft Windows SMB Service Detection** (Port: 445, Severity: 0)