02 / Experience

What interaction data does one episode generate, and how will we use them?

EX03 / DROID | Source analysis | C1 | P: paper; W: project; R: repository



1. Objective and start

Link the claim, episode start/reset and end rule. Label this episode planned, team-observed or externally reported.

Example: reset a scene, teleoperate an object interaction, then label the outcome. [P III; R workflows]

2. Input and action

Identify observations, timestamps, commands and executed actions where known. Distinguish command from response.

Record camera streams, robot state, commands, collector identity and scene/task metadata. [P III; App B]

3. Response and outcome

Record response, outcome rule, failures, timeouts and interventions. A selected success does not establish reliability.

Collector-labelled success accompanies each sequence; a recorded label is not independent ground truth. [P III]

4. Record and reuse

List the retained interaction data: observations, actions, responses, outcomes and context. State intended use and missing fields.

Reuse demonstrations for policy learning; retain context so coverage and collection biases remain inspectable. [P IV-V]

Review: What could make the recorded outcome misleading? Mark missing measurements or an alternative explanation.

Example response: Collector labels and attractive clips can hide ambiguous outcomes.

Worksheet 2 / Experience - evidence and team review

EX03 / DROID | SOURCE ANALYSIS EXAMPLE | Original review-page layout

Example ID: EX03 Project: DROID Claim ID: C1 Revision: draft 1

Mode: Source analysis Pages: canvas + this review; Decision also includes both A3 sides

Evidence scope: paper sections and public documentation; no dataset download or independent experiment.

Evidence ID	Artifact/source + location (clickable)	What it supports; limitation / access gap
P	arxiv.org/abs/2403.12945v1	Paper: method/results; reported evidence, not our measurement.
W	droid-dataset.github.io	Project: system/videos; selected examples do not establish reliability.
R	github.com/droid-dataset/droid	Repository: documented route; code and data not executed or audited.

Next action / owner / verification:

Collector labels and attractive clips can hide ambiguous outcomes. Reviewer: inspect the cited basis before adapting this answer.

Teaching example: no actual student team or signatures. Source analysis is not a reproduced result; blank signature fields are intentional.

1. Name / student ID: _____

Signature: _____ Date: _____

2. Name / student ID: _____

Signature: _____ Date: _____

3. Name / student ID: _____

Signature: _____ Date: _____

4. Name / student ID: _____

Signature: _____ Date: _____

5. Name / student ID: _____

Signature: _____ Date: _____

6. Name / student ID: _____

Signature: _____ Date: _____

7. Name / student ID: _____

Signature: _____ Date: _____

8. Name / student ID: _____

Signature: _____ Date: _____

P/W/R identify linked public sources above. NE: not examined in this brief example, not evidence of failure. Support/context labels are provisional, not grades.