02 / Experience

What interaction data does one episode generate, and how will we use them?

EX02 / UMI | Source analysis | C1 | P: paper; W: project; R: repository



1. Objective and start

Link the claim, episode start/reset and end rule. Label this episode planned, team-observed or externally reported.

Example: pick up a cup and place it on a saucer using the handheld gripper. [W; R]

2. Input and action

Identify observations, timestamps, commands and executed actions where known. Distinguish command from response.

Video and inertial sensing support pose reconstruction; gripper width supplies an action-related channel. [P Hardware/SLAM]

3. Response and outcome

Record response, outcome rule, failures, timeouts and interventions. A selected success does not establish reliability.

Reconstructed hand motion describes a demonstration, not a successful robot rollout. Track reconstruction failures separately. [R SLAM]

4. Record and reuse

List the retained interaction data: observations, actions, responses, outcomes and context. State intended use and missing fields.

Convert accepted demonstrations into policy training records; preserve discarded segments and their rejection reason. [R pipeline]

Review: What could make the recorded outcome misleading? Mark missing measurements or an alternative explanation.

Example response: A reconstruction failure can remove a difficult demonstration from the usable data.

Worksheet 2 / Experience - evidence and team review

EX02 / UMI | SOURCE ANALYSIS EXAMPLE | Original review-page layout

Example ID: EX02 Project: UMI Claim ID: C1 Revision: draft 1

Mode: Source analysis Pages: canvas + this review; Decision also includes both A3 sides

Evidence scope: paper sections and public documentation; no dataset download or independent experiment.

Evidence ID	Artifact/source + location (clickable)	What it supports; limitation / access gap
P	arxiv.org/abs/2402.10329v1	Paper: method/results; reported evidence, not our measurement.
W	real.stanford.edu/umi	Project: system/videos; selected examples do not establish reliability.
R	github.com/real-stanford/universal_manipulation_interface	Repository: documented route; code and data not executed or audited.

Next action / owner / verification:

A reconstruction failure can remove a difficult demonstration from the usable data. Reviewer: inspect the cited basis before adapting this answer.

Teaching example: no actual student team or signatures. Source analysis is not a reproduced result; blank signature fields are intentional.

1. Name / student ID: _____

Signature: _____ Date: _____

2. Name / student ID: _____

Signature: _____ Date: _____

3. Name / student ID: _____

Signature: _____ Date: _____

4. Name / student ID: _____

Signature: _____ Date: _____

5. Name / student ID: _____

Signature: _____ Date: _____

6. Name / student ID: _____

Signature: _____ Date: _____

7. Name / student ID: _____

Signature: _____ Date: _____

8. Name / student ID: _____

Signature: _____ Date: _____

P/W/R identify linked public sources above. NE: not examined in this brief example, not evidence of failure. Support/context labels are provisional, not grades.