a Before: diagnose the errors

DELIBERATELY FLAWED TEACHING EXAMPLE

Unsupported claims and missing context below are errors to diagnose.

Reliable real-world cube manipulation

Error: the title claims physical evidence that these records do not contain.

Background

Robot hands have many joints and contact interactions. Learning can produce complex behavior. A poster can describe every implementation detail, but readers must still determine the question, the contribution and what was actually tested. Robot hands have many joints and contact interactions. Learning can produce complex behavior. A poster can describe every implementation detail, but readers must still determine the question, the contribution and what was actually tested. Robot hands have many joints and contact interactions. Learning can produce complex behavior. A poster can describe every implementation detail, but readers must still determine the question, the contribution and what was actually tested. Robot hands have many joints and contact interactions. Learning can produce complex behavior. A poster can describe every implementation detail, but readers must still determine the question, the contribution and what was actually tested. Robot hands have many joints and contact interactions. Learning can produce complex behavior. A poster can describe every implementation detail, but readers must still determine the question, the contribution and what was actually tested. Robot hands have many joints and contact interactions. Learning can produce complex behavior. A poster can describe every implementation detail, but readers must still determine the question, the contribution and what was actually tested.

Method

Policy

Simulator

Results

Error: observation/action meaning, source and conditions are absent.


Results

88%

It works!

Error: no denominator, timeout count, criterion or evaluation scope.

Example



Error: selected simulation image presented without identity or limits.

The number and image come from retained evidence; the framing is intentionally wrong.
Use this poster to diagnose communication and scientific-scope errors.

b After: bound the argument

Auditing a pretrained cube-reorientation policy in simulation

ROB7103/8103 teaching example · Retained Class 06 evidence

A fixed policy reached the first target in 88/100 retained native-MuJoCo trials; 12 timed out.

Question and contribution

How well does the supplied policy reach its first orientation goal under a declared simulation protocol? This poster analyses retained evaluations; it does not introduce or train the policy.

System and interface

57-value actor observation


↓

Supplied pretrained policy

↓

16 targets → native MuJoCo hand

Task and selected view



Selected simulation frame, seed 9204. The image illustrates behavior; it is not the 100-trial performance measure.

First-goal evaluation

88 reached

88 successes · 12 timeouts · 0 falls

100 trials, seeds 20000–20099. First target below 01 rad before fail or 50 s limit. This is the observed result under the stated protocol.

Conditions that define the number

Native-task adapter · MuJoCo 3.6.0 · original observation noise
Physics step 0.01 s · control interval 0.05 s · fixed pretrained actor
All 100 outcomes retained. No training, threshold relaxation or hardware run.

Conclusion and next justified test

The policy is a working, imperfect simulation example under these conditions. This result does not establish physical-hand reliability. Test one declared change, such as observation delay, using a fresh evaluation seed set.

Sources: Class 06 retained evaluation and selected native rendering.
Policy/task: MuJoCo Playground, commit e9fefc… · Policy SHA-256: 1895e4a…
Full protocol, source attribution and records accompany the course example.