

Markdown PDF This extension converts Markdown files to pdf, html, png or jpeg files.

Japanese README

Table of Contents Breaking Changes in 2.0.0 Features Chromium Extension Settings Options FAQ Known Issues Release Notes License Special thanks Breaking Changes in 2.0.0 Version 2.0.0 introduces changes that may affect existing behavior. See the FAQ section for details.

Heading IDs now follow GitHub-compatible VS Code slug generation. Existing internal anchors in your documents may change. See [Why did my heading anchors change?](#). Highlight.js upgraded from v9 to v11. Some highlight style names have been renamed or removed. See [Why did my syntax highlight style stop working?](#). Front matter parsing is now stricter. Some previously accepted formats may be rejected. See [Why is my front matter no longer parsed?](#). Chromium is resolved from an installed Chrome/Edge browser first, or auto-downloaded on first use. See [How is the Chromium browser selected?](#) and [Where is Chromium downloaded?](#). Features Feature Description Example Syntax highlighting Code block highlighting via highlight.js `js` `Emoji` `Emoji shortcodes` `:smile:` `Checkbox` `GitHub-style` `task lists` - `[ ]` / - `[x]` `Heading IDs` `GitHub-compatible` `heading anchors` `# Heading` → `#heading` `Container` `Admonition-like blocks` `::: warning` `Include` `Embed` `Markdown fragments` : `[label](https://github.com/yzane/vscode-markdown-pdf/blob/HEAD/path.md)` `PlantUML` `UML diagrams from code blocks` `@startuml ... @enduml` `Mermaid` `Diagrams from fenced code blocks` `mermaid` `Sample files`

pdf html png jpeg Heading IDs Headings automatically receive GitHub-compatible anchor IDs. For example:

Heading Generated ID

My Heading #my-heading

API Reference #api-reference

日本語見出し #日本語見出し

See [Why did my heading anchors change?](#) in the FAQ for details.

Checkbox INPUT

- ☐ Task A
- ☒ Task B

OUTPUT

- ☐ Task A
- ☒ Task B

Container Admonition-like blocks via markdown-it-container.

INPUT


here be dragons

OUTPUT

here be dragons

PlantUML Render UML diagrams via PlantUML using markdown-it-plantuml.

INPUT



OUTPUT

PlantUML

Include Include markdown fragment files:

INCLUDE ERROR: File
'/home/sadash/GitHub/embedded_things/driverflow/
https://github.com/yzane/vscode-markdown-
pdf/blob/HEAD/relative-path-to-file.md' not found.

.
└─ [plugins] | └─ README.md |─ CHANGELOG.md └─ README.md

INPUT

README Content

INCLUDE ERROR: File
'/home/sadash/GitHub/embedded_things/driverflow/
https://github.com/yzane/vscode-markdown-
pdf/blob/HEAD/plugins/README.md' not found.

INCLUDE ERROR: File
'/home/sadash/GitHub/embedded_things/driverflow/

<https://github.com/yzane/vscode-markdown-pdf/blob/HEAD/CHANGELOG.md> not found.

OUTPUT


Content of README.md

Content of plugins/README.md

Content of CHANGELOG.md

Mermaid Render diagrams from fenced code blocks via Mermaid.

INPUT



OUTPUT

mermaid

Chromium Markdown PDF uses a Chromium-based browser for PDF/PNG/JPEG export. It tries the following sources in order:

The path specified in `markdown-pdf.executablePath` An installed Google Chrome, Microsoft Edge, or Chromium on your system A managed Chromium automatically downloaded on first use See [How is the Chromium browser selected?](#) and [Where is Chromium downloaded?](#) in the FAQ for details.

If you are behind a proxy, set the `http.proxy` option in `settings.json` and restart Visual Studio Code.

Usage Command Palette Open the Markdown file Press F1 or Ctrl+Shift+P Type export and select below
 markdown-pdf: Export (settings.json) markdown-pdf: Export (pdf) markdown-pdf: Export (html) markdown-
 pdf: Export (png) markdown-pdf: Export (jpeg) markdown-pdf: Export (all: pdf, html, png, jpeg) usage1

Menu Open the Markdown file Right click and select below markdown-pdf: Export (settings.json) markdown-
 pdf: Export (pdf) markdown-pdf: Export (html) markdown-pdf: Export (png) markdown-pdf: Export (jpeg)
 markdown-pdf: Export (all: pdf, html, png, jpeg) usage2

Auto convert Add "markdown-pdf.convertOnSave": true option to settings.json Restart Visual Studio Code
 Open the Markdown file Auto convert on save Extension Settings Visual Studio Code User and Workspace
 Settings

Select File > Preferences > UserSettings or Workspace Settings Find markdown-pdf settings in the Default
 Settings Copy markdown-pdf.* settings Paste to the settings.json, and change the value demo

Options List Category Option name Configuration scope Save options markdown-pdf.type markdown-
 pdf.convertOnSave markdown-pdf.convertOnSaveExclude markdown-pdf.outputDirectory markdown-
 pdf.outputDirectoryRelativePathFile Styles options markdown-pdf.styles markdown-
 pdf.stylesRelativePathFile markdown-pdf.includeDefaultStyles Syntax highlight options markdown-
 pdf.highlight markdown-pdf.highlightStyle Markdown options markdown-pdf.breaks Emoji options
 markdown-pdf.emoji Configuration options markdown-pdf.executablePath Common Options markdown-
 pdf.scale PDF options markdown-pdf.displayHeaderFooter resource markdown-pdf.headerTemplate
 resource markdown-pdf.footerTemplate resource markdown-pdf.printBackground resource markdown-
 pdf.orientation resource markdown-pdf.pageRanges resource markdown-pdf.format resource markdown-
 pdf.width resource markdown-pdf.height resource markdown-pdf.margin.top resource markdown-
 pdf.margin.bottom resource markdown-pdf.margin.right resource markdown-pdf.margin.left resource PNG
 JPEG options markdown-pdf.quality markdown-pdf.clip.x markdown-pdf.clip.y markdown-pdf.clip.width
 markdown-pdf.clip.height markdown-pdf.omitBackground PlantUML options markdown-
 pdf.plantumlOpenMarker markdown-pdf.plantumlCloseMarker markdown-pdf.plantumlServer markdown-it-
 include options markdown-pdf.markdown-it-include.enable mermaid options markdown-pdf.mermaidServer
 Save options markdown-pdf.type Output format: pdf, html, png, jpeg Multiple output formats support
 Default: pdf "markdown-pdf.type": ["pdf", "html", "png", "jpeg"],

markdown-pdf.convertOnSave Enable Auto convert on save boolean. Default: false To apply the settings, you
 need to restart Visual Studio Code markdown-pdf.convertOnSaveExclude Excluded file name of
 convertOnSave option "markdown-pdf.convertOnSaveExclude": ["^work", "work.md\$", "work|test", "[0-9][0-
 9][0-9][0-9]-work", "work\\test" // All " need to be written as \'\' (Windows)],

markdown-pdf.outputDirectory Output Directory All \ need to be written as \ (Windows) "markdown-
 pdf.outputDirectory": "C:\\work\\output",

Relative path If you open the Markdown file, it will be interpreted as a relative path from the file If you open
 a folder, it will be interpreted as a relative path from the root folder If you open the workspace, it will be
 interpreted as a relative path from each root folder See Multi-root Workspaces "markdown-
 pdf.outputDirectory": "output",

Relative path (home directory) If path starts with ~, it will be interpreted as a relative path from the home
 directory "markdown-pdf.outputDirectory": "~/output",

If you set a directory with a relative path, it will be created if the directory does not exist. If you set a directory with an absolute path, an error occurs if the directory does not exist.

markdown-pdf.outputDirectoryRelativePathFile If `markdown-pdf.outputDirectoryRelativePathFile` option is set to `true`, the relative path set with `markdown-pdf.outputDirectory` is interpreted as relative from the file. It can be used to avoid relative paths from folders and workspaces.

boolean. Default: `false`

Styles options

markdown-pdf.styles A list of local paths to the stylesheets to use from the `markdown-pdf`. If the file does not exist, it will be skipped.

All \ need to be written as \ (Windows)

`"markdown-pdf.styles": [ "C:\Users\Documents\markdown-pdf.css", "/home//settings/markdown-pdf.css", ],`

Relative path If you open the Markdown file, it will be interpreted as a relative path from the file. If you open a folder, it will be interpreted as a relative path from the root folder. If you open the workspace, it will be interpreted as a relative path from each root folder.

See **Multi-root Workspaces**

`"markdown-pdf.styles": [ "markdown-pdf.css", ],`

Relative path (home directory) If path starts with `~`, it will be interpreted as a relative path from the home directory.

`"markdown-pdf.styles": [ "~/.config/Code/User/markdown-pdf.css", ],`

Online CSS (<https://xxx/xxx.css>) is applied correctly for JPG and PNG, but problems occur with PDF #67

`"markdown-pdf.styles": [ "https://xxx/markdown-pdf.css", ],`

markdown-pdf.stylesRelativePathFile If `markdown-pdf.stylesRelativePathFile` option is set to `true`, the relative path set with `markdown-pdf.styles` is interpreted as relative from the file. It can be used to avoid relative paths from folders and workspaces.

boolean. Default: `false`

markdown-pdf.includeDefaultStyles Enable the inclusion of default Markdown styles (VSCode, `markdown-pdf`)

boolean. Default: `true`

Syntax highlight options

markdown-pdf.highlight Enable Syntax highlighting

boolean. Default: `true`

markdown-pdf.highlightStyle Set the current highlight.js style file name. Examples: `github.css`, `monokai.css`, `base16/solarized-dark.css`

file name list demo site : <https://highlightjs.org/demo>

`"markdown-pdf.highlightStyle": "github.css",`

Markdown options

markdown-pdf.breaks Enable line breaks

boolean. Default: `false`

Emoji options

markdown-pdf.emoji Enable emoji.

EMOJI CHEAT SHEET

boolean. Default: `true`

Configuration options

markdown-pdf.executablePath Path to a Google Chrome, Microsoft Edge, or Chromium executable to run instead of the bundled Chromium. See **How is the Chromium browser selected?** in the FAQ for how this setting interacts with installed browser detection and the managed Chromium download.

All \ need to be written as \ (Windows)

To apply the settings, you need to restart Visual Studio Code

`"markdown-pdf.executablePath": "C:\Program Files (x86)\Google\Chrome\Application\chrome.exe"`

Common Options

markdown-pdf.scale Scale of the page rendering number. Default: `1`

`"markdown-pdf.scale": 1`

PDF options

pdf only.

puppeteer

page.pdf options

markdown-pdf.displayHeaderFooter Enables header and footer display

boolean. Default: `true`

Activating this option will display both the header and footer. If you wish to display only one of them, remove the value for the other.

To hide the header

`"markdown-pdf.headerTemplate": "",`

To hide the footer

`"markdown-pdf.footerTemplate": "",`

markdown-pdf.headerTemplate Specifies the HTML template for outputting the header. To use this option, you must set `markdown-pdf.displayHeaderFooter` to `true`.

formatted print date. The format depends on the environment :

markdown file name : markdown full path name : current page number : total pages in the

document %ISO-DATETIME% : current date and time in ISO-based format (YYYY-MM-DD hh:mm:ss)
 %ISO-DATE% : current date in ISO-based format (YYYY-MM-DD) %ISO-TIME% : current time in ISO-based format (hh:mm:ss) Default (version 1.5.0 and later): Displays the Markdown file name and the date using %ISO-DATE% "markdown-pdf.headerTemplate": "<div style="font-size: 9px; margin-left: 1cm;"><div style="font-size: 9px; margin-left: auto; margin-right: 1cm; ">%ISO-DATE%",

Default (version 1.4.4 and earlier): Displays the Markdown file name and the date using "markdown-pdf.headerTemplate": "<div style="font-size: 9px; margin-left: 1cm;"> <div style="font-size: 9px; margin-left: auto; margin-right: 1cm; "> ",

markdown-pdf.footerTemplate Specifies the HTML template for outputting the footer For more details, refer to markdown-pdf.headerTemplate Default: Displays the {current page number} / {total pages in the document} "markdown-pdf.footerTemplate": "<div style="font-size: 9px; margin: 0 auto;"> / ",

markdown-pdf.printBackground Print background graphics boolean. Default: true markdown-pdf.orientation Paper orientation portrait or landscape Default: portrait markdown-pdf.pageRanges Paper ranges to print, e.g., '1-5, 8, 11-13' Default: all pages "markdown-pdf.pageRanges": "1,4-",

markdown-pdf.format Paper format Letter, Legal, Tabloid, Ledger, A0, A1, A2, A3, A4, A5, A6 Default: A4 "markdown-pdf.format": "A4",

markdown-pdf.width markdown-pdf.height Paper width / height, accepts values labeled with units(mm, cm, in, px) If it is set, it overrides the markdown-pdf.format option "markdown-pdf.width": "10cm", "markdown-pdf.height": "20cm",

markdown-pdf.margin.top markdown-pdf.margin.bottom markdown-pdf.margin.right markdown-pdf.margin.left Paper margins.units(mm, cm, in, px) "markdown-pdf.margin.top": "1.5cm", "markdown-pdf.margin.bottom": "1cm", "markdown-pdf.margin.right": "1cm", "markdown-pdf.margin.left": "1cm",

PNG, JPEG options png and jpeg only. puppeteer page.screenshot options markdown-pdf.quality jpeg only. The quality of the image, between 0-100. Not applicable to png images "markdown-pdf.quality": 100,

markdown-pdf.clip.x markdown-pdf.clip.y markdown-pdf.clip.width markdown-pdf.clip.height An object which specifies clipping region of the page number // x-coordinate of top-left corner of clip area "markdown-pdf.clip.x": 0,

// y-coordinate of top-left corner of clip area "markdown-pdf.clip.y": 0,

// width of clipping area "markdown-pdf.clip.width": 1000,

// height of clipping area "markdown-pdf.clip.height": 1000,

markdown-pdf.omitBackground Hides default white background and allows capturing screenshots with transparency boolean. Default: false PlantUML options markdown-pdf.plantumlOpenMarker Opening delimiter used for the plantuml parser. Default: @startuml markdown-pdf.plantumlCloseMarker Closing delimiter used for the plantuml parser. Default: @enduml markdown-pdf.plantumlServer Plantuml server. e.g. http://localhost:8080 Default: http://www.plantuml.com/plantuml For example, to run Plantuml Server locally #139 : docker run -d -p 8080:8080 plantuml/plantuml-server:jetty

plantuml/plantuml-server - Docker Hub markdown-it-include options markdown-pdf.markdown-it-include.enable Enable markdown-it-include. boolean. Default: true mermaid options markdown-

pdf.mermaidServer mermaid server Default: <https://unpkg.com/mermaid/dist/mermaid.min.js> FAQ How can I change emoji size ? Add the following to your stylesheet which was specified in the markdown-pdf.styles

```
.emoji { height: 2em; }
```

Auto guess encoding of files Using files.autoGuessEncoding option of the Visual Studio Code is useful because it automatically guesses the character code. See files.autoGuessEncoding

```
"files.autoGuessEncoding": true,
```

Output directory If you always want to output to the relative path directory from the Markdown file.

For example, to output to the "output" directory in the same directory as the Markdown file, set it as follows.

```
"markdown-pdf.outputDirectory" : "output", "markdown-pdf.outputDirectoryRelativePathFile": true,
```

Page Break Please use either of the following to insert a page break.

Why did my heading anchors change? Starting with 2.0.0, Markdown PDF generates heading IDs using a custom markdown-it-named-headers implementation that follows GitHub-compatible VS Code slug generation. Compared to the previous implementation, the new slug generator preserves CJK characters and underscores while removing unsupported punctuation, which can cause existing internal anchors (e.g. `#some-heading`) to resolve differently.

If your Markdown relies on specific anchor strings (for example, a table of contents or cross-document links), re-check the generated anchors after exporting and update the links as needed.

Why did my syntax highlight style stop working? Starting with 2.0.0, Markdown PDF uses highlight.js v11 (previously v9). Some style names from v9 have been renamed or removed. Markdown PDF maps legacy style names to current names where possible and shows a warning message when a configured style cannot be found. If no mapping is available, the extension falls back to `tomorrow.css`.

Please check the available styles and update your `markdown-pdf.highlightStyle` setting to a current style name.

Why is my front matter no longer parsed? Starting with 2.0.0, Markdown PDF parses YAML front matter with a custom implementation instead of `gray-matter`. The new parser is stricter and rejects the following cases that the old parser may have accepted:

Top-level YAML sequences (arrays) as front matter
Front matter that does not parse into a plain object
Malformed YAML structures
A valid front matter must be a YAML mapping (object) at the top level, for example:

`title: My Document "markdown-pdf": displayHeaderFooter: true`

BOM-prefixed files are still supported.

How is the Chromium browser selected? Markdown PDF resolves a Chromium-based browser in the following order:

The path specified in `markdown-pdf.executablePath`, if the file exists. An installed browser on your system. Google Chrome (stable) is detected via `@puppeteer/browsers` at its standard OS install location; Microsoft Edge and Chromium are probed at the fixed paths listed below. A managed Chromium that Markdown PDF automatically downloads on first use. The first match wins. The per-OS scan order for installed Edge and Chromium is:

Windows

Google Chrome (stable install, detected via `@puppeteer/browsers`)
`%LOCALAPPDATA%\Microsoft\Edge\Application\msedge.exe`
`%LOCALAPPDATA%\Chromium\Application\chrome.exe`
`%PROGRAMFILES%\Microsoft\Edge\Application\msedge.exe`
`%PROGRAMFILES%\Chromium\Application\chrome.exe`
`%PROGRAMFILES(X86)%\Microsoft\Edge\Application\msedge.exe`
`%PROGRAMFILES(X86)%\Chromium\Application\chrome.exe` macOS

Google Chrome (stable install, detected via @puppeteer/browsers)
 /Applications/Chromium.app/Contents/MacOS/Chromium /Applications/Microsoft
 Edge.app/Contents/MacOS/Microsoft Edge Linux

Google Chrome (stable install, detected via @puppeteer/browsers) /usr/bin/chromium-browser
 /usr/bin/chromium /usr/bin/microsoft-edge /usr/bin/microsoft-edge-stable Where is Chromium downloaded?
 If no installed browser is found, Markdown PDF downloads a managed Chromium on first use. The download
 is stored under the extension's VS Code global storage directory:

OS Download path Windows %APPDATA%\Code\User\globalStorage\yzane.markdown-pdf
 macOS ~/Library/Application Support/Code/User/globalStorage/yzane.markdown-pdf/ Linux
 ~/.config/Code/User/globalStorage/yzane.markdown-pdf/ If you use VS Code Insiders or VSCodium, the base
 path changes accordingly (for example Code - Insiders or VSCodium instead of Code).

During the download, Installing Chromium is shown in the status bar.

Known Issues markdown-pdf.styles option Online CSS (<https://xxx/xxx.css>) is applied correctly for JPG and
 PNG, but problems occur with PDF. #67 Release Notes 2.0.1 (2026/04/14) Fix: Self-closing

now correctly triggers a page break #428 2.0.0 (2026/04/13) Breaking: Heading ID slug generation, front
 matter parsing, and Chromium resolution have changed. See the FAQ for details. Change: Migrate to
 TypeScript and bundle with esbuild Change: Bundle puppeteer-core and manage Chromium via the built-in
 chromium-resolver (installed Chrome/Edge preferred, auto-download fallback) Change: Replace markdown-
 it-include, markdown-it-named-headers, and markdown-it-checkbox with in-repo custom implementations
 Change: Remove cheerio, mustache, and gray-matter dependencies Add: Unit and integration test suites
 (vscode-test-cli) For details, see Change Log.

License MIT

Special thanks puppeteer/puppeteer markdown-it/markdown-it markdown-it/markdown-it-emoji
 HenrikJoreteg/emoji-images highlightjs/highlight.js markdown-it/markdown-it-container
 gmunguia/markdown-it-plantuml mermaid-js/mermaid