



This thread has been locked.

If you have a related question, please click the "[Ask a related question](#)" button in the top right corner. The newly created question will be automatically linked to this question.

## LAUNCHXL-CC2650: Advertising Period



[sadasivam arumu...](#) *Intellectual 940 points*  
Community Member

Part Number: [LAUNCHXL-CC2650](#)

Other Parts Discussed in Thread: [CC2650](#)

Hi Sir,

I am working on CC2650 Launchxl using Simple\_peripheral(app and stack) project. Able to data transfer with BLE Central(BLE Apk). Now, I would like to go in custom basis for my development board. For that, When I press Button(HWI), the SWI context has to move on Stack context. ie., BLE Advertising packets when button trigger. Can you guide me in this regard.

[over 5 years ago](#)



[YiKai Chen](#) *over 5 years ago*

[Guru](#) 735585 points

You can use the following code to start advertising when interrupt is triggered.

```
uint8_t advertEnabled = TRUE;
```

```
GAPRole_SetParameter(GAPROLE_ADVERT_ENABLED, sizeof(uint8_t),  
                    &advertEnabled);
```



[sadasivam arumugam](#) *over 5 years ago in reply to YiKai Chen*

[Intellectual](#) 940 points

Yes, I did the same and its working now. Thanks.



About TI

---

Quick links

---

Buying

---

Connect with us

---

Texas Instruments has been making progress possible for decades. We are a global semiconductor company that designs, manufactures, tests and sells analog and embedded processing chips. Our products help our customers efficiently manage power, accurately sense and transmit data and provide the core control or processing in their designs.

| [Accessibility](#) | [Cookie policy](#) | [Privacy policy](#) | [Terms of sale](#) | [Terms of use](#) | [Trademarks](#)

| [Website feedback](#)

© Copyright 1995-2025 Texas Instruments Incorporated. All rights reserved.

[Previewing Staged Changes](#)