

```

import asyncio
import logging
from aiogram import Bot, Dispatcher, types, F
from aiogram.filters import Command
from aiogram.types import (
    InlineKeyboardMarkup, InlineKeyboardButton,
    ReplyKeyboardMarkup, KeyboardButton,
    InputMediaPhoto
)
from aiogram.fsm.context import FSMContext
from aiogram.fsm.state import State, StatesGroup
from aiogram.fsm.storage.memory import MemoryStorage

# ===== SOZLAMALAR =====
BOT_TOKEN = "8192598977:AAFVqw9wPipHcuksvWmCjo5cgsgsZwGUNTU"
ADMIN_ID = 1234567890 # O'z Telegram ID'ingizni kiriting

# ===== RASMLAR (URL yoki file_id) =====
# Rasm joylamoqchi bo'lsangiz, file_id yoki URL kiriting
IMAGES = {
    "season": None,      # Season Pass rasmi
    "tanga_olmos": None, # Tanga/Olmos rasmi
    "acc_1": None,       # Account 1 rasmi
    "acc_2": None,       # Account 2 rasmi
    "acc_3": None,       # Account 3 rasmi
    "acc_4": None,       # Account 4 rasmi
    "acc_5": None,       # Account 5 rasmi
    "acc_6": None,       # Account 6 rasmi
}

# ===== FSM STATES =====
class AdminStates(StatesGroup):
    waiting_image_key = State()
    waiting_image = State()

# ===== BOT VA DISPATCHER =====
bot = Bot(token=BOT_TOKEN)
storage = MemoryStorage()
dp = Dispatcher(storage=storage)

# ===== KLAVIATURALAR =====
def main_menu():
    kb = ReplyKeyboardMarkup(
        keyboard=[

```

```

        [KeyboardButton(text="🎟️ Season Pass"), KeyboardButton(text="💰 Tanga"),
        [KeyboardButton(text="👤 Accountlar"), KeyboardButton(text="ℹ️ DLS26"),
        [KeyboardButton(text="☎️ Murojaat"), KeyboardButton(text="🏆 Reyting")],
        ],
        resize_keyboard=True
    )
    return kb

def contact_kb():
    kb = InlineKeyboardMarkup(inline_keyboard=[
        [InlineKeyboardButton(text="✉️ @DAVLATOV_5577 bilan bog'lanish", url="http://t.me/DAVLATOV_5577")],
    ])
    return kb

def back_kb():
    kb = ReplyKeyboardMarkup(
        keyboard=[[KeyboardButton(text="⬅️ BACK Orqaga")]],
        resize_keyboard=True
    )
    return kb

def admin_panel_kb():
    kb = InlineKeyboardMarkup(inline_keyboard=[
        [InlineKeyboardButton(text="🖼️ Rasm yangilash", callback_data="admin_update_photo")],
        [InlineKeyboardButton(text="📊 Statistika", callback_data="admin_stats")],
        [InlineKeyboardButton(text="📢 Xabar yuborish", callback_data="admin_broadcast")],
    ])
    return kb

# ===== START =====
@dp.message(Command("start"))
async def cmd_start(message: types.Message):
    text = (
        "🎮 *DLS 26 – Rasmiy Bot*\n\n"
        "Assalomu alaykum! Xush kelibsiz! 🙌\n\n"
        "Bu bot orqali siz:\n"
        "🎟️ Season Pass sotib olishingiz\n"
        "💰 Tanga va Olmos narxlarini ko'rishingiz\n"
        "👤 Account sotib olishingiz\n"
        "☎️ Admin bilan bog'lanishingiz mumkin!\n\n"
        "Quyidagi bo'limlardan birini tanlang 📌"
    )
    await message.answer(text, parse_mode="Markdown", reply_markup=main_menu())

# ===== SEASON PASS =====
@dp.message(F.text == "🎟️ Season Pass")
async def season_pass(message: types.Message):

```

```

text = (
    "🎟️ *DLS 26 – SEASON PASS NARXLARI*\n"
    "_____ \n\n"
    "🔥 *AKSIYALI NARX:*\n"
    "💰 25,000 so'm\n\n"
    "💎 *AKSIYASIZ NARX:*\n"
    "💰 40,000 so'm\n\n"
    "_____ \n"
    "📦 Season Pass ichida:\n"
    "✅ Eksklyuziv kiyimlar\n"
    "✅ Maxsus stadionlar\n"
    "✅ Noyob futbolchilar\n"
    "✅ Ko'p bonuslar\n\n"
    "☎️ Sotib olish uchun adminga murojaat qiling!"
)

if IMAGES["season"]:
    await message.answer_photo(
        photo=IMAGES["season"],
        caption=text,
        parse_mode="Markdown",
        reply_markup=contact_kb()
    )
else:
    await message.answer(text, parse_mode="Markdown", reply_markup=contact_kb

# ===== TANGA & OLMOS =====
@dp.message(F.text == "💰 Tanga & Olmos")
async def tanga_olmos(message: types.Message):
    text = (
        "💰 *TANGA & OLMOS NARXLARI*\n"
        "_____ \n\n"
        "🏆 *PAKET 1 – 80,000 so'm*\n"
        "🌐 40,000 Tanga\n"
        "💎 1,000 Olmos\n"
        "🕒 5-6 kun | 👤 1 ta Classic oyinchi\n\n"
        "_____ \n"
        "🏆 *PAKET 2 – 150,000 so'm*\n"
        "🌐 90,000 Tanga\n"
        "💎 2,000 Olmos\n"
        "🕒 10-12 kun | 👤 2 ta Classic oyinchi\n\n"
        "_____ \n"
        "🏆 *PAKET 3 – 300,000 so'm*\n"
        "🌐 180,000 Tanga\n"
        "💎 4,500 Olmos\n"
        "🕒 22-24 kun | 👤 3 ta Classic oyinchi\n\n"
        "_____ \n"
        "🎁 *PAKET 4 – 400,000 so'm*\n"
    )

```

```

"🌐 300,000 Tanga\n"
"💎 6,500 Olmos\n"
"🕒 33-36 kun | 👤 4 ta Classic oyinchi\n\n"
"_____ \n"
"💎 *PAKET 5 – 600,000 so'm*\n"
"🌐 400,000 Tanga\n"
"💎 8,000 Olmos\n"
"🕒 45-50 kun | 👤 4 ta Classic oyinchi\n\n"
"_____ \n"
"👑 *PAKET 6 – 700,000 so'm*\n"
"🌐 500,000 Tanga\n"
"💎 10,000 Olmos\n"
"🕒 62 kun | 👤 4 ta Classic oyinchi\n\n"
"_____ \n"
"📞 Buyurtma berish uchun adminga murojaat qiling!"
)
if IMAGES["tanga_olmos"]:
    await message.answer_photo(
        photo=IMAGES["tanga_olmos"],
        caption=text,
        parse_mode="Markdown",
        reply_markup=contact_kb()
    )
else:
    await message.answer(text, parse_mode="Markdown", reply_markup=contact_kb)

# ===== ACCOUNTLAR =====
@dpm.message(F.text == "👤 Accountlar")
async def accountlar(message: types.Message):
    kb = InlineKeyboardMarkup(inline_keyboard=[
        [InlineKeyboardButton(text="🔴 Account #1", callback_data="acc_1")],
        [InlineKeyboardButton(text="🟡 Account #2", callback_data="acc_2")],
        [InlineKeyboardButton(text="🟢 Account #3", callback_data="acc_3")],
        [InlineKeyboardButton(text="🟠 Account #4", callback_data="acc_4")],
        [InlineKeyboardButton(text="🔵 Account #5", callback_data="acc_5")],
        [InlineKeyboardButton(text="🟣 Account #6", callback_data="acc_6")],
        [InlineKeyboardButton(text="📧 Admin bilan bog'lanish", url="https://t.me
    )]
    await message.answer(
        "👤 *ACCOUNTLAR BO'LIMI*\n\n"
        "Quyidagi accountlardan birini tanlang 📌\n"
        "_(Sotilgan accountlar o'chiriladi)_",
        parse_mode="Markdown",
        reply_markup=kb
    )

# Account callback - har bir account uchun

```

```

ACCOUNTS = {
    "acc_1": {
        "name": "Account #1",
        "desc": "Bu account haqida ma'lumot admindan so'rang.",
        "image_key": "acc_1"
    },
    "acc_2": {
        "name": "Account #2",
        "desc": "Bu account haqida ma'lumot admindan so'rang.",
        "image_key": "acc_2"
    },
    "acc_3": {
        "name": "Account #3",
        "desc": "Bu account haqida ma'lumot admindan so'rang.",
        "image_key": "acc_3"
    },
    "acc_4": {
        "name": "Account #4",
        "desc": "Bu account haqida ma'lumot admindan so'rang.",
        "image_key": "acc_4"
    },
    "acc_5": {
        "name": "Account #5",
        "desc": "Bu account haqida ma'lumot admindan so'rang.",
        "image_key": "acc_5"
    },
    "acc_6": {
        "name": "Account #6",
        "desc": "Bu account haqida ma'lumot admindan so'rang.",
        "image_key": "acc_6"
    },
}

```

```

@dp.callback_query(F.data.startswith("acc_"))
async def account_detail(callback: types.CallbackQuery):
    acc_id = callback.data
    acc = ACCOUNTS.get(acc_id)
    if not acc:
        await callback.answer("Account topilmadi!")
        return

    text = (
        f"👤 *{acc['name']}*\n"
        f"_____ \n\n"
        f"{acc['desc']}\n\n"
        f"📞 Narx va batafsil ma'lumot uchun adminga murojaat qiling!"
    )

```

```

kb = InlineKeyboardMarkup(inline_keyboard=[
    [InlineKeyboardButton(text="📧 Admin bilan bog'lanish", url="https://t.me
    [InlineKeyboardButton(text="⬅️ BACK Orqaga", callback_data="back_accounts")]
])

img = IMAGES.get(acc["image_key"])
if img:
    await callback.message.answer_photo(photo=img, caption=text, parse_mode="
else:
    await callback.message.answer(text, parse_mode="Markdown", reply_markup=k
    await callback.answer()

@dp.callback_query(F.data == "back_accounts")
async def back_accounts(callback: types.CallbackQuery):
    await callback.message.delete()
    await callback.answer()

# ===== DLS26 HAQIDA =====
@dp.message(F.text == "ℹ️ DLS26 Haqida")
async def dls_haqida(message: types.Message):
    text = (
        "⚽ *DREAM LEAGUE SOCCER 2026*\n"
        "—————\n\n"
        "🎮 *DLS 26 — eng yangi futbol o'yini!*\n\n"
        "🌟 *Yangiliklar:*\n"
        "✅ Yangilangan grafika va animatsiyalar\n"
        "✅ 5000+ real futbolchi\n"
        "✅ Yangi stadionlar\n"
        "✅ Onlayn multiplayer rejimi\n"
        "✅ Yangi Season tizimi\n"
        "✅ Haftaliy turnirlar\n\n"
        "🏆 *Bizdan nima olasiz:*\n"
        "📅 Season Pass\n"
        "💰 Tanga & Olmos paketlari\n"
        "👤 Tayyor accountlar\n"
        "🆘 24/7 qo'llab-quvvatlash\n\n"
        "—————\n"
        "☎️ Savollar uchun: @DAVLATOV_5577"
    )
    await message.answer(text, parse_mode="Markdown", reply_markup=contact_kb())

# ===== MUROJAAT =====
@dp.message(F.text == "☎️ Murojaat")
async def murojaat(message: types.Message):
    text = (
        "☎️ *MUROJAAT*\n"
        "—————\n\n"

```

```

        "Har qanday savol va buyurtma uchun:\n\n"
        "👤 Admin: @DAVLATOV_5577\n\n"
        "🕒 Ish vaqti: 09:00 – 23:00\n"
        "📌 Tez javob beriladi!\n\n"
        "_____")
    )
    await message.answer(text, parse_mode="Markdown", reply_markup=contact_kb())

# ===== REYTING =====
@dp.message(F.text == "🏆 Reyting")
async def reyting(message: types.Message):
    text = (
        "🏆 *TOP XARIDORLAR REYTINGI*\n"
        "_____\n\n"
        "🥇 1. @user1 – 5 ta xarid\n"
        "🥈 2. @user2 – 4 ta xarid\n"
        "🥉 3. @user3 – 3 ta xarid\n\n"
        "(Reyting har haftada yangilanadi)_\n\n"
        "_____\n"
        "Ko'proq xarid qiling va TOP'ga kiring! 🚀"
    )
    )
    await message.answer(text, parse_mode="Markdown", reply_markup=main_menu())

# ===== ORQAGA =====
@dp.message(F.text == "⬅️ Orqaga")
async def orqaga(message: types.Message):
    await message.answer("Bosh menyu 📌", reply_markup=main_menu())

# ===== ADMIN PANEL =====
@dp.message(Command("admin"))
async def admin_panel(message: types.Message):
    if message.from_user.id != ADMIN_ID:
        await message.answer("❌ Siz admin emassiz!")
        return
    await message.answer(
        "🔧 *ADMIN PANEL*\n\nNimani qilmoqchisiz?",
        parse_mode="Markdown",
        reply_markup=admin_panel_kb()
    )
    )

@dp.callback_query(F.data == "admin_update_image")
async def admin_update_image(callback: types.CallbackQuery, state: FSMContext):
    if callback.from_user.id != ADMIN_ID:
        await callback.answer("❌ Ruqsat yo'q!")
        return

    kb = InlineKeyboardMarkup(inline_keyboard=[

```

```

        [InlineKeyboardButton(text="🎫 Season Pass rasmi", callback_data="img_sea
[InlineKeyboardButton(text="💰 Tanga/Olmos rasmi", callback_data="img_tan
[InlineKeyboardButton(text="👤 Account #1", callback_data="img_acc_1")],
[InlineKeyboardButton(text="👤 Account #2", callback_data="img_acc_2")],
[InlineKeyboardButton(text="👤 Account #3", callback_data="img_acc_3")],
[InlineKeyboardButton(text="👤 Account #4", callback_data="img_acc_4")],
[InlineKeyboardButton(text="👤 Account #5", callback_data="img_acc_5")],
[InlineKeyboardButton(text="👤 Account #6", callback_data="img_acc_6")],
    ])
    await callback.message.answer("Qaysi rasmni yangilamoqchisiz?", reply_markup=
    await callback.answer()

@dpc.callback_query(F.data.startswith("img_"))
async def choose_image_key(callback: types.CallbackQuery, state: FSMContext):
    if callback.from_user.id != ADMIN_ID:
        await callback.answer("❌ Ruksat yo'q!")
        return
    key = callback.data.replace("img_", "")
    await state.update_data(image_key=key)
    await state.set_state(AdminStates.waiting_image)
    await callback.message.answer(f"✅ `{key}` uchun yangi rasmni yuboring:", par
    await callback.answer()

@dpc.message(AdminStates.waiting_image, F.photo)
async def receive_new_image(message: types.Message, state: FSMContext):
    data = await state.get_data()
    key = data.get("image_key")
    file_id = message.photo[-1].file_id
    IMAGES[key] = file_id
    await message.answer(
        f"✅ Rasm yangilandi!\n`{key}` = `{file_id}`",
        parse_mode="Markdown"
    )
    await state.clear()

@dpc.callback_query(F.data == "admin_stats")
async def admin_stats(callback: types.CallbackQuery):
    if callback.from_user.id != ADMIN_ID:
        await callback.answer("❌ Ruksat yo'q!")
        return
    await callback.message.answer(
        "📊 *STATISTIKA*\n\n"
        "👥 Foydalanuvchilar: hisoblanmoqda...\n"
        "📦 Bugungi buyurtmalar: -\n"
        "💰 Daromad: -",
        parse_mode="Markdown"
    )

```



```

        await callback.answer()

@dp.callback_query(F.data == "admin_broadcast")
async def admin_broadcast(callback: types.CallbackQuery):
    if callback.from_user.id != ADMIN_ID:
        await callback.answer("❌ Ruksat yo'q!")
        return
    await callback.message.answer("📢 Xabar yuborish funksiyasi tez orada qo'shil")
    await callback.answer()

# ===== MAIN =====
async def main():
    logging.basicConfig(level=logging.INFO)
    print("✅ DLS26 Bot ishga tushdi!")
    await dp.start_polling(bot)

if __name__ == "__main__":
    asyncio.run(main())

```