


Deploying Docker Images Across Environments: Streamlined Promotional Jenkins Pipeline with Custom Variables



Running pipeline on Dev account by selecting with parameter



Started by user [Asad Shaikh](#)

Obtained Jenkinsfile from git git@github.com:asadis7171/docker-jenkins-proj.git

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [lenkins](#) in /var/jenkins_home/workspace/Docker-project-pipeline

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

Selected Git installation does not exist. Using Default

The recommended git tool is: NONE

using credential asad.pem

```
> /usr/bin/git rev-parse --resolve-git-dir /var/jenkins_home/workspace/Docker-project-pipeline/.git #  
timeout=10
```

Fetching changes from the remote Git repository

```
> /usr/bin/git config remote.origin.url git@github.com:asadis7171/docker-jenkins-proj.git #  
timeout=10
```

Fetching upstream changes from git@github.com:asadis7171/docker-jenkins-proj.git

```
> /usr/bin/git --version # timeout=10
```

```
> git --version # 'git version 2.39.2'
```

using GIT_SSH to set credentials my private key

Verifying host key using known hosts file

```
> /usr/bin/git fetch --tags --force --progress -- git@github.com:asadis7171/docker-jenkins-proj.git  
+refs/heads/*:refs/remotes/origin/* # timeout=10
```

```

> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 3967cbe3dc47906f7669f172706ee29076cc7bb5 (refs/remotes/origin/master)
> /usr/bin/git config core.sparsecheckout # timeout=10
> /usr/bin/git checkout -f 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
Commit message: " added all files"
> /usr/bin/git rev-list --no-walk 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Docker Image Build IN Dev)
[Pipeline] withEnv
[Pipeline] {
[Pipeline] echo
Building Docker Image Logging in to Docker Hub & Pushing the Image
[Pipeline] script
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker build -t asadis7171/dev:3967cbe3dc47906f7669f172706ee29076cc7bb5 .
#0 building with "default" instance using docker driver

#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 132B done
#1 DONE 0.0s

#2 [internal] load metadata for docker.io/library/nginx:alpine
#2 DONE 3.1s

#3 [internal] load .dockerignore
#3 transferring context: 2B done
#3 DONE 0.0s

#4 [1/3] FROM
docker.io/library/nginx:alpine@sha256:02d8d94023878cedf3e3acc55372932a9ba1478b6e2f3357786d
916c2af743ba
#4 DONE 0.0s

#5 [internal] load build context
#5 transferring context: 63B done
#5 DONE 0.0s

#6 [2/3] COPY default.conf /etc/nginx/conf.d/
#6 CACHED

#7 [3/3] COPY index.html /usr/share/nginx/html/
#7 CACHED

#8 exporting to image
#8 exporting layers done
#8 writing image sha256:cdd5bbc1b2398700f4a15d92fa2385a8db57e05af9b0e0ccf7d41cf3cf49e15e
done
#8 naming to docker.io/asadis7171/dev:3967cbe3dc47906f7669f172706ee29076cc7bb5 0.0s done
#8 DONE 0.0s

```

```
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
$ docker login -u asadis7171 -p ***** https://registry.hub.docker.com/asadis7171/dev
WARNING! Using --password via the CLI is insecure. Use --password-stdin.
WARNING! Your password will be stored unencrypted in /var/jenkins_home/workspace/Docker-project-pipeline@tmp/e31d698c-d8e0-4705-afd8-744abc41908f/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store
```


Login Succeeded

```
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker tag asadis7171/dev:3967cbe3dc47906f7669f172706ee29076cc7bb5
registry.hub.docker.com/asadis7171/dev:3967cbe3dc47906f7669f172706ee29076cc7bb5
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker push
registry.hub.docker.com/asadis7171/dev:3967cbe3dc47906f7669f172706ee29076cc7bb5
The push refers to repository [registry.hub.docker.com/asadis7171/dev]
4dcedec9f007: Preparing
b10596cd288e: Preparing
13c52683b537: Preparing
337b7d64083b: Preparing
cdd311f34c29: Preparing
3e8ad8bcb0ac: Preparing
74b4ff8dbbd1: Preparing
c018a48a857c: Preparing
0f73163669d4: Preparing
aedc3bda2944: Preparing
3e8ad8bcb0ac: Waiting
74b4ff8dbbd1: Waiting
c018a48a857c: Waiting
0f73163669d4: Waiting
aedc3bda2944: Waiting
4dcedec9f007: Pushed
b10596cd288e: Pushed
cdd311f34c29: Pushed
337b7d64083b: Pushed
3e8ad8bcb0ac: Pushed
74b4ff8dbbd1: Pushed
c018a48a857c: Pushed
0f73163669d4: Pushed
13c52683b537: Pushed
aedc3bda2944: Pushed
3967cbe3dc47906f7669f172706ee29076cc7bb5: digest:
sha256:e7fdb3a256aeecfed22e4d16bf0cedb25fc5087cf63d0765149b549b77f3adaa size: 2403
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
```

```

[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // script
Post stage
[Pipeline] sh
+ echo Cleaning docker Images from Jenkins.
Cleaning docker Images from Jenkins.
[Pipeline] sh
+ docker rmi asadis7171/dev:3967cbe3dc47906f7669f172706ee29076cc7bb5
Untagged: asadis7171/dev:3967cbe3dc47906f7669f172706ee29076cc7bb5
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to QA)
Stage "Pull Tag push to QA" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to stage)
Stage "Pull Tag push to stage" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to Prod)
Stage "Pull Tag push to Prod" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS

```


[dockerhub](#)
[Explore](#)
[Repositories](#)
[Organizations](#)

ctrl+k
?
⌵
A

asadis7171 / [Repositories](#) / [dev](#) / [General](#)
Using 0 of 1 private repositories. [Get more](#)

[General](#)
[Tags](#)
[Builds](#)
[Collaborators](#)
[Webhooks](#)
[Settings](#)

asadis7171/dev

Updated 28 minutes ago

jenkins assignment 02

Docker commands

To push a new tag to this repository:

```
docker push asadis7171/dev:tagname
```

Tags

This repository contains 2 tag(s).

Tag	OS	Type	Pulled	Pushed
3967cbe3dc47906f7...		Image	---	28 minutes ago
latest		Image	4 days ago	4 days ago

[See all](#)

Automated Builds

Manually pushing images to Hub? Connect your account to GitHub or Bitbucket to automatically build and tag new images whenever your code is updated, so you can focus your time on creating.

Available with Pro, Team and Business subscriptions. [Read more about automated builds](#)

Upgrade

Now building for QA environment (pulling from Dev and tagging pushing it to QA)

	Declarative: Checkout SCM	Docker Image Build IN Dev	Pull Tag push to QA	Pull Tag push to stage	Pull Tag push to Prod
Average stage times: (Average full run time: ~1min 17s)	3s	23s	28s	114ms	115ms
#5 Mar 20 01:10 No Changes	3s		1min 27s		
#8 Mar 20 00:54 No Changes	2s		53s failed	114ms failed	149ms failed
#7 Mar 20 00:49 No Changes	3s		55s failed	122ms failed	92ms failed
#6 Mar 20 00:19 No Changes	3s	41s			

6th one succeeded for Dev
9th one succeeded for QA

Logs:

Started by user [Asad Shaikh](#)

Obtained Jenkinsfile from git git@github.com:asadis7171/docker-jenkins-proj.git

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [jenkins](#) in /var/jenkins_home/workspace/Docker-project-pipeline

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

Selected Git installation does not exist. Using Default

The recommended git tool is: NONE

using credential asad.pem

```
> /usr/bin/git rev-parse --resolve-git-dir /var/jenkins_home/workspace/Docker-project-pipeline/.git #
timeout=10
```

Fetching changes from the remote Git repository

```
> /usr/bin/git config remote.origin.url git@github.com:asadis7171/docker-jenkins-proj.git #
timeout=10
```

Fetching upstream changes from git@github.com:asadis7171/docker-jenkins-proj.git

```
> /usr/bin/git --version # timeout=10
```

```
> git --version # 'git version 2.39.2'
using GIT_SSH to set credentials my private key
Verifying host key using known hosts file
> /usr/bin/git fetch --tags --force --progress -- git@github.com:asadis7171/docker-jenkins-proj.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 3967cbe3dc47906f7669f172706ee29076cc7bb5 (refs/remotes/origin/master)
> /usr/bin/git config core.sparsecheckout # timeout=10
> /usr/bin/git checkout -f 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
Commit message: " added all files"
> /usr/bin/git rev-list --no-walk 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
```

```
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Docker Image Build IN Dev)
Stage "Docker Image Build IN Dev" skipped due to when conditional
```

```
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to QA)
[Pipeline] withEnv
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
```

Using the existing docker config file.Removing blacklisted property: auths\$ docker login -u asadis7171 -p
***** <https://registry.hub.docker.com/asadis7171/dev>

WARNING! Using --password via the CLI is insecure. Use --password-stdin.

WARNING! Your password will be stored unencrypted in /var/jenkins_home/workspace/Docker-project-pipeline@tmp/464e57de-56bc-4b9c-afe8-4f20de363660/config.json.

Configure a credential helper to remove this warning. See

<https://docs.docker.com/engine/reference/commandline/login/#credentials-store>

Login Succeeded

```
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker pull registry.hub.docker.com/asadis7171/dev:latest
latest: Pulling from asadis7171/dev
7bb465c29149: Pulling fs layer
c18f106040a7: Pulling fs layer
f826d0f09907: Pulling fs layer
bc3128b515a7: Pulling fs layer
45dc40627eb2: Pulling fs layer
ce448981c34b: Pulling fs layer
f2e0835aa94f: Pulling fs layer
bce8503d6e45: Pulling fs layer
3353a3a64a1f: Pulling fs layer
5b9963212983: Pulling fs layer
0a769ec2c083: Pulling fs layer
6bbf8192cfe6: Pulling fs layer
```

cc6b643e1cac: Pulling fs layer
ce448981c34b: Waiting
f2e0835aa94f: Waiting
bce8503d6e45: Waiting
3353a3a64a1f: Waiting
5b9963212983: Waiting
0a769ec2c083: Waiting
6bbf8192cfe6: Waiting
bc3128b515a7: Waiting
45dc40627eb2: Waiting
cc6b643e1cac: Waiting
96bbb972e225: Pulling fs layer
f37f35f28c1b: Pulling fs layer
dfede25439df: Pulling fs layer
96bbb972e225: Waiting
023c4e0190dc: Pulling fs layer
f37f35f28c1b: Waiting
023c4e0190dc: Waiting
dfede25439df: Waiting
f826d0f09907: Verifying Checksum
f826d0f09907: Download complete
bc3128b515a7: Download complete
45dc40627eb2: Verifying Checksum
45dc40627eb2: Download complete
7bb465c29149: Verifying Checksum
7bb465c29149: Download complete
f2e0835aa94f: Verifying Checksum
f2e0835aa94f: Download complete
bce8503d6e45: Verifying Checksum
bce8503d6e45: Download complete
7bb465c29149: Pull complete
3353a3a64a1f: Verifying Checksum
3353a3a64a1f: Download complete
5b9963212983: Verifying Checksum
5b9963212983: Download complete
0a769ec2c083: Verifying Checksum
0a769ec2c083: Download complete
ce448981c34b: Verifying Checksum
ce448981c34b: Download complete
6bbf8192cfe6: Download complete
c18f106040a7: Download complete
f37f35f28c1b: Verifying Checksum
f37f35f28c1b: Download complete
cc6b643e1cac: Verifying Checksum
cc6b643e1cac: Download complete
c18f106040a7: Pull complete
f826d0f09907: Pull complete
bc3128b515a7: Pull complete
45dc40627eb2: Pull complete
ce448981c34b: Pull complete
f2e0835aa94f: Pull complete
bce8503d6e45: Pull complete
3353a3a64a1f: Pull complete
5b9963212983: Pull complete
0a769ec2c083: Pull complete
6bbf8192cfe6: Pull complete
cc6b643e1cac: Pull complete
96bbb972e225: Pull complete
f37f35f28c1b: Pull complete

```

023c4e0190dc: Download complete
dfede25439df: Verifying Checksum
dfede25439df: Download complete
dfede25439df: Pull complete
023c4e0190dc: Pull complete
Digest: sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
Status: Downloaded newer image for registry.hub.docker.com/asadis7171/dev:latest
registry.hub.docker.com/asadis7171/dev:latest
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] sh
+ echo Image pulled from DEV
Image pulled from DEV
[Pipeline] sh
+ echo Taggig Docker image from Dev to QA
Taggig Docker image from Dev to QA
[Pipeline] sh
+ docker tag registry.hub.docker.com/asadis7171/dev:latest
registry.hub.docker.com/asadis7171/qa:latest
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
Using the existing docker config file.Removing blacklisted property: auths$ docker login -u asadis7171 -p
***** https://registry.hub.docker.com/asadis7171/qa
WARNING! Using --password via the CLI is insecure. Use --password-stdin.
WARNING! Your password will be stored unencrypted in /var/jenkins_home/workspace/Docker-project-
pipeline@tmp/06bdbbdf-3d2f-4848-aa7b-5104b9ed41d2/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store

Login Succeeded
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker tag registry.hub.docker.com/asadis7171/qa:latest
registry.hub.docker.com/asadis7171/qa:latest
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker push registry.hub.docker.com/asadis7171/qa:latest
The push refers to repository [registry.hub.docker.com/asadis7171/qa]
9e39961a09b0: Preparing
5bad87ece93a: Preparing
1682bb48f9d2: Preparing
46355de50845: Preparing
05406dc0f097: Preparing
b6731a0d0ccc: Preparing
245d1d0dbfe7: Preparing
72f8bf709949: Preparing
afc00755885d: Preparing

```



```
6fd428650ee5: Preparing
b9fe7e6eb007: Preparing
7a50905d05d3: Preparing
0dc9deda4ee6: Preparing
146f222a2562: Preparing
6bdac86cde7b: Preparing
094de07c3af0: Preparing
1a5fc1184c48: Preparing
b6731a0d0ccc: Waiting
245d1d0dbfe7: Waiting
72f8bf709949: Waiting
b9fe7e6eb007: Waiting
7a50905d05d3: Waiting
0dc9deda4ee6: Waiting
146f222a2562: Waiting
6bdac86cde7b: Waiting
094de07c3af0: Waiting
afc00755885d: Waiting
6fd428650ee5: Waiting
1a5fc1184c48: Waiting
9e39961a09b0: Layer already exists
46355de50845: Layer already exists
1682bb48f9d2: Layer already exists
5bad87ece93a: Layer already exists
05406dc0f097: Layer already exists
245d1d0dbfe7: Layer already exists
b6731a0d0ccc: Layer already exists
afc00755885d: Layer already exists
72f8bf709949: Layer already exists
6fd428650ee5: Layer already exists
146f222a2562: Layer already exists
7a50905d05d3: Layer already exists
0dc9deda4ee6: Layer already exists
b9fe7e6eb007: Layer already exists
6bdac86cde7b: Layer already exists
1a5fc1184c48: Layer already exists
094de07c3af0: Layer already exists
latest: digest: sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
size: 3884
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] sh
+ echo Image pushed
Image pushed
[Pipeline] }
[Pipeline] // script
Post stage
[Pipeline] sh
+ echo Cleaning docker Images from Jenkins.
Cleaning docker Images from Jenkins.
[Pipeline] sh
+ docker rmi registry.hub.docker.com/asadis7171/dev:latest
Untagged: registry.hub.docker.com/asadis7171/dev:latest
```

```
Untagged:
registry.hub.docker.com/asadis7171/dev@sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a4
13a20fad82283ebc7d378
[Pipeline] sh
+ docker rmi registry.hub.docker.com/asadis7171/qa:latest
Untagged: registry.hub.docker.com/asadis7171/qa:latest
Untagged:
registry.hub.docker.com/asadis7171/qa@sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a41
3a20fad82283ebc7d378
Deleted: sha256:a4607c273ead09a6af164931502b3d879ef073654d77dff7f7979e2e81ce02fd
Deleted: sha256:320458aa88045dd804034bb5fc0abd81296efac433a89b44855876561e9642b5
Deleted: sha256:932524666c8cc25440e84c0522ba5c6c999ee70931c1ff42ad2da4079d55db37
Deleted: sha256:fca61bb6ad2c14a5fa65759a57520e5613fa5844922c6e70d4c3e0247e6ce846
Deleted: sha256:ea39ffa3514a850203f062a913c066c7a13c866147166926d0b1a575693e2b5c
Deleted: sha256:7b0f175fb1f94921dbd85809fde170f6c7b899859502324fe8822f52e94e245e
Deleted: sha256:d0af4217b1e192c8d16ad5eea242d19fcc1dae80bcc772a849dec3dfbf098ab6
Deleted: sha256:8708e3e139dfa1cb28f07894863e350140e89cf9cfe24a10cd457e7376eb2c10
Deleted: sha256:04a02300e5572c0ecd61053310ecb9296028d0e16c3575ae8c853255cc17e7d4
Deleted: sha256:1cdf663f7adcb0dd5279b6fc6c89e46bdbab19bc8c26c3311d4d982a79ef7687
Deleted: sha256:af9a67289ed2283a3188a8e41e3a7acf56b903d0f3b3b1cee4ae136504300d90
Deleted: sha256:48cbe83917deb79e1d833b84df8a10b161784d4e37aa0f736b143a337bc0d74b
Deleted: sha256:d70abc2ca4327082855e19d585abfb929e34311a37c7ac3e4d4536ef73c550c4
Deleted: sha256:66e1d200e6d4bd0ea42fb1eeb222c56c9ba3f77c5884c23950a007158fad3616
Deleted: sha256:b7786436e18ca6fea527f958bc6fb769fa6a7c6fa1ad0e877c6dbe4b0cc103ad
Deleted: sha256:c47331fd793fcb71d7fa7afd3f7571bd4815e67c6c73378f6442617a327c1e94
Deleted: sha256:f69dcca5baa0a9b9c002680f9efd081afaadd7dd1456c87558707de73da339b6
Deleted: sha256:1a5fc1184c481caeb279bce728e080daba423b5215282318ba86e9b8c388a2b4
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to stage)
Stage "Pull Tag push to stage" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to Prod)
Stage "Pull Tag push to Prod" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

asadis7171 / [Repositories](#) / [qa](#) / [General](#)
Using 0 of 1 private repositories. [Get more](#)

[General](#)
[Tags](#)
[Builds](#)
[Collaborators](#)
[Webhooks](#)
[Settings](#)

Add a short description for this repository
Update

The short description is used to index your content on Docker Hub and in search engines. It's visible to users in search results.

asadis7171/qa
Updated 11 minutes ago
This repository does not have a description

Docker commands
Public View

To push a new tag to this repository:

```
docker push asadis7171/qa:tagname
```

Tags
This repository contains 1 tag(s).

Tag	OS	Type	Pulled	Pushed
latest		Image	a minute ago	11 minutes ago

[See all](#)

Automated Builds


Manually pushing images to Hub? Connect your account to GitHub or Bitbucket to automatically build and tag new images whenever your code is updated, so you can focus your time on creating.

Available with Pro, Team and Business subscriptions. [Read more about automated builds](#)

[Upgrade](#)

Now running for stage

Stage View



Search (CTRL+K)

Asad Shaikh

log out

Dashboard > Docker-project-pipeline >

Status

Changes

Build with Parameters

Configure

Delete Pipeline

Full Stage View

GitHub

Favorite

Open Blue Ocean

Rename

Pipeline Syntax

Pipeline Docker-project-pipeline

This build requires parameters:

account

Select the environment.

stage

commit_id

provide commit id.

latest

Build

Cancel

Logs

Started by user [Asad Shaikh](#)

Obtained Jenkinsfile from git git@github.com:asadis7171/docker-jenkins-proj.git
[Pipeline] Start of Pipeline

```

[Pipeline] node
Running on jenkins in /var/jenkins_home/workspace/Docker-project-pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential asad.pem
> /usr/bin/git rev-parse --resolve-git-dir /var/jenkins_home/workspace/Docker-project-pipeline/.git #
timeout=10
Fetching changes from the remote Git repository
> /usr/bin/git config remote.origin.url git@github.com:asadis7171/docker-jenkins-proj.git #
timeout=10
Fetching upstream changes from git@github.com:asadis7171/docker-jenkins-proj.git
> /usr/bin/git --version # timeout=10
> git --version # 'git version 2.39.2'
using GIT_SSH to set credentials my private key
Verifying host key using known hosts file
> /usr/bin/git fetch --tags --force --progress -- git@github.com:asadis7171/docker-jenkins-proj.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision 3967cbe3dc47906f7669f172706ee29076cc7bb5 (refs/remotes/origin/master)
> /usr/bin/git config core.sparsecheckout # timeout=10
> /usr/bin/git checkout -f 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
Commit message: " added all files"
> /usr/bin/git rev-list --no-walk 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Docker Image Build IN Dev)
Stage "Docker Image Build IN Dev" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to QA)
Stage "Pull Tag push to QA" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to stage)
[Pipeline] withEnv
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
Using the existing docker config file.Removing blacklisted property: auths$ docker login -u asadis7171 -p
***** https://registry.hub.docker.com/asadis7171/qa
WARNING! Using --password via the CLI is insecure. Use --password-stdin.
WARNING! Your password will be stored unencrypted in /var/jenkins_home/workspace/Docker-project-
pipeline@tmp/0ceac274-55c7-4852-940d-4d0bdc10776c/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store

```

Login Succeeded

[Pipeline] {

[Pipeline] isUnix

[Pipeline] withEnv

[Pipeline] {

[Pipeline] sh

+ docker pull registry.hub.docker.com/asadis7171/qa:latest

latest: Pulling from asadis7171/qa

7bb465c29149: Pulling fs layer

c18f106040a7: Pulling fs layer

f826d0f09907: Pulling fs layer

bc3128b515a7: Pulling fs layer

45dc40627eb2: Pulling fs layer

ce448981c34b: Pulling fs layer

f2e0835aa94f: Pulling fs layer

bce8503d6e45: Pulling fs layer

3353a3a64a1f: Pulling fs layer

5b9963212983: Pulling fs layer

0a769ec2c083: Pulling fs layer

6bbf8192cfe6: Pulling fs layer

cc6b643e1cac: Pulling fs layer

96bbb972e225: Pulling fs layer

f37f35f28c1b: Pulling fs layer

dfede25439df: Pulling fs layer

023c4e0190dc: Pulling fs layer

45dc40627eb2: Waiting

ce448981c34b: Waiting

f2e0835aa94f: Waiting

bce8503d6e45: Waiting

3353a3a64a1f: Waiting

5b9963212983: Waiting

0a769ec2c083: Waiting

6bbf8192cfe6: Waiting

cc6b643e1cac: Waiting

96bbb972e225: Waiting

f37f35f28c1b: Waiting

dfede25439df: Waiting

023c4e0190dc: Waiting

bc3128b515a7: Waiting

f826d0f09907: Verifying Checksum

f826d0f09907: Download complete

bc3128b515a7: Verifying Checksum

bc3128b515a7: Download complete

45dc40627eb2: Download complete

7bb465c29149: Download complete

f2e0835aa94f: Verifying Checksum

f2e0835aa94f: Download complete

bce8503d6e45: Download complete

c18f106040a7: Verifying Checksum

c18f106040a7: Download complete

7bb465c29149: Pull complete

5b9963212983: Verifying Checksum

5b9963212983: Download complete

0a769ec2c083: Verifying Checksum

0a769ec2c083: Download complete

6bbf8192cfe6: Verifying Checksum

6bbf8192cfe6: Download complete

3353a3a64a1f: Verifying Checksum

```

3353a3a64a1f: Download complete
c18f106040a7: Pull complete
f826d0f09907: Pull complete
bc3128b515a7: Pull complete
45dc40627eb2: Pull complete
96bbb972e225: Verifying Checksum
96bbb972e225: Download complete
ce448981c34b: Verifying Checksum
ce448981c34b: Download complete
cc6b643e1cac: Verifying Checksum
cc6b643e1cac: Download complete
f37f35f28c1b: Download complete
ce448981c34b: Pull complete
f2e0835aa94f: Pull complete
bce8503d6e45: Pull complete
3353a3a64a1f: Pull complete
5b9963212983: Pull complete
0a769ec2c083: Pull complete
6bbf8192cfe6: Pull complete
cc6b643e1cac: Pull complete
96bbb972e225: Pull complete
f37f35f28c1b: Pull complete
023c4e0190dc: Verifying Checksum
023c4e0190dc: Download complete
dfede25439df: Verifying Checksum
dfede25439df: Download complete
dfede25439df: Pull complete
023c4e0190dc: Pull complete
Digest: sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
Status: Downloaded newer image for registry.hub.docker.com/asadis7171/qa:latest
registry.hub.docker.com/asadis7171/qa:latest
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] sh
+ echo Image pulled from QA
Image pulled from QA
[Pipeline] sh
+ echo Taggig Docker image from QA to Stage
Taggig Docker image from QA to Stage
[Pipeline] sh
+ docker tag registry.hub.docker.com/asadis7171/qa:latest
registry.hub.docker.com/asadis7171/stage:latest
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
Using the existing docker config file.Removing blacklisted property: auths$ docker login -u asadis7171 -p
***** https://registry.hub.docker.com/asadis7171/stage
WARNING! Using --password via the CLI is insecure. Use --password-stdin.
WARNING! Your password will be stored unencrypted in /var/jenkins_home/workspace/Docker-project-
pipeline@tmp/a2ff565b-3014-4880-818a-4d29ce4c38a8/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store

Login Succeeded
[Pipeline] {

```

```
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker tag registry.hub.docker.com/asadis7171/stage:latest
registry.hub.docker.com/asadis7171/stage:latest
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker push registry.hub.docker.com/asadis7171/stage:latest
The push refers to repository [registry.hub.docker.com/asadis7171/stage]
9e39961a09b0: Preparing
5bad87ece93a: Preparing
1682bb48f9d2: Preparing
46355de50845: Preparing
05406dc0f097: Preparing
b6731a0d0ccc: Preparing
245d1d0dbfe7: Preparing
72f8bf709949: Preparing
afc00755885d: Preparing
6fd428650ee5: Preparing
b9fe7e6eb007: Preparing
7a50905d05d3: Preparing
0dc9deda4ee6: Preparing
146f222a2562: Preparing
6bdac86cde7b: Preparing
094de07c3af0: Preparing
1a5fc1184c48: Preparing
afc00755885d: Waiting
6fd428650ee5: Waiting
b9fe7e6eb007: Waiting
7a50905d05d3: Waiting
0dc9deda4ee6: Waiting
146f222a2562: Waiting
6bdac86cde7b: Waiting
094de07c3af0: Waiting
1a5fc1184c48: Waiting
245d1d0dbfe7: Waiting
72f8bf709949: Waiting
b6731a0d0ccc: Waiting
1682bb48f9d2: Mounted from asadis7171/qa
5bad87ece93a: Mounted from asadis7171/qa
05406dc0f097: Mounted from asadis7171/qa
46355de50845: Mounted from asadis7171/qa
9e39961a09b0: Mounted from asadis7171/qa
b6731a0d0ccc: Mounted from asadis7171/qa
afc00755885d: Mounted from asadis7171/qa
245d1d0dbfe7: Mounted from asadis7171/qa
72f8bf709949: Mounted from asadis7171/qa
6fd428650ee5: Mounted from asadis7171/qa
7a50905d05d3: Mounted from asadis7171/qa
b9fe7e6eb007: Mounted from asadis7171/qa
0dc9deda4ee6: Mounted from asadis7171/qa
146f222a2562: Mounted from asadis7171/qa
6bdac86cde7b: Mounted from asadis7171/qa
094de07c3af0: Mounted from asadis7171/qa
```

```
1a5fc1184c48: Mounted from asadis7171/qa
latest: digest: sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
size: 3884
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] sh
+ echo Image Pushed to STAGE
Image Pushed to STAGE
[Pipeline] }
[Pipeline] // script
Post stage
[Pipeline] sh
+ echo Cleaning docker Images from Jenkins.
Cleaning docker Images from Jenkins.
[Pipeline] sh
+ docker rmi registry.hub.docker.com/asadis7171/qa:latest
Untagged: registry.hub.docker.com/asadis7171/qa:latest
Untagged:
registry.hub.docker.com/asadis7171/qa@sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a41
3a20fad82283ebc7d378
[Pipeline] sh
+ docker rmi registry.hub.docker.com/asadis7171/stage:latest
Untagged: registry.hub.docker.com/asadis7171/stage:latest
Untagged:
registry.hub.docker.com/asadis7171/stage@sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a
413a20fad82283ebc7d378
Deleted: sha256:a4607c273ead09a6af164931502b3d879ef073654d77dff7f7979e2e81ce02fd
Deleted: sha256:320458aa88045dd804034bb5fc0abd81296efac433a89b44855876561e9642b5
Deleted: sha256:932524666c8cc25440e84c0522ba5c6c999ee70931c1ff42ad2da4079d55db37
Deleted: sha256:fca61bb6ad2c14a5fa65759a57520e5613fa5844922c6e70d4c3e0247e6ce846
Deleted: sha256:ea39ffa3514a850203f062a913c066c7a13c866147166926d0b1a575693e2b5c
Deleted: sha256:7b0f175fb1f94921dbd85809fde170f6c7b899859502324fe8822f52e94e245e
Deleted: sha256:d0af4217b1e192c8d16ad5eea242d19fcc1dae80bcc772a849dec3dfbf098ab6
Deleted: sha256:8708e3e139dfa1cb28f07894863e350140e89cf9cfe24a10cd457e7376eb2c10
Deleted: sha256:04a02300e5572c0ecd61053310ecb9296028d0e16c3575ae8c853255cc17e7d4
Deleted: sha256:1cdf663f7adcb0dd5279b6fc6c89e46bdbab19bc8c26c3311d4d982a79ef7687
Deleted: sha256:af9a67289ed2283a3188a8e41e3a7acf56b903d0f3b3b1cee4ae136504300d90
Deleted: sha256:48cbe83917deb79e1d833b84df8a10b161784d4e37aa0f736b143a337bc0d74b
Deleted: sha256:d70abc2ca4327082855e19d585abfb929e34311a37c7ac3e4d4536ef73c550c4
Deleted: sha256:66e1d200e6d4bd0ea42fb1eeb222c56c9ba3f77c5884c23950a007158fad3616
Deleted: sha256:b7786436e18ca6fea527f958bc6fb769fa6a7c6fa1ad0e877c6dbe4b0cc103ad
Deleted: sha256:c47331fd793fcb71d7fa7afd3f7571bd4815e67c6c73378f6442617a327c1e94
Deleted: sha256:f69dcca5baa0a9b9c002680f9efd081afaadd7dd1456c87558707de73da339b6
Deleted: sha256:1a5fc1184c481caeb279bce728e080daba423b5215282318ba86e9b8c388a2b4
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to Prod)
Stage "Pull Tag push to Prod" skipped due to when conditional
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
```




```
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

The screenshot shows the Docker Hub interface for the repository `asadis7171/stage`. The page includes a navigation bar with 'docker hub', 'Explore', 'Repositories', and 'Organizations'. A search bar is present with the text 'Search Docker Hub' and a 'ctrl+K' shortcut. Below the navigation bar, the repository path is shown as 'asadis7171 / Repositories / stage / General'. The 'General' tab is active, displaying a message to 'Add a short description for this repository' with an 'Update' button. The repository name 'asadis7171/stage' is shown with a 'Public View' button. Below this, a 'Tags' section indicates 'This repository contains 1 tag(s)' and shows a table with one tag: 'latest', which is an 'Image' type, pulled '2 minutes ago' and pushed '5 minutes ago'. A 'See all' link is provided. To the right, the 'Docker commands' section shows the command 'docker push asadis7171/stage:tagname'. The 'Automated Builds' section explains how to connect GitHub or Bitbucket for automatic builds and includes an 'Upgrade' button.

Running For prod

The screenshot shows the Jenkins Pipeline configuration page for 'Pipeline Docker-project-pipeline'. The left sidebar contains navigation links: Status, Changes, Build with Parameters, Configure, Delete Pipeline, Full Stage View, GitHub, Favorite, Open Blue Ocean, Rename, and Pipeline Syntax. The main area displays the pipeline configuration. It starts with a message 'This build requires parameters:'. Below this, there are two parameter fields: 'account' with a dropdown menu showing 'prod' and 'Select the environment.' as a hint, and 'commit_id' with a text input field containing 'latest' and 'provide commit id.' as a hint. At the bottom, there are 'Build' and 'Cancel' buttons.

Stage View



Started by user [Asad Shaikh](#)

Obtained Jenkinsfile from [git@github.com:asadis7171/docker-jenkins-proj.git](https://github.com/asadis7171/docker-jenkins-proj.git)

[Pipeline] Start of Pipeline

[Pipeline] node

Running on [jenkins](#) in /var/jenkins_home/workspace/Docker-project-pipeline

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Declarative: Checkout SCM)

[Pipeline] checkout

Selected Git installation does not exist. Using Default

The recommended git tool is: NONE

using credential asad.pem

```
> /usr/bin/git rev-parse --resolve-git-dir /var/jenkins_home/workspace/Docker-project-pipeline/.git #
timeout=10
```

Fetching changes from the remote Git repository

```
> /usr/bin/git config remote.origin.url git@github.com:asadis7171/docker-jenkins-proj.git #
timeout=10
```

Fetching upstream changes from [git@github.com:asadis7171/docker-jenkins-proj.git](https://github.com/asadis7171/docker-jenkins-proj.git)

```
> /usr/bin/git --version # timeout=10
```

```
> git --version # 'git version 2.39.2'
```

using GIT_SSH to set credentials my private key

Verifying host key using known hosts file

```
> /usr/bin/git fetch --tags --force --progress -- git@github.com:asadis7171/docker-jenkins-proj.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
```

```
> /usr/bin/git rev-parse refs/remotes/origin/master^{commit} # timeout=10
```

Checking out Revision 3967cbe3dc47906f7669f172706ee29076cc7bb5 (refs/remotes/origin/master)

```
> /usr/bin/git config core.sparsecheckout # timeout=10
```

```
> /usr/bin/git checkout -f 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
```

Commit message: " added all files"

```
> /usr/bin/git rev-list --no-walk 3967cbe3dc47906f7669f172706ee29076cc7bb5 # timeout=10
```

[Pipeline] }

[Pipeline] // stage

[Pipeline] withEnv

[Pipeline] {

[Pipeline] withEnv

[Pipeline] {

[Pipeline] stage

[Pipeline] { (Docker Image Build IN Dev)

Stage "Docker Image Build IN Dev" skipped due to when conditional

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Pull Tag push to QA)

Stage "Pull Tag push to QA" skipped due to when conditional

[Pipeline] }

```
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to stage)
Stage "Pull Tag push to stage" skipped due to when conditional
[Pipeline] }
```

```
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Pull Tag push to Prod)
[Pipeline] withEnv
[Pipeline] {
[Pipeline] script
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
```

Using the existing docker config file.Removing blacklisted property: auths\$ docker login -u asadis7171 -p
***** <https://registry.hub.docker.com/asadis7171/stage>

WARNING! Using --password via the CLI is insecure. Use --password-stdin.

WARNING! Your password will be stored unencrypted in /var/jenkins_home/workspace/Docker-project-pipeline@tmp/f212893f-2e17-4bff-9a86-8ac773513bea/config.json.

Configure a credential helper to remove this warning. See

<https://docs.docker.com/engine/reference/commandline/login/#credentials-store>

Login Succeeded

```
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
```

+ docker pull registry.hub.docker.com/asadis7171/stage:latest

latest: Pulling from asadis7171/stage

7bb465c29149: Pulling fs layer

c18f106040a7: Pulling fs layer

f826d0f09907: Pulling fs layer

bc3128b515a7: Pulling fs layer

45dc40627eb2: Pulling fs layer

ce448981c34b: Pulling fs layer

f2e0835aa94f: Pulling fs layer

bce8503d6e45: Pulling fs layer

3353a3a64a1f: Pulling fs layer

5b9963212983: Pulling fs layer

0a769ec2c083: Pulling fs layer

6bbf8192cfe6: Pulling fs layer

cc6b643e1cac: Pulling fs layer

96bbb972e225: Pulling fs layer

f37f35f28c1b: Pulling fs layer

dfede25439df: Pulling fs layer

023c4e0190dc: Pulling fs layer

5b9963212983: Waiting

0a769ec2c083: Waiting

6bbf8192cfe6: Waiting

cc6b643e1cac: Waiting

96bbb972e225: Waiting

bc3128b515a7: Waiting

f37f35f28c1b: Waiting

ce448981c34b: Waiting

f2e0835aa94f: Waiting

45dc40627eb2: Waiting

dfede25439df: Waiting

bce8503d6e45: Waiting
023c4e0190dc: Waiting
3353a3a64a1f: Waiting
f826d0f09907: Verifying Checksum
f826d0f09907: Download complete
bc3128b515a7: Verifying Checksum
bc3128b515a7: Download complete
45dc40627eb2: Verifying Checksum
45dc40627eb2: Download complete
7bb465c29149: Verifying Checksum
7bb465c29149: Download complete
f2e0835aa94f: Verifying Checksum
f2e0835aa94f: Download complete
bce8503d6e45: Verifying Checksum
bce8503d6e45: Download complete
c18f106040a7: Verifying Checksum
c18f106040a7: Download complete
7bb465c29149: Pull complete
5b9963212983: Verifying Checksum
5b9963212983: Download complete
0a769ec2c083: Download complete
6bbf8192cfe6: Verifying Checksum
6bbf8192cfe6: Download complete
ce448981c34b: Verifying Checksum
ce448981c34b: Download complete
96bbb972e225: Verifying Checksum
96bbb972e225: Download complete
f37f35f28c1b: Verifying Checksum
f37f35f28c1b: Download complete
c18f106040a7: Pull complete
cc6b643e1cac: Verifying Checksum
cc6b643e1cac: Download complete
f826d0f09907: Pull complete
3353a3a64a1f: Verifying Checksum
3353a3a64a1f: Download complete
bc3128b515a7: Pull complete
45dc40627eb2: Pull complete
ce448981c34b: Pull complete
f2e0835aa94f: Pull complete
bce8503d6e45: Pull complete
3353a3a64a1f: Pull complete
5b9963212983: Pull complete
0a769ec2c083: Pull complete
6bbf8192cfe6: Pull complete
cc6b643e1cac: Pull complete
96bbb972e225: Pull complete
f37f35f28c1b: Pull complete
dfede25439df: Verifying Checksum
dfede25439df: Download complete
023c4e0190dc: Download complete
dfede25439df: Pull complete
023c4e0190dc: Pull complete
Digest: sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
Status: Downloaded newer image for registry.hub.docker.com/asadis7171/stage:latest
registry.hub.docker.com/asadis7171/stage:latest
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withDockerRegistry

```
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] sh
+ echo Image pulled from QA
Image pulled from QA
[Pipeline] sh
+ echo Tagging Docker image from stage to prod
Tagging Docker image from stage to prod
[Pipeline] sh
+ docker tag registry.hub.docker.com/asadis7171/stage:latest
registry.hub.docker.com/asadis7171/prod:latest
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
Using the existing docker config file.Removing blacklisted property: auths$ docker login -u asadis7171 -p
***** https://registry.hub.docker.com/asadis7171/prod
WARNING! Using --password via the CLI is insecure. Use --password-stdin.
WARNING! Your password will be stored unencrypted in /var/jenkins_home/workspace/Docker-project-
pipeline@tmp/39090ae4-a062-48e9-8a06-cfc0d7dbd058/config.json.
Configure a credential helper to remove this warning. See
https://docs.docker.com/engine/reference/commandline/login/#credentials-store
```

Login Succeeded

```
[Pipeline] {
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker tag registry.hub.docker.com/asadis7171/prod:latest
registry.hub.docker.com/asadis7171/prod:latest
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] isUnix
[Pipeline] withEnv
[Pipeline] {
[Pipeline] sh
+ docker push registry.hub.docker.com/asadis7171/prod:latest
The push refers to repository [registry.hub.docker.com/asadis7171/prod]
9e39961a09b0: Preparing
5bad87ece93a: Preparing
1682bb48f9d2: Preparing
46355de50845: Preparing
05406dc0f097: Preparing
b6731a0d0ccc: Preparing
245d1d0dbfe7: Preparing
72f8bf709949: Preparing
afc00755885d: Preparing
6fd428650ee5: Preparing
b9fe7e6eb007: Preparing
7a50905d05d3: Preparing
0dc9deda4ee6: Preparing
146f222a2562: Preparing
6bdac86cde7b: Preparing
094de07c3af0: Preparing
1a5fc1184c48: Preparing
b6731a0d0ccc: Waiting
7a50905d05d3: Waiting
245d1d0dbfe7: Waiting
0dc9deda4ee6: Waiting
```

72f8bf709949: Waiting
146f222a2562: Waiting
b9fe7e6eb007: Waiting
afc00755885d: Waiting
6fd428650ee5: Waiting
6bdac86cde7b: Waiting
094de07c3af0: Waiting
1a5fc1184c48: Waiting
9e39961a09b0: Mounted from asadis7171/stage
05406dc0f097: Mounted from asadis7171/stage
1682bb48f9d2: Mounted from asadis7171/stage
46355de50845: Mounted from asadis7171/stage
5bad87ece93a: Mounted from asadis7171/stage
b6731a0d0ccc: Mounted from asadis7171/stage
245d1d0dbfe7: Mounted from asadis7171/stage
72f8bf709949: Mounted from asadis7171/stage
afc00755885d: Mounted from asadis7171/stage
6fd428650ee5: Mounted from asadis7171/stage
b9fe7e6eb007: Mounted from asadis7171/stage
146f222a2562: Mounted from asadis7171/stage
7a50905d05d3: Mounted from asadis7171/stage
0dc9deda4ee6: Mounted from asadis7171/stage
6bdac86cde7b: Mounted from asadis7171/stage
094de07c3af0: Mounted from asadis7171/stage
1a5fc1184c48: Mounted from asadis7171/stage
latest: digest: sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
size: 3884
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] sh
+ echo Image Pushed to Prod
Image Pushed to Prod
[Pipeline] }
[Pipeline] // script
Post stage
[Pipeline] sh
+ echo Cleaning docker Images from Jenkins.
Cleaning docker Images from Jenkins.
[Pipeline] sh
+ docker rmi registry.hub.docker.com/asadis7171/stage:latest
Untagged: registry.hub.docker.com/asadis7171/stage:latest
Untagged:
registry.hub.docker.com/asadis7171/stage@sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
[Pipeline] sh
+ docker rmi registry.hub.docker.com/asadis7171/prod:latest
Untagged: registry.hub.docker.com/asadis7171/prod:latest
Untagged:
registry.hub.docker.com/asadis7171/prod@sha256:86a064bdcce9cdd21b8e1c27f77a23758a8d6a136a413a20fad82283ebc7d378
Deleted: sha256:a4607c273ead09a6af164931502b3d879ef073654d77dff7f7979e2e81ce02fd
Deleted: sha256:320458aa88045dd804034bb5fc0abd81296efac433a89b44855876561e9642b5
Deleted: sha256:932524666c8cc25440e84c0522ba5c6c999ee70931c1ff42ad2da4079d55db37
Deleted: sha256:fca61bb6ad2c14a5fa65759a57520e5613fa5844922c6e70d4c3e0247e6ce846
Deleted: sha256:ea39ffa3514a850203f062a913c066c7a13c866147166926d0b1a575693e2b5c

Deleted: sha256:7b0f175fb1f94921dbd85809fde170f6c7b899859502324fe8822f52e94e245e
Deleted: sha256:d0af4217b1e192c8d16ad5eea242d19fcc1dae80bcc772a849dec3dfbf098ab6
Deleted: sha256:8708e3e139dfa1cb28f07894863e350140e89cf9cfe24a10cd457e7376eb2c10
Deleted: sha256:04a02300e5572c0ecd61053310ecb9296028d0e16c3575ae8c853255cc17e7d4
Deleted: sha256:1cdf663f7adcb0dd5279b6fc6c89e46bdbab19bc8c26c3311d4d982a79ef7687
Deleted: sha256:af9a67289ed2283a3188a8e41e3a7acf56b903d0f3b3b1cee4ae136504300d90
Deleted: sha256:48cbe83917deb79e1d833b84df8a10b161784d4e37aa0f736b143a337bc0d74b
Deleted: sha256:d70abc2ca4327082855e19d585abfb929e34311a37c7ac3e4d4536ef73c550c4
Deleted: sha256:66e1d200e6d4bd0ea42fb1eeb222c56c9ba3f77c5884c23950a007158fad3616
Deleted: sha256:b7786436e18ca6fea527f958bc6fb769fa6a7c6fa1ad0e877c6dbe4b0cc103ad
Deleted: sha256:c47331fd793fcb71d7fa7afd3f7571bd4815e67c6c73378f6442617a327c1e94
Deleted: sha256:f69dcca5baa0a9b9c002680f9efd081afaadd7dd1456c87558707de73da339b6
Deleted: sha256:1a5fc1184c481caeb279bce728e080daba423b5215282318ba86e9b8c388a2b4
[Pipeline] echo
Deleting Project now !!
[Pipeline] deleteDir
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS

Thanks -- Asad Shaikh