FAKE NEWS DETECTION SYSTEM

Project Report

By
Sanika Patil – AF05102772
Mayuri Shetkar – AF04970197
Asadullahkhan Pathan – AF05090909

Index

Sr.no	Topic	Page no
1	Title of Project	1
2	Acknowledgement	3
3	Abstract	4
4	Introduction	5
5	System Analysis	6-12
6	System Design	13-16
7	Screenshots	17-20
8	Implementation	21-22
9	Results and Discussion	23-25
10	Conclusion	26
11	Future Scope	27
12	Bibliography and References	28

Acknowledgement

The project **"Fake News Detection System"** is the Project work carried out by

Name	Enrollment No
Sanika Patil	AF05102772
Mayuri Shetkar	AF05109297
Asadullhakhan Pathan	AF05090909

We are thankful to our project guide for guiding us to complete the Project. Their suggestions and valuable information regarding the formation of the Project Report have provided us a lot of help in completing the Project and its related topics.

Batch Code: ANP_D4848
Trainer: Rajashri Thete

Abstract

In the modern digital era, the rapid growth of social media platforms and online news sources has significantly increased the spread of information across the globe. While this has improved accessibility to news, it has also led to the widespread circulation of fake news, misinformation, and misleading content. In countries like India, where platforms such as WhatsApp, Facebook, and Twitter are widely used, fake news spreads rapidly and often results in confusion, panic, social unrest, and even financial or personal harm. Detecting and controlling such misinformation has become a critical challenge for individuals, organizations, and governments.

This project, titled **"Fake News Detection using Machine Learning (Python)"**, aims to develop an intelligent system that can automatically identify whether a given news article or message is fake or real. The implementation is carried out using Python, along with libraries such as Pandas, NumPy, and Scikit-learn. Text preprocessing techniques including tokenization, stopword removal, and text normalization are applied to clean the data, followed by feature extraction using TF-IDF (Term Frequency–Inverse Document Frequency).

A classification model, such as Logistic Regression, is trained on a dataset containing both real and fake news samples. The trained model is then used to predict the authenticity of new input data provided by the user. The system is designed to provide quick and accurate predictions, making it a useful tool for verifying information before sharing it on digital platforms. Additionally, the project incorporates real-world examples of fake news, particularly from the Indian context, such as misinformation related to COVID-19, fake government schemes, and viral social media rumors.

The proposed system not only demonstrates the practical application of machine learning in solving real-world problems but also highlights the importance of digital literacy and responsible information sharing. Although the current implementation focuses on text-based analysis, the system can be further enhanced to include image and video verification, deepfake detection, and real-time integration with social media platforms.

In conclusion, this project provides an effective, scalable, and user-friendly solution to detect fake news and reduce the spread of misinformation. It contributes to building a more informed and aware society while showcasing the potential of machine learning technologies in addressing contemporary challenges.

Introduction

In today's digital age, the way people consume information has changed drastically due to the widespread use of the internet and social media platforms. News is no longer limited to newspapers and television; instead, it is shared instantly across platforms such as WhatsApp, Facebook, Twitter, and Instagram. While this has made information easily accessible, it has also led to a significant rise in the spread of fake news and misinformation. Fake news refers to false or misleading information presented as legitimate news, often created to misinform, manipulate opinions, or generate attention.

In India, the impact of fake news is particularly severe due to the large number of internet users and the rapid sharing of content through messaging platforms. Misinformation related to health, politics, finance, and social issues has caused confusion, panic, and sometimes even violence. For example, during the COVID-19 pandemic, several false claims about cures and treatments spread widely, leading to harmful consequences. Similarly, fake government schemes and financial scams have misled many people. These incidents highlight the urgent need for reliable systems to verify information before it is consumed or shared.

Traditional methods of detecting fake news, such as manual verification and fact-checking, are time-consuming and not scalable for large volumes of data. Therefore, there is a growing need for automated solutions that can quickly and accurately identify fake news. Machine learning provides a powerful approach to address this problem by analyzing patterns in textual data and classifying news based on learned features. By using algorithms machines can be trained to distinguish between real and fake information.

This project, titled **"Fake News Detection using Machine Learning (Python)"**, focuses on developing a system that can automatically detect the authenticity of news content. The system processes textual data, extracts meaningful features, and applies classification algorithms to predict whether the news is fake or real. The implementation is carried out using Python and machine learning libraries such as Scikit-learn, making it efficient and scalable. The project also considers real-world scenarios, especially in the Indian context, to ensure practical relevance.

The significance of this project lies in its ability to reduce the spread of misinformation and promote responsible information sharing. It not only demonstrates the practical application of machine learning but also raises awareness about the importance of verifying information in the digital era. By providing a simple and effective tool for fake news detection, this project contributes to building a more informed and digitally aware society.

System Analysis

System analysis is a crucial phase in the Software Development Life Cycle (SDLC). It involves identifying the existing challenges in detecting misinformation, analyzing functional requirements, and evaluating the feasibility of the proposed solution. For the Fake News Detection System, this stage focuses on understanding the need for automated identification of fake news using machine learning techniques and justifying the development of an intelligent system to analyze and classify news content efficiently.The system addresses key challenges such as the rapid spread of misinformation, difficulty in manually verifying large volumes of news data, and the need for accurate and real-time detection. It evaluates requirements such as data collection, preprocessing, feature extraction, model training, and prediction mechanisms.By implementing a centralized and automated approach, the system ensures faster, more reliable, and scalable detection of fake news, reducing human effort and improving decision-making based on trustworthy information.

1.Problem Definition

The spread of fake news creates confusion and can lead to serious real-world consequences. There is a lack of automated tools that can analyze patterns in large datasets to provide instant authenticity results for the general public.

2. Objectives of the System

- Develop a machine learning model to classify news based on textual content.
- Create a user-friendly interface for instant prediction results.
- Improve accuracy using TF-IDF and Logistic Regression.
- Incorporate real-world cases like COVID-19 misinformation and social media rumors.

3. Feasibility Study

- **Technical Feasibility:** Developed using Python and standard libraries like Scikit-learn and NLTK, which are open-source and widely supported.
- **Economic Feasibility:** The project utilizes open-source tools, involving no licensing costs.
- **Operational Feasibility:** The simple interface ensures users can verify news easily, promoting informed information sharing.

4. System Requirements

1. Functional Requirements:

The Fake News Detection System must support the following functionalities:

- Import and manage datasets containing real and fake news.
- Perform data preprocessing (cleaning, tokenization, stopword removal).
- Extract features using techniques like TF-IDF or Bag of Words.
- Train machine learning models for classification.
- Predict whether a given news article is Real or Fake.
- Evaluate model performance using accuracy, precision, recall, and F1-score.
- Display prediction results and analysis reports.

- Add, view, update, and delete organizers.
- Register and manage venues (name, capacity, location).
- Add, update, and delete attendees.
- Add and manage vendors for each event.
- Create, update, and delete events.
- Assign venues, organizers, vendors, and attendees to specific events.
- Generate event details and summary reports.

Non-Functional Requirements:

Usability: Simple and user-friendly interface (console or web-based).
Reliability: Ensure consistent and accurate predictions using trained models.
Scalability: System should handle large datasets and multiple predictions efficiently.
Security: Protect datasets and trained models from unauthorized access.
Performance: Data processing, model training, and prediction should execute efficiently

2. Hardware Requirements:
Processor: Intel i5 or higher.
RAM: 4 GB minimum (8 GB recommended).
Storage: At least 1 GB for datasets and trained models.

3. Software Requirements
Operating System: Windows
Programming Language: Python, HTML & CSS
Backend API: FastAPI, News.api
Libraries/Frameworks: Scikit-learn, Pandas, NumPy
IDE: VS Code
Database: PostgreSQL

4. Proposed System

The proposed Fake News Detection System provides an intelligent and automated platform for identifying and classifying news content as real or fake using machine learning techniques.

News Input & Classification:

Users can input news articles or headlines into the system. The system analyzes the content and classifies it as **Real** or **Fake** using trained machine learning models.

Data Preprocessing:

Raw news data is cleaned and processed

Feature Extraction:

The system converts textual data into numerical format using techniques like TF-IDF or Bag of Words, enabling machine learning algorithms to process the data effectively.

Model Training & Prediction:

Machine learning model such as Logistic Regression are trained on labeled datasets and used to predict the authenticity of new news inputs.

Data Centralization:

All datasets, processed data, and trained models are stored in a centralized system, ensuring easy access, consistency, and efficient management.

Reports & Insights:

The system provides performance metrics such as accuracy, precision, recall, and F1-score, along with prediction results, helping users evaluate the effectiveness of the model.

Scalability & Automation:

The system is designed to handle large datasets and can be extended to support real-time news analysis, social media integration, and advanced deep learning models.



Fig. 5.2 . Phases of Development

5. Phases of Development

i. Requirement Analysis & System Study

• Identifying the goals of the Fake News Detection System and understanding challenges such as the rapid spread of misinformation and difficulty in manual verification.
• Gathering requirements for data collection, preprocessing, model training, and prediction.
• Defining functional and non-functional requirements for modules like Data Collection, Preprocessing, Feature Extraction, Model Training, and Prediction.

ii. System Design

• Designing the system workflow for handling text data, including preprocessing, feature extraction, and classification.
• Structuring datasets and defining how data flows between modules.
• Developing a modular architecture to ensure scalability and easy integration of advanced models.
• Planning user interaction (console/web interface) for inputting news and displaying results.

iii. Implementation (Coding)

• Development using Python and machine learning libraries such as Scikit-learn, Pandas, and NumPy.
• Applying feature extraction methods like TF-IDF and Bag of Words.
• Training machine learning models such as Logistic Regression.
• Saving trained models using serialization techniques (pickle/joblib).

iv. Testing & Debugging

• Performing unit testing for each module (preprocessing, feature extraction, model training, prediction).
• Conducting model evaluation using accuracy, precision, recall, and F1-score.
• Debugging issues related to data processing and model predictions.
• Refining model performance through parameter tuning and dataset improvements.

v. Deployment & Maintenance

• Deploying the system locally or as a web application using Streamlit.
• Ensuring proper setup of datasets, libraries, and trained models.
• Providing continuous maintenance for improving model accuracy, updating datasets, and fixing bugs.
• Enhancing the system with new features such as real-time detection and advanced analytics.

vi. ER diagram:



Fig. 2.7. ER Diagram

The ER diagram represents the logical structure of the Fake News Detection System, illustrating how user input, news data, predictions, and fake news sources are interconnected. It shows how data flows from user input to final classification results.

1. Entities and Their Attributes

User Input

Attributes:

- user_id (PK)
- input_text

Represents the news text entered by the user for analysis. This is the starting point of the system.

News Data

Attributes:

- news_id (PK)
- user_id (FK)
- news_content

Stores the news content associated with each user. It acts as an intermediate storage before processing and prediction.

Prediction

Attributes:

- prediction_id (PK)
- news_id (FK)
- result
- confidence_score

Contains the classification result of the news (Real/Fake) along with the confidence score generated by the system.

Fake News

Attributes:

- fake_id (PK)
- source

Stores information about identified fake news sources. This helps in tracking and analyzing unreliable sources.

2. Relationships

User Input → News Data (1 : 1)

Each user input is stored as a news record. A single input corresponds to one news entry.

News Data → Prediction (1 : 1)

Each news article is analyzed and produces one prediction result.

Prediction → Fake News (1 : 1)

If the prediction result indicates fake news, it is associated with a fake news source.

3. ER Diagram Summary

- The system follows a clear pipeline:
  User Input → News Data → Prediction → Fake News
- **Prediction** is the central entity where classification results are stored.
- The design ensures:
  - Simple data flow
  - Minimal redundancy
  - Easy tracking of fake news sources
- The structure supports efficient classification and storage of results in an organized manner.

System design

A) Modules

1. Data Collection Module

This module is responsible for gathering news data from various sources such as datasets, APIs, or web scraping.

It allows users to:

• Import datasets containing real and fake news articles.
• Collect news data from online sources (optional APIs).
• Store structured data including title, content, and labels.
• Maintain and update datasets for training and testing purposes.

2. Data Preprocessing Module

This module handles cleaning and preparing raw news data for machine learning models.

Users can:

• Remove stopwords, punctuation, and special characters.
• Convert text to lowercase for uniformity.
• Perform tokenization and stemming/lemmatization.
• Handle missing or inconsistent data.

3. Feature Extraction Module

This module converts textual data into numerical format suitable for machine learning.

Users can:

• Apply TF-IDF (Term Frequency-Inverse Document Frequency).
• Use Bag of Words (BoW) techniques.
• Extract meaningful patterns from text data.
• Prepare feature vectors for model training.

4. Model Training Module

This module is responsible for building and training machine learning models.

Users can:

• Train models like Logistic Regression.
• Split dataset into training and testing sets.
• Optimize model parameters.
• Save trained models for future predictions.

5. Prediction Module

This module classifies news articles as real or fake.

Users can:

• Input new news text manually or via file.
• Process input through preprocessing and feature extraction steps.
• Get prediction results (Real / Fake).
• View confidence score of predictions (optional).

6. System Module (Backend Services)

This module forms the backbone of the Fake News Detection System. It handles internal logic, data flow, and model execution.

It includes:

• Performing preprocessing, training, and prediction operations.
• Managing datasets and trained models.
• Handling file storage and model serialization (pickle/joblib).
• Managing workflow between modules.
• Ensuring system efficiency and accuracy.

B) Data Structure of All Modules

We have organized one dataset-based system for fake news detection.
It is implemented using structured datasets and processed using Python libraries such as Pandas.

1. Dataset Structure

The system primarily uses datasets instead of traditional relational databases.

News Dataset (news_data)

Stores information about news articles.

Attributes:

• id – Unique identifier
• title – Headline of the news
• text – Full news content
• label – Classification (Real / Fake)

Processed Dataset (processed_data)

Stores cleaned and transformed data used for model training.

Attributes:

• id – Unique identifier
• cleaned_text – Preprocessed text data
• feature_vector – TF-IDF or BoW representation
• label – Real / Fake

Model Storage (model_data)

Stores trained machine learning models.

Attributes:

• model_id – Unique identifier
• model_name – Name of algorithm (e.g., Logistic Regression)
• accuracy – Performance metric
• file_path – Path to saved model file

2. Relationships Between Data Components

Dataset → Processed Data:
Raw data is transformed into cleaned and feature-extracted data (1 : 1).

Processed Data → Model Training:
Processed data is used to train machine learning models (1 : M).

Model → Prediction:
Trained models are used to classify new incoming news data (1 : M).

This structure ensures efficient data processing, reduces redundancy, and improves model accuracy. It supports scalable machine learning workflows and enables fast and reliable fake news detection.

This structure ensures data normalization, eliminates redundancy, and maintains referential integrity across all modules. It supports scalable and efficient management of all event-related data in the system.

C) Screenshots



TruthLens Homepage



News Prediction(Real)



News Prediction(Fake)



Trending Page For Fake News



Fake News Information(Date, Category)



About Section & Project Info.



Details



Contact & Feedback

Implementation

The implementation phase involves converting the system design into a functional software application. The Fake News Detection System is developed using Python and machine learning techniques for text classification. This section describes the technologies, logic, and design used in the implementation.

1. Technology Stack

• **Programming Language:** Python
• **Libraries/Frameworks:** Scikit-learn, Pandas, NumPy
• **Machine Learning Model:** Logistic Regression
• **Development Environment:** VS Code
• **Dataset Source:** Kaggle (Fake News Dataset)
• **Backend API:** FastAPI, News.api
• **Model Saving:** Joblib
• **Server**: Uvicorn

2. Backend Implementation

The backend handles all core logic including data preprocessing, feature extraction, model training, and prediction.

Key Functionalities:

• **Data Preprocessing:**
Cleaning text data by removing stopwords, punctuation, special characters, and converting text to lowercase.

• **Feature Extraction:**
Using techniques like TF-IDF (Term Frequency-Inverse Document Frequency) to convert textual data into numerical format.

• **Model Training:**
Training machine learning models such as Logistic Regression on labeled datasets.

• **Prediction System:**
Classifying new input news articles as real or fake based on trained models.

• **Model Evaluation:**
Evaluating performance using accuracy, precision, recall, and F1-score.

3. User Interface Implementation

The system can be implemented as a simple console-based or web-based interface.

• In a **console-based system**, the user inputs news text manually.
• The input is processed and passed to the trained model.
• The system outputs whether the news is **Real** or **Fake**.

Optionally, a web interface (using Flask/Streamlit) can be developed for better user interaction.

4. Dataset Implementation

The system uses a structured dataset containing real and fake news articles.

Dataset Components:

• **Title:** Headline of the news
• **Text:** Full news content
• **Label:** Real or Fake

Processing Steps:

• Load dataset using Pandas
• Split into training and testing sets
• Apply preprocessing and feature extraction
• Store processed data for model training

5. Security Implementation

• **Data Validation:**
Ensures input text is not empty and meets basic requirements before processing.

• **Model Integrity:**
Trained models are saved securely using serialization (pickle/joblib).

• **Error Handling:**
Handles exceptions such as invalid input, missing files, or model loading errors.

• **Input Sanitization:**
Prevents incorrect or harmful inputs from affecting system performance.

• **Performance Optimization:**
Efficient handling of large datasets and quick prediction response time.

Results and Discussion

The development and implementation of the Fake News Detection System produced several notable outcomes. This section highlights the system's functional effectiveness, performance, and areas for potential improvement based on testing and execution.

1. Results

Functional Results

- **Prediction Module:**

Users can enter a news article (minimum 50 words), and the system successfully predicts whether the news is real or fake along with a confidence score.

- **Machine Learning Model:**

The Logistic Regression model, combined with TF-IDF vectorization, is able to classify news articles effectively after training on the dataset.

- **Data Processing:**

Text preprocessing techniques such as lowercasing, removal of punctuation, numbers, and stopwords ensure clean and consistent input for the model.

- **Viral Fake News Section:**

The system displays a list of most viral fake news stored in a JSON file, helping users stay aware of common misinformation.

- **Prediction History:**

User inputs and prediction results are stored in PostgreSQL, allowing tracking and retrieval of past predictions.

- **Backend Integration:**

FastAPI successfully handles user requests, processes input, and returns predictions efficiently.

Non-Functional Results

• **Usability:**
The system provides a simple interface (console or web-based), allowing users to easily input news text and view results.

• **Performance:**
The system processes data efficiently, and predictions are generated in real-time with minimal delay.

• **Reliability:**
Error handling mechanisms ensure smooth execution even when invalid or incomplete input is provided.

• **Data Integrity:**
Proper preprocessing and structured datasets ensure consistency and reliability of data used in training and testing.

• **Scalability:**
The modular design allows easy integration of advanced models like deep learning (LSTM, BERT) and expansion of datasets.

2. Discussion

1. Achievement of Objectives

- All major objectives—such as data preprocessing, feature extraction, model training, and fake news classification—were successfully achieved.
- The system accurately identifies fake and real news based on textual patterns and trained models.

2. User Experience

- The system provides a smooth and simple interface for users to input news data.
- The prediction results are clear and easy to understand (Real/Fake classification).

3. Challenges Faced

- The model initially gave incorrect predictions for some inputs.
- Training the model with GridSearchCV took significant time.
- Deployment challenges and uncertainty while hosting on platforms like Vercel

4. Limitations

- The system currently supports only English language input.
- Model accuracy is not perfect and can be improved.
- The viral fake news section is static (JSON-based) and not updated automatically.

5. Future Enhancements

- Implement deep learning models such as LSTM and BERT for improved accuracy.
- Develop a web-based interface using Flask or Streamlit for better user interaction.
- Integrate real-time news APIs for live fake news detection.
- Add visualization dashboards for analytics and insights.

Conclusion

The development of the Fake News Detection System has successfully demonstrated the design and implementation of an intelligent, efficient, and reliable platform for identifying fake news using machine learning techniques.

The system enables users to:

- Analyze and classify news articles as real or fake efficiently.
- Extract meaningful features from unstructured text for accurate prediction.
- Perform automated classification using trained machine learning models.

Key achievements include:

- Successful implementation of machine learning algorithms such as Logistic Regression for accurate news classification.
- A modular architecture that improves scalability and allows integration of advanced models like deep learning in future.
- Reliable model performance with evaluation metrics such as accuracy, precision, recall, and F1-score.
- Efficient handling of datasets and prediction processes, ensuring quick and accurate results.

Overall, the Fake News Detection System provides a robust and intelligent solution for identifying misleading information in digital content. It reduces the spread of misinformation, supports informed decision-making, and serves as a strong foundation for future enhancements such as real-time detection systems, web-based applications, and integration with social media platforms.

Future scope

Although the Fake News Detection System effectively meets its current objectives, several enhancements can be introduced to make the system more advanced, automated, and user-friendly in the future.

1. Web-Based Interface

Develop a fully functional web application using frameworks like Flask, Django, or Streamlit to replace the console-based system.

Provide a responsive and user-friendly interface where users can easily input news articles and view results with better visualization.

2. Authentication & User Management

Implement secure login and authentication features for users and administrators.

Introduce role-based access control (e.g., Admin, Analyst, User) to manage permissions such as dataset modification, model training, and prediction access.

3. Real-Time News Integration

Integrate APIs to fetch live news data from trusted sources.

Enable real-time fake news detection for incoming news articles and social media content.

4. Advanced Machine Learning & Deep Learning

Incorporate advanced models such as LSTM, BERT, and other deep learning techniques for improved accuracy.

Use ensemble methods to combine multiple models for better prediction performance.

5. Notifications & Alerts

Provide alerts or notifications when fake news is detected.

Integrate email or system notifications for flagged content in real-time applications.

6. Reporting and Analytics

Generate graphical reports and dashboards showing model performance, prediction statistics, and dataset insights.

Implement export options for reports in formats such as PDF or Excel.

Bibliography and References

In preparing this project report on the Fake News Detection System, several books, research papers, and online resources were referred to. These materials provided valuable insights into machine learning, data preprocessing, and system development methodologies.

Books

1. Tom M. Mitchell – Machine Learning, McGraw Hill.
2. Ian Goodfellow, Yoshua Bengio, Aaron Courville – Deep Learning, MIT Press.
3. Christopher D. Manning, Prabhakar Raghavan, Hinrich Schütze – Introduction to Information Retrieval, Cambridge University Press.
4. Aurélien Géron – Hands-On Machine Learning with Scikit-Learn, Keras, and TensorFlow, O'Reilly Media.

Research Papers / Journals

1. International Journal of Computer Applications (IJCA) – Research on fake news detection and text classification techniques.
2. IEEE Xplore Digital Library – Papers on machine learning models and misinformation detection.
3. ACM Digital Library – Research on information retrieval and classification systems.

Websites

1. https://scikit-learn.org/ – Official documentation for machine learning in Python.
2. https://pandas.pydata.org/ – Documentation for data manipulation and analysis.
3. https://numpy.org/ – Numerical computing library documentation.
4. https://www.kaggle.com/ – Source for datasets and machine learning resources.