

ReConvert (Upsell.com) — Test Plan & Test Cases

Application	ReConvert / Upsell.com — Shopify Thank You & Post-Purchase Upsell App
Test Shop	reconvert-automated-testing.myshopify.com
App URL	https://app.reconvert.com/shopify/app/?shop=reconvert-automated-testing.myshopify.com&token=[REDACTED]
Document Version	1.0
Date	June 10, 2026
Prepared By	QA / Automation Team
Related Repo	reconvert_automation (Playwright + Selenium + pytest)

1. Introduction

This document defines the master test plan and detailed test cases for the ReConvert (Upsell.com) Shopify embedded application. ReConvert enables merchants to customize post-purchase experiences including Thank You pages, Order Status pages, and Product page upsell slots through a visual **Flow Builder** with pre-made widgets (Banner, Product recommendations, etc.). Testing focuses on app authentication, dashboard navigation, Flow Builder editor behavior, widget configuration, save/persistence, preview rendering, and storefront-facing upsell display on the Shopify test store.

2. Test Objectives

- Verify merchants can access the app via signed Shopify URL and open Flow Builder without errors.
- Validate all Banner pre-made widget controls (status, content, toggles, button, save).
- Validate Product recommendations widget — Product details block and Success/Error banner configuration.
- Confirm configuration persists after Save and page reload.
- Ensure embedded iframe UI is stable at desktop viewport (1600×1000).
- Detect regressions in collection picker, slot management, and widget deletion flows.

3. Scope

3.1 In Scope

Module	Features
App Access	Signed URL load, Edit flows entry, iframe rendering
Flow Builder	Page navigation (Thank you page, Product page), slot overview, widget editor
Banner (Pre-made)	Status, title, rich-text description, dismissible/collapsible toggles, CTA button
Product Recommendations	Slot create/edit/delete, product card preview, Product details block, Success/Error banner
Collection Picker	Select specific collection → Automated Collection → product linkage
Persistence	Save button, reload verification
Cross-cutting	Chatbot panel handling, responsive editor panel, console errors

3.2 Out of Scope (Current Cycle)

- Billing / subscription management
- Multi-store / agency dashboard
- Live checkout payment processing on production stores
- Performance load testing at scale
- Third-party analytics integrations

4. Test Strategy

Type	Approach	Tooling
Smoke	App loads + Edit flows opens on every build	Playwright Python BDD
Functional (Manual)	Test cases in Sections 8–12	Manual QA checklist
Automated Regression	Banner TC-01–TC-05, Product details, Success/Error banner	Playwright, Selenium, pytest
Integration	Shopify iframe embedding, collection API	Playwright + test store
Exploratory	New widgets, edge inputs, mobile editor sheet	Manual

5. Test Environment

Item	Detail
Test Store	reconvert-automated-testing.myshopify.com
App Entry	Standalone signed URL or Shopify Admin → Apps → ReConvert
Browser	Chrome (latest) — primary; Safari/Firefox — secondary
Viewport	1600 × 1000 (desktop; required for stable editor panel)
Automation Env	<code>RECONVERT_APP_URL</code> , <code>RECONVERT_FLOW_PAGE</code> (default: "Thank you page")
Main Iframe	<code>iframe.embedded-screen-main-iframe</code>

5.1 Preconditions

- Valid signed app URL with non-expired JWT token for the test shop.
- Test shop has sample products (e.g., "The Compare at Price Snowboard") and "Automated Collection".
- Chrome/Chromium installed for automation (`playwright install chromium`).
- Network access to app.reconvert.com and Shopify CDN.

6. Entry & Exit Criteria

Entry Criteria

- Test build deployed or staging URL available.
- Valid test shop credentials / signed URL provided.
- Automation suite dependencies installed.

Exit Criteria

- 100% of P0 test cases pass.
- ≥ 95% of P1 test cases pass; remaining documented with workaround.
- No open Critical/Blocker defects.
- Automated regression suite green on CI or local run.

7. Risk Assessment

Risk	Impact	Mitigation
JWT token expiry	All tests fail at login	Rotate token; store in <code>.env</code> ; never commit tokens
Iframe context switching	Flaky automation	Use frame locators; wait for Flow Builder welcome text
Chatbot panel overlay	Blocks editor controls	Close chatbot before interactions (best-effort)
Narrow viewport	Settings panel becomes bottom sheet	Pin viewport to 1600×1000 in automation
Async save latency	False persistence failures	Wait 3s after Save before reload assertion

8. Module A — App Access & Dashboard

TC-A01 — App loads via signed URL

Priority	P0
Preconditions	Valid signed URL for reconvert-automated-testing shop
Steps	1. Navigate to app URL with shop and token parameters. 2. Wait for network idle.
Expected Result	App dashboard loads; Edit flows button visible within 60s; no fatal console errors.
Automation	playwright_python_bdd smoke scenarios

TC-A02 — Open Flow Builder

Priority	P0
Steps	1. Click Edit flows. 2. Wait for URL to contain <code>flow-builder</code>.
Expected Result	Main iframe shows "Welcome to the Flow Builder!"; page list visible (Thank you page, Product page, etc.).
Automation	test_product_page.py — BannerEditor.open()

TC-A03 — Close AI chatbot panel

Priority	P2
Steps	If chatbot iframe has class <code>embedded-chatbot-panel--open</code> , click close icon.
Expected Result	Chatbot closes; editor layout remains desktop-style; no test failure if chatbot absent.

9. Module B — Banner Pre-made Widget (Thank You Page)

Host page: `RECONVERT_FLOW_PAGE` = "Thank you page" (default). All controls inside main iframe.

TC-B01 — Banner pre-made default configuration

Priority	P0
Steps	1. Open Flow Builder → select Thank you page flow. 2. Open Banner pre-made widget settings panel.
Expected Result	"Banner status" and "Learn more about banner" visible. Defaults: Status = Informational ; Title = "Title"; Dismissible = ON; Collapsible description = ON; Display a button = OFF; Button fields hidden when button disabled.
Automation	test_tc01_banner_premade_defaults

TC-B02 — Banner status dropdown (5 options)

Priority	P0
Steps	Select each status: Informational, Warning, Success, Critical, Transparent.
Expected Result	All 5 options present; each selection applies; preview banner remains visible without layout break.
Automation	test_tc02_banner_status_options

TC-B03 — Banner title and rich-text description

Priority	P1
Steps	1. Set title to "Limited 15% Offer" → verify preview. 2. Clear title → editor remains stable. 3. Enter 250-char long title → no crash. 4. Type description "Use code SAVE15 at checkout" in contenteditable editor. 5. Verify formatting toolbar (≥5 buttons).
Expected Result	Title and description reflect in live preview; empty/long title handled gracefully.
Automation	test_tc03_banner_content

TC-B04 — Dismissible & Collapsible toggles

Priority	P1
Steps	Toggle Dismissible OFF→ON; Collapsible OFF→ON; verify independence.
Expected Result	Each toggle changes independently; state matches checkbox after each click.
Automation	test_tc04_dismissible_and_collapsible_toggles

TC-B05 — Button configuration & Save persistence

Priority	P0
Steps	1. Enable "Display a button". 2. Set Type = Secondary, Color = Monochrome, Text = "Shop now", Link = collection URL. 3. Set Status = Success, Title = "Persisted Banner Title". 4. Click Save; reload editor.
Expected Result	Button types: Primary, Secondary, Plain. Colors: Default, Monochrome. Preview shows "Shop now". After reload: all values persisted.
Automation	test_tc05_button_configuration_and_persistence

10. Module C — Product Recommendations (Product Page)

TC-C01 — Navigate to Product page in Flow Builder

Priority	P0
Steps	Open Flow Builder → click Product page nav item.
Expected Result	"Product page slots" heading visible; slot cards listed.

TC-C02 — Create / open Product recommendations slot

Priority	P0
Steps	Create slot or open existing → select Product recommendations widget → Create.
Expected Result	Flow editor iframe loads (<code>flow-editor</code> in src); Save button and "Product recommendations" heading visible.
Automation	ReConvertAppPage.openProductRecommendationsEditor()

TC-C03 — Product details block — display source options

Priority	P0
Steps	1. Click product card in recommendations preview ("Product title"). 2. Open Product details block in sidebar. 3. Cycle display: Variant name → Vendor → Type → Custom text → None.
Expected Result	"Product details to display", "Text style", "Remove block", and "Learn more about product details" visible. Each display option selects successfully in dropdown.
Automation	flow-builder-product-recommendation-product-details.spec.js

TC-C04 — Product details block — text style

Priority	P1
Steps	Set Text style to Uppercase, then Lowercase.
Expected Result	Selected option reflected in dropdown; preview updates accordingly.

TC-C05 — Success/Error banner — Critical error type

Priority	P0
Steps	1. Open Success/Error banner block. 2. Set error banner type to Critical. 3. Disable dynamic error banner toggle. 4. Save → click "Preview error banner".
Expected Result	Critical preview shows background rgb(254, 246, 246) and border rgb(253, 216, 216).
Automation	selenium/test_product_banner.py

TC-C06 — Delete Product recommendations slot (cleanup)

Priority	P1
Steps	Exit editor → delete widgets → delete slot → confirm.
Expected Result	Slot removed; Product page slots view restored.

11. Module D — Collection Picker

TC-D01 — Select specific automated collection

Priority	P1
Steps	1. Click "Select specific collection". 2. Select "Automated Collection". 3. Click "Select".
Expected Result	"The Compare at Price Snowboard" product title visible in picker result.
Automation	ReConvertAppPage.selectSpecificAutomatedCollection()

12. Module E — Slot Management (Product Page)

TC-E01 — Open Custom Slot 1 widget editor	
Priority	P1
Steps	Select Product page → click Custom Slot 1 → open Edit widgets.
Expected Result	"Edit widgets" panel opens for Slot 1.

13. Smoke Test Checklist (5 minutes)

- ☐ Signed app URL loads — Edit flows visible
- ☐ Flow Builder opens — welcome message in iframe
- ☐ Thank you page → Banner widget settings accessible
- ☐ Banner status dropdown works
- ☐ Product page → Product recommendations editor opens
- ☐ Save button enabled and clickable
- ☐ No uncaught JavaScript errors in console

14. Regression Test Checklist (Pre-Release)

- ☐ TC-A01, TC-A02 (App access)
- ☐ TC-B01 through TC-B05 (Banner full suite)
- ☐ TC-C03, TC-C05 (Product recommendations critical paths)
- ☐ TC-D01 (Collection picker)
- ☐ Automated pytest suite green (Playwright + Selenium)
- ☐ Token rotation verified in CI secrets

15. Automation Run Commands

Suite	Command
Banner (Playwright Python)	<code>RECONVERT_APP_URL="<url>" pytest test_product_page.py -v</code>
Product details (Playwright JS)	<code>RECONVERT_APP_URL="<url>" npx playwright test flow-builder-product-recommendation-product-details.spec.js</code>
Success/Error banner (Selenium)	<code>cd selenium && pytest test_product_banner.py -v</code>
Smoke BDD	<code>cd playwright_python_bdd && pytest -v</code>

16. Test Case Summary Matrix

ID	Module	Title	Priority	Automated
TC-A01	App Access	App loads via signed URL	P0	Yes
TC-A02	App Access	Open Flow Builder	P0	Yes
TC-A03	App Access	Close AI chatbot panel	P2	Yes
TC-B01	Banner	Default configuration	P0	Yes
TC-B02	Banner	Status dropdown (5 options)	P0	Yes
TC-B03	Banner	Title & description	P1	Yes
TC-B04	Banner	Dismissible & Collapsible toggles	P1	Yes
TC-B05	Banner	Button config & persistence	P0	Yes
TC-C01	Product Rec.	Navigate to Product page	P0	Partial
TC-C02	Product Rec.	Create/open recommendations slot	P0	Yes
TC-C03	Product Rec.	Product details display options	P0	Yes
TC-C04	Product Rec.	Product details text style	P1	Yes
TC-C05	Product Rec.	Critical error banner preview	P0	Yes
TC-C06	Product Rec.	Delete slot cleanup	P1	Yes
TC-D01	Collection	Automated collection picker	P1	Yes
TC-E01	Slots	Custom Slot 1 editor	P1	Partial

17. Defect Logging Template

Field	Description
Defect ID	Auto-generated (Jira key)
Test Case ID	e.g., TC-B05
Severity	Blocker / Critical / Major / Minor
Environment	Shop, browser, viewport, app URL (token redacted)
Steps to Reproduce	Numbered steps
Expected vs Actual	Clear comparison
Screenshot / Video	Attach evidence

Security note: Do not share or commit JWT tokens in documentation or version control. Rotate any token exposed in chat or shared documents. Use `RECONVERT_APP_URL` environment variable locally.

Google Docs: Upload this PDF to Google Drive → Open with Google Docs to convert to an editable document, or import the HTML file from `reconvert_automation/docs/RECONVERT_TEST_PLAN.html` .

Document generated for ReConvert automated testing portfolio — reconvert-automated-testing.myshopify.com