Northwest Geophysical Associates

Appendix D

IN-LINE CSAMT SURVEY ON THE AFEK PROJECT

Golan Heights

Prepared for:

Genie Oil and Gas Company

November 14, 2013

NGA Job# 13060

Appendix D

Inversion Model Cross Sections


The following model plots show the results of constrained inversion models of each line from the program SCS2D in cross section format. The sections are contoured and colored using the same scale for easy comparison.


The starting model for each line is a four-layer case, based on the lithology provided by Genie in the 2013 Vinegar report. The four layers used to approximate the geology were:


Layer 1	Basalt and cover material
Layer 2	Eocene and Taqia
Layer 3	Gareb-Upper Mishash- Mishash-Menuha formations (principal target layers)
Layer 4	Bina


The thickness of each layer is based on the lithology of the nearest well location in the Vinegar report. In SCS2D, gradient constraints were adjusted at these layer interfaces to allow sharp, abrupt changes in resistivity at interfaces, rather than forcing smooth, gradational changes. As a result, very sharp boundaries are often seen at the layer interfaces, which may in turn highlight artifacts of the modeling process. In particular, some lines were many kilometers from the nearest lithologic information, thus the model may be attempting to force a fit to incorrect layer thicknesses. Model fits to the data are relatively good in most cases, but very poor on a few lines (such as B-2 and E2-5), probably due to cultural noise, off-line effects from complicated geology, or a combination of these effects. Although these very poorly-fit lines are included in Appendix C for reference, they are not included here as cross sections.


It is important to note that any inversion model result represents a non-unique solution, and that non-constrained models, or models using different constraints, may also fit the data equally well. The modeling results should be interpreted in the light of other background information, such as other geophysical methods, geological mapping, and well log information.



Afek Project
Line A-1
GOLAN IN-LINE CSAMT
Line A-1
N13W
S13E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1500 m
Orient. = S13E
Center at 263400E,745099N
Distance = 4430 m
Receiver Data:
Length = 200 m
Orient. = S13E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line A-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line A-2
Golan In-Line CSAMT
Line A-2
N13W
S13E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1500 m
Orient. = S13E
Center at 263400.5E,745099.5N
Distance = 5310 m
Receiver Data:
Length = 200 m
Orient. = S09E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line A-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line A-3
GOLAN IN-LINE CSAMT
Line A-3
N13W
S13E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1500 m
Orient. = S13E
Center at 263400E,745099N
Distance = 4500 m
Receiver Data:
Length = 200 m
Orient. = S01W
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line A-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line A-4
GOLAN IN-LINE CSAMT
Line A-4
N13W
S13E
100
300
500
700
Elevation (m)
0m
200m
400m
600m
800m
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1500 m
Orient. = S13E
Center at 263400E,745099N
Distance = 4490 m
Receiver Data:
Length = 200 m
Orient. = S02E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line A-4
for Genie Oil & GAs
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line B-1
GOLAN IN-LINE CSAMT
Line B-1
S67W
N67E
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1152 m
Orient. = N70E
Center at 269095.8E,743323.7N
Distance = 4200 m
Receiver Data:
Length = 200 m
Orient. = N75E
Inversion control parameters:
ResSmth=0.03, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line B-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line B-3
GOLAN IN-LINE CSAMT
Line B-3
S70W
N70E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1206
794
501
316
200
126
79
50
32
20
13
8
5
3
2
1
0
Bipole Transmitter Data:
Length = 1152 m
Orient. = N70E
Center at 269095.8E,743323.7N
Distance = 2380 m
Receiver Data:
Length = 200 m
Orient. = N67E
Inversion control parameters:
ResSmth=0.03, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line B-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line C2-1
GOLAN IN-LINE CSAMT
Line C2-1
S46W
N46E
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1474 m
Orient. = N46E
Center at 275348.5E,752326.5N
Distance = 6000 m
Receiver Data:
Length = 200 m
Orient. = N30E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40f
Constrained Layers
Afek Project
Line C2-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
ZONGE
11/11/13
1:10000
Job 13060
REF: C2-1-H-Nrmlzd-Con1.mtm



Afek Project
Line C2-2
Golan In-Line CSAMT
Line C2-2
S46W
N46E
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1474 m
Orient. = N46E
Center at 275349E,752327N
Distance = 6830 m
Receiver Data:
Length = 200 m
Orient. = N24E
Inversion control parameters:
dpW=1, dxW=2, dzW=2
SCS2D v3.40f
Constrained Layers
Afek Project
Line C2-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
1:10000
Job 13060
REF:



Afek Project
Line C2-3
GOLAN IN-LINE CSAMT
Line C2-3
S46W
N46E
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1474 m
Orient. = N46E
Center at 275349E,752327N
Distance = 5750 m
Receiver Data:
Length = 200 m
Orient. = N50E
Inversion control parameters:
dpW=1, dxW=3, dzW=3
Constrained Layers
Afek Project
Line C2-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
24/09/13
1:10000
Job 13060
REF:



Afek Project
Line C2-4
Golan In-Line CSAMT
Line C2-4
S46W
N46E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1474 m
Orient. = N46E
Center at 275348.5E,752326.5N
Distance = 4350 m
Receiver Data:
Length = 200 m
Orient. = N49E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=1
SCS2D v3.40a
Constrained Layers
Afek Project
Line C2-4
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line C2-5
GOLAN IN-LINE CSAMT
Line C2-5
S46W
N46E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1474 m
Orient. = N46E
Center at 275348.5E,752326.5N
Distance = 4080 m
Receiver Data:
Length = 200 m
Orient. = N51E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=1
SCS2D v3.40a
Layer Constrained
Afek Project
Line C2-5
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line C2-6
Golan In-Line CSAMT
Line C2-6
S46W
N46E
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1474 m
Orient. = N46E
Center at 275348.5E,752326.5N
Distance = 4570 m
Receiver Data:
Length = 200 m
Orient. = N50E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=31
SCS2D v3.40a
Constrained Layers
Afek Project
Line C2-6
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line C3-7
Golan In-Line CSAMT
Line C3-7
N46W
S46ETx--
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1500 m
Orient. = S46E
Center at 275173E,752226.5N
Distance = 4580 m
Receiver Data:
Length = 200 m
Orient. = S32E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=0.1, dzW=0.3
SCS2D v3.40a
Constrained Layers
Afek Project
Line C3-7
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line C3-8
Golan In-Line CSAMT
Line C3-8
N46W
S46E
100
300
500
700
600
500
400
300
200
100
0
-100
-200
-300
-400
-500
-600
-700
-800
-900
-1000
-1100
-1200
-1300
-1400
Elevation (m)
0m
200m
400m
600m
800m
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1500 m
Orient. = S46E
Center at 275173E,752226N
Distance = 6080 m
Receiver Data:
Length = 200 m
Orient. = S21E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=0.1, dzW=0.3
SCS2D v3.40a
Constrained Layers
Afek Project
Line C3-8
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line C3-9
GOLAN IN-LINE CSAMT
Line C3-9
N21W
S21E
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
0m
200m
400m
600m
800m
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1500 m
Orient. = S46E
Center at 275173E,752226.5N
Distance = 7260 m
Receiver Data:
Length = 200 m
Orient. = S24E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40f
Constrained Layers
Afek Project
Line C3-9
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
11/11/13
1:10000
Job 13060
REF:
C3-9-H-Nrmlzd-Con1.mtm



Afek Project
Line D-1
Golan In-Line CSAMT
Line D-1
S85W
N85E
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
0m
200m
400m
600m
800m
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1488 m
Orient. = N89E
Center at 268267E,746605N
Distance = 5060 m
Receiver Data:
Length = 200 m
Orient. = N86E
Inversion control parameters:
dpW=1, dxW=1, dzW=2
SCS2D v3.40f
Constrained Layers
Afek Project
Line D-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
01/10/13
1:10000
Job 13060
REF:



Afek Project
Line D-2
GOLAN In-Line CSAMT
Line D-2
S85W
N85E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1206
794
501
316
200
126
79
50
32
20
13
8
5
3
2
1
0
Bipole Transmitter Data:
Length = 1488 m
Orient. = N89E
Center at 268267E,746605N
Distance = 4180 m
Receiver Data:
Length = 200 m
Orient. = S83E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=0.1, dzW=0.3
SCS2D v3.40a
Constrained Layers
0m
200m
400m
600m
800m
Afek Project
Line D-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
02/10/13
1:10000
Job 13060
REF:



Afek Project
Line D-3
GOLAN In-Line CSAMT
Line D3
S85W
N85E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1488 m
Orient. = N89E
Center at 268267E,746605N
Distance = 4250 m
Receiver Data:
Length = 200 m
Orient. = N90E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=0.1, dzW=0.3
SCS2D v3.40a
Constrained Layers
Afek Project
Line D-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
02/10/13
1:10000
Job 13060
REF:



Afek Project
Line D-4
Golan In-Line CSAMT
Line D-4
S85W
N85E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1488 m
Orient. = N89E
Center at 268267E,746605N
Distance = 4390 m
Receiver Data:
Length = 200 m
Orient. = N85E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=0.1, dzW=0.3
SCS2D v3.40a
Constrained Layers
Afek Project
Line D-4
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
02/10/13
1:10000
Job 13060
REF:



Afek Project
Line E1N-5
GOLAN IN-LINE CSAMT
Line E1N-5
North
Tx-->
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614E,749891N
Distance = 3590 m
Receiver Data:
Length = 200 m
Orient. = S01E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line E1N-5
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
1:10000
Job 13060
REF:



Afek Project
Line E1N-6
Golan In-Line CSAMT
Line E1N-6
North
Tx-->
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614E,749891N
Distance = 3690 m
Receiver Data:
Length = 200 m
Orient. = S01W
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.0
SCS2D v3.40a
Constrained Layers
0m
200m
400m
600m
800m
Afek Project
Line E1N-6
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
28/09/13
1:10000
Job 13060
REF:



Afek Project
Line E1N-7
Golan In-Line CSAMT
Line E1N-7
North
Tx-->
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614E,749891N
Distance = 3600 m
Receiver Data:
Length = 200 m
Orient. = S01W
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.0
SCS2D v3.40a
Constrained Layers
0m
200m
400m
600m
800m
Afek Project
Line E1N-7
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line E1N-8
GOLAN IN-LINE CSAMT
Line E1N-8
North
Tx-->
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614E,749891N
Distance = 3760 m
Receiver Data:
Length = 200 m
Orient. = N00E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line E1N-8
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line E1S-1
GOLAN IN-LINE CSAMT
Line E1S-1
North
South
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614.5E,749891N
Distance = 5360 m
Receiver Data:
Length = 200 m
Orient. = S01W
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line E1S-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line E1S-2
Golan In-Line CSAMT
Line E1S-2
N19W
S19E
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614.5E,749891N
Distance = 4850 m
Receiver Data:
Length = 200 m
Orient. = S19E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line E1S-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line E1S-3
Golan In-Line CSAMT
Line E1S-3
North
South
100
300
500
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614.5E,749891N
Distance = 5100 m
Receiver Data:
Length = 200 m
Orient. = S21W
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line E1S-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
1:10000
Job 13060
REF:



Afek Project
Line E1S-4
GOLAN IN-LINE CSAMT
Line E1S-4
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614.5E,749891N
Distance = 3490 m
Receiver Data:
Length = 200 m
Orient. = N00E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line E1S-4
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line E2L-1
Golan In-Line CSAMT
Line E2-1
South
North
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1499 m
Orient. = N78E
Center at 270749.6E,749994.6N
Distance = 6840 m
Receiver Data:
Length = 200 m
Orient. = N67E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40f
Afek Project
Line E2-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
14/11/13
1:10000
Job 13060
REF: E2-1-H-Nrmlzd-Con1.mtm



Afek Project
Line E2-2
GOLAN IN-LINE CSAMT
Line E2-2
S78W
N78E
100
300
500
700
600
500
400
300
200
100
0
-100
-200
-300
-400
-500
-600
-700
-800
-900
-1000
-1100
-1200
-1300
-1400
25
25
25
40
63
63
100
100
Elevation (m)
0m
200m
400m
600m
800m
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1499 m
Orient. = N78E
Center at 270749E,749994N
Distance = 5680 m
Receiver Data:
Length = 200 m
Orient. = N70E
Inversion control parameters:
ResSmth=0.03, dpW=0.01, dxW=0.1, dzW=0.0
SCS2D v3.40a
Constrained Layers
Afek Project
Line E2-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
05/10/13
1:10000
Job 13060
REF:



Afek Project
Line E2-3
Golan In-Line CSAMT
Line E2-3
S78W
N78E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1499 m
Orient. = N78E
Center at 270749E,749994N
Distance = 5570 m
Receiver Data:
Length = 200 m
Orient. = N76E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=0.
SCS2D v3.40a
Constrained Layers
Afek Project
Line E2-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
04/10/13
1:10000
Job 13060
REF:



Afek Project
Line E2-4
Golan In-Line CSAMT
Line E2-4
S78W
N78E
100
300
500
700
Elevation (m)
0m
200m
400m
600m
800m
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1499 m
Orient. = N78E
Center at 270749E,749994N
Distance = 4640 m
Receiver Data:
Length = 200 m
Orient. = N78E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=
SCS2D v3.40a
Constrained Layers
Afek Project
Line E2-4
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
04/10/13
1:10000
Job 13060
REF:



Afek Project
Line E2-6
Golan In-Line CSAMT
Line E2-6
S70W
N70E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1499 m
Orient. = N78E
Center at 270749E,749994N
Distance = 4700 m
Receiver Data:
Length = 200 m
Orient. = N87E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=0.
SCS2D v3.40a
Constrained Layers
Afek Project
Line E2-6
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGa
nrc
04/10/13
1:10000
Job 13060
REF:



Afek Project
Line E2-7
GOLAN In-Line CSAMT
Line E2-7
S70W
N70E
100
300
500
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1499 m
Orient. = N78E
Center at 270749E,749994N
Distance = 5080 m
Receiver Data:
Length = 200 m
Orient. = S86E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=0.
SCS2D v3.40a
Constrained Layers
Afek Project
Line E2-7
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
04/10/13
1:10000
Job 13060
REF:



Afek Project
Line HE-5
Golan In-Line CSAMT
Line HE-5
S52W
N52E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1496 m
Orient. = N53E
Center at 269833E,764177N
Distance = 2600 m
Receiver Data:
Length = 200 m
Orient. = N51E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=0.
SCS2D v3.40a
Constrained Layers
0m
200m
400m
600m
800m
Afek Project
Line HE-5
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
04/10/13
1:10000
Job 13060
REF:



Afek Project
Line HE-6
Golan In-Line CSAMT
Line HE-6
S52W
N52E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1496 m
Orient. = N53E
Center at 269833E,764177N
Distance = 3070 m
Receiver Data:
Length = 200 m
Orient. = N51E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=0.
SCS2D v3.40a
Constrained Layers
Afek Project
Line HE-6
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
04/10/13
1:10000
Job 13060
REF:



Afek Project
Line HE-7
GOLAN IN-LINE CSAMT
Line HE-7
S52W
N52E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1496 m
Orient. = N53E
Center at 269833E,764177N
Distance = 3900 m
Receiver Data:
Length = 200 m
Orient. = N47E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=
SCS2D v3.40a
Constrained Layers
Afek Project
Line HE-7
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
05/10/13
1:10000
Job 13060
REF:



Afek Project
Line HE-8
Golan In-Line CSAMT
Line HE-8
S52W
N52E
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1496 m
Orient. = N53E
Center at 269833E,764177N
Distance = 4210 m
Receiver Data:
Length = 200 m
Orient. = N44E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=0.
SCS2D v3.40a
Constrained Layers
Afek Project
Line HE-8
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
04/10/13
1:10000
Job 13060
REF:



Afek Project
Line HW-1
GOLAN IN-LINE CSAMT
Line HW-1
S52W
N52E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1496 m
Orient. = N53E
Center at 269833.2E,764177.5N
Distance = 5290 m
Receiver Data:
Length = 200 m
Orient. = N38E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line HW-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line HW-2
GOLAN IN-LINE CSAMT
Line HW-2
S52W
N52E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1496 m
Orient. = N53E
Center at 269833.2E,764177.5N
Distance = 2900 m
Receiver Data:
Length = 200 m
Orient. = N50E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line HW-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
ZONGE
nrc
1:10000
Job 13060
REF:



Afek Project
Line HW-3
Golan In-Line CSAMT
Line HW-3
S52W
N52E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1496 m
Orient. = N53E
Center at 269833E,764178N
Distance = 7540 m
Receiver Data:
Length = 200 m
Orient. = N45E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
Afek Project
Line HW-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:
0m
200m
400m
600m
800m



Afek Project
Line HW-4
Golan In-Line CSAMT
Line HW-4
S52W
N52E
100
300
500
700
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 836 m
Orient. = N00E
Center at 270614.5E,749891N
Distance = 4850 m
Receiver Data:
Length = 200 m
Orient. = S19E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40f
Afek Project
Line HW-4
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
11/11/13
1:10000
Job 13060
REF: E1S-2-H-Nrmlzd-Con1.mtm



Afek Project
Line I-1
GOLAN IN-LINE CSAMT
Line I-1
S57W
N57E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1504 m
Orient. = N57E
Center at 272451E,760798N
Distance = 3210 m
Receiver Data:
Length = 200 m
Orient. = N57E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40a
Constrained Layers
0m
200m
400m
600m
800m
Afek Project
Line I-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line I-2
Golan In-Line CSAMT
Line I-2
S57W
N57E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1504 m
Orient. = N57E
Center at 272451.5E,760798.7N
Distance = 4420 m
Receiver Data:
Length = 200 m
Orient. = N69E
Inversion control parameters:
ResSmth=31.62, dpW=0.01, dxW=0.1, dzW=0.
SCS2D v3.40a
Constrained Layers
Afek Project
Line I-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line K4-11
GOLAN IN-LINE CSAMT
Line K4-11
S75W
N75E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1220 m
Orient. = N79E
Center at 260794.3E,764664.8N
Distance = 5600 m
Receiver Data:
Length = 200 m
Orient. = N75E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=0.1, dzW=0.3
SCS2D v3.40a
Constrained Layers
Afek Project
Line K4-11
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Line K4-12
Golan In-Line CSAMT
Line K4-12
S75W
N75E
100
300
500
700
Elevation (m)
Model Resistivity
(ohm-m)
1206
794
501
316
200
126
79
50
32
20
13
8
5
3
2
1
0
Bipole Transmitter Data:
Length = 1220 m
Orient. = N79E
Center at 260794.3E,764664.8N
Distance = 3880 m
Receiver Data:
Length = 200 m
Orient. = N83E
Inversion control parameters:
ResSmth=3.16, dpW=0.01, dxW=0.1, dzW=0.3
SCS2D v3.40a
Constrained Layers
0m
200m
400m
600m
800m
Afek Project
Line K4-12
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Broadside Line L-1
Golan Broadside CSAMT
Line L-1
S44W
N44E
100
300
Elevation (m)
Model Resistivity
(ohm-m)
1206
794
501
316
200
126
79
50
32
20
13
8
5
3
2
1
0
Bipole Transmitter Data:
Length = 1624 m
Orient. = N50E
Center at 265728E,754828N
Distance = 6270 m
Receiver Data:
Length = 200 m
Orient. = N49E
Inversion control parameters:
ResSmth=0.5, dpW=0.03, dxW=1, dzW=0.03
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line L-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Broadside Line L-2
GOLAN BROADSIDE CSAMT
Line L-2
S48W
N48E
100
400
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1624 m
Orient. = N50E
Center at 265728E,754828N
Distance = 5790 m
Receiver Data:
Length = 200 m
Orient. = N45E
Inversion control parameters:
ResSmth=0.5, dpW=0.03, dxW=1, dzW=0.03
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line L-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Broadside Line L-3
Golan Broadside CSAMT
Line L-3
S44W
N44E
100
400
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1624 m
Orient. = N50E
Center at 265728E,754828N
Distance = 6430 m
Receiver Data:
Length = 200 m
Orient. = N50E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40e
Constrained Layers
Afek Project
Broadside Line L-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Broadside L-5
GOLAN BROADSIDE CSAMT
Line L-5
S44W
N44E
100
400
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1624 m
Orient. = N50E
Center at 265728E,754828N
Distance = 7150 m
Receiver Data:
Length = 200 & 50 m
Orient. = N44E & N00E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside L-5
for Genie Oil & Gas
1D Smooth-Model Inversion
Vector CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
11/11/13
1:10000
Job 13060
REF: L5-norm-Con1.mtm



Afek Project
Broadside Line M-1 (TM mode)
Golan Broadside CSAMT
Line M-1
S69W
N69E
100
400
700
600
500
400
300
200
100
0
-100
-200
-300
-400
-500
-600
-700
-800
-900
-1000
-1100
-1200
-1300
-1400
Elevation (m)
40
16
25
63
100
158
251
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1311 m
Orient. = N69E
Center at 273193.5E,759802.3N
Distance = 7500 m
Receiver Data:
Length = 200 m
Orient. = N69E
Inversion control parameters:
ResSmth=0.03, dpW=0.01, dxW=1, dzW=0.0
SCS2D v3.40e
Constrained Layers
Afek Project
Broadside Line M-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Broadside Line M-2 (ExHy Data)
GOLAN BROADSIDE CSAMT
Line M-2
S69W
N69E
100
400
700
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1311 m
Orient. = N69E
Center at 273193E,759802N
Distance = 5940 m
Receiver Data:
Length = 200 m
Orient. = N65E
Inversion control parameters:
ResSmth=0.03, dpW=0.01, dxW=1, dzW=0.0
SCS2D v3.40e
Constrained Layers
Afek Project
Broadside Line M-2 (ExHy Data)
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
1:10000
Job 13060
REF:



Afek Project
Broadside Line N-3 (ExHy Data)
GOLAN BROADSIDE CSAMT
Line N-3
S3W
N3E
100
200
300
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1289 m
Orient. = N03E
Center at 269245E,742658N
Distance = 4680 m
Receiver Data:
Length = 200 m
Orient. = N21W
Inversion control parameters:
ResSmth=1, dpW=0.01, dxW=1, dzW=0.03
SCS2D v3.40e
Constrainded Layers
Afek Project
Broadside Line N-3 (ExHy Data)
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
10/10/13
1:10000
Job 13060
REF:



Afek Project
Broadside Line N-A-2b
Golan Broadside CSAMT
Line N-A-2b
S3W
N3E
100
300
400
500
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1289 m
Orient. = N03E
Center at 269245E,742658N
Distance = 4640 m
Receiver Data:
Length = 200 m
Orient. = S09E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line N-A-2b
for Genie Oil & GAs
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
14/11/13
1:10000
Job 13060
REF:



Afek Project
Broadside Line N-A-4
GOLAN BROADSIDE CSAMT
Line N-A-4
S3W
N3E
100
300
400
500
600
400
200
0
-200
-400
-600
-800
-1000
-1200
-1400
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1289 m
Orient. = N03E
Center at 269245E,742658N
Distance = 6680 m
Receiver Data:
Length = 200 m
Orient. = N03E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=1, dzW=1
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line N-A-4
for Genie Oil & GAs
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
14/11/13
1:10000
Job 13060
REF
norm-Con1.mtm


Afek Project
Broadside Line P-1
S61W
N61E
100
300
400
500
700
Elevation (m)
GOLAN BROADSIDE CSAMT
Line P-1
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1093 m
Orient. = N61E
Center at 264279E,759362N
Distance = 4450 m
Receiver Data:
Length = 200 m
Orient. = N45E
Inversion control parameters:
ResSmth=0.5, dpW=0.03, dxW=1, dzW=0.03
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line P-1
for Genie Oil & GAs
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
15/10/13
1:10000
Job 13060
REF:


Afek Project
Broadside Line P-3
Golan Broadside CSAMT
Line P-3
S44W
N44E
100
200
300
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1093 m
Orient. = N61E
Center at 264279E,759362N
Distance = 5940 m
Receiver Data:
Length = 200 m
Orient. = N51E
Inversion control parameters:
ResSmth=0.5, dpW=0.03, dxW=1, dzW=0.03
SCS2D v3.40f
Constrained Layers
Broadside Line P-3Genie
Golan Heights Line P3-200
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
15/10/13
1:10000
Job 13060
REF:


Afek Project
Broadside Line Q-1
Golan Broadside CSAMT
Line Q-1
N51W
S51E
100
200
600
500
400
300
200
100
0
-100
-200
-300
-400
-500
-600
-700
-800
-900
-1000
-1100
-1200
-1300
-1400
Elevation (m)
16
25
40
63
100
158
251
631
398
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1205 m
Orient. = S51E
Center at 270649E,749884N
Distance = 5370 m
Receiver Data:
Length = 200 m
Orient. = S51E
Inversion control parameters:
ResSmth=0.5, dpW=0.03, dxW=1, dzW=0.03
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line Q-1
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
15/10/13
1:10000
Job 13060
REF:


Afek Project
Broadside Line Q-2
N51W
S51E
100
400
700
Elevation (m)
GOLAN BROADSIDE CSAMT
Line Q-2
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1205 m
Orient. = S51E
Center at 270649E,749884N
Distance = 6270 m
Receiver Data:
Length = 200 m
Orient. = N54W
Inversion control parameters:
ResSmth=0.5, dpW=0.03, dxW=1, dzW=0.03
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line Q-2
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
15/10/13
1:10000
Job 13060
REF:


Afek Project
Broadside Line Q-3
Golan Broadside CSAMT
Line Q-3
N51W
S51E
100
200
300
600
500
400
300
200
100
0
-100
-200
-300
-400
-500
-600
-700
-800
-900
-1000
-1100
-1200
-1300
-1400
40
63
100
158
251
Elevation (m)
Model Resistivity
(ohm-m)
1000
631
398
251
158
100
63
40
25
16
10
6
4
3
2
1
Bipole Transmitter Data:
Length = 1205 m
Orient. = S51E
Center at 270649E,749884N
Distance = 8980 m
Receiver Data:
Length = 200 m
Orient. = S59E
Inversion control parameters:
ResSmth=0.5, dpW=0.1, dxW=0.32, dzW=0.01
SCS2D v3.40f
Constrained Layers
Afek Project
Broadside Line Q-3
for Genie Oil & Gas
1D Smooth-Model Inversion
Scalar CSAMT Data
AUTHOR
DRAWN
DATE
SCALE
REPORT
NGA
nrc
19/10/13
1:10000
Job 13060
REF: