



Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- **Headache**
- **Dry mouth and increased thirst**
- **Dark urine**
- **Tiredness and fatigue**
- **Poor concentration**

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)

**ConvaTec**[Legal Notice](#)[Contact Us](#)

[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book.](#)



[View Online](#)



Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



ConvaTec

[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)






3:50 PM (0 minutes ago) ☆

[View Online](#)

# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



## Legal Notice

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)





hydration

9

9872202d-f3cf-4d73-87a5-576914bbd043@emailtests.com

Today, 3:50 PM

Litmus (hello@litmus.com)

Inbox

[View Online](#)



Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- **Headache**
- **Dry mouth and increased thirst**
- **Dark urine**
- **Tiredness and fatigue**
- **Poor concentration**

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



**Learn more** about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



ConvaTec

[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

Add us to your address book.





3:50 PM (0 minutes ago) ☆

[View Online](#)

# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



## Legal Notice

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc

This is an advertisement from

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)





hydration

4

483d6f53-0f90-42aa-ac50-0b5f5eb0bc1e@emailtests.com

Today, 3:50 PM

Litmus (hello@litmus.com) ✕

[View Online](#)

me+

Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.

## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.

## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.

me+

Learn more about dehydration, including how much and what you should drink.

**Questions?**  
Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

Add us to your address book.



3:50 PM (0 minutes ago) ☆

[View Online](#)

# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.




- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CLC@convatec.com](mailto:CLC@convatec.com)



## Legal Notice

**Contact Us**



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)







Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- **Headache**
- **Dry mouth and increased thirst**
- **Dark urine**
- **Tiredness and fatigue**
- **Poor concentration**

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)

**ConvaTec**[Legal Notice](#)[Contact Us](#)

[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book.](#)





Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)

**ConvaTec**[Legal Notice](#)[Contact Us](#)

[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book.](#)





Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)



**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



ConvaTec

[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)





Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



**ConvaTec**

[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book.](#)





Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



ConvaTec

[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book.](#)





Ostomy Support from ConvaTec



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



**ConvaTec**

[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book.](#)



[View Online](#)

## Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.




- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

**PLEASE NOTE:** The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CLC@convatec.com](mailto:CLC@convatec.com)



## Legal Notice

**Contact Us**



© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)



[View Online](#)



Ostomy Support from ConvaTec



## Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



### Signs of Dehydration

- **Headache**
- **Dry mouth and increased thirst**
- **Dark urine**
- **Tiredness and fatigue**
- **Poor concentration**

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



### Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



[Learn more](#) about dehydration, including how much and what you should drink.

### Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



ConvaTec

[Legal Notice](#)

[Contact Us](#)



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / ™ indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)

sender@emailtests.com

Search results might be incomplete because items are still being indexed.



+ Add

- All Items
- Activities
- Mail
- Attachments
- Meetings
- Status Updates

There are no items to show in this view.







[View Online](#)

## Staying Hydrated after Ostomy Surgery

Dear [enter name here],

While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration

- Headache
- Dry mouth and increased thirst
- Dark urine
- Tiredness and fatigue
- Poor concentration

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



## Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)

**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



## Legal Notice

**Contact Us**



[Unsubscribe](#) | [Privacy Policy](#)

© 2016 ConvaTec Inc.

® / <sup>TM</sup> indicates a trademark of ConvaTec Inc.

This is an advertisement from:

ConvaTec Inc.  
1160 Route 22 East  
Bridgewater, NJ 08807

[Add us to your address book](#)



hydration

sender@emailtests.com  
Thursday, December 8, 2016 at 8:50 PM  
To: Litmus


[View Online](#)



# Staying Hydrated after Ostomy Surgery

Dear [enter name here],


While most of us know that drinking fluids is important for your health, it's even more vital when you have an ostomy. You lose extra fluid through your ostomy, so it's important to keep that water bottle close by and sip on it throughout the day...every day.



## Signs of Dehydration


- **Headache**
- **Dry mouth and increased thirst**
- **Dark urine**
- **Tiredness and fatigue**
- **Poor concentration**

PLEASE NOTE: The color of your urine is the most important indicator of your hydration status. The darker it is, the more fluid you need to drink.



## Tips for Healthy Hydration

- **Sip.** Take small sips throughout the day.
- **Replace.** Exercise depletes fluid; take a quick break to replace.
- **Water breaks.** Keep a water bottle at work, and keep sipping.
- **Be proactive.** Don't wait until you're thirsty.



### Questions?

Talk to an ostomy nurse or a product specialist.

**Phone:** 1-800-422-8811 (Monday-Friday, 8:30am-7:00pm ET)  
**Email:** [CIC@convatec.com](mailto:CIC@convatec.com)



