

Another Org-based Presentation

Masataro Asai

April 28, 2014

To Start Press ”n”

WARN Turn off your custom keyboard shortcuts

1

1

Made by guicho2.71828 (Masataro Asai)

1 What Is It?

An Alternative to
Org-based Presentation

Method

Proceed with "n"

2 Usage (on browsers)

n go to the next section/expand a list

p back to the previous section

s, or "go" jump to an arbitrary section (using minibuffer)

d debugging mode (shows content border)

␣Ctrl-g␣ or ␣Esc␣ cancel current key strokes

"help" shows the available commands in the minibuffer!

3 Usage (on emacs)

1. clone our repo
2. `make html` to publish
3. show it on your browser!

4 Virtue

- Simplicity
 - `code.js` is a pure javascript, only has 200 lines (increasing as new features are added)
- Extensibility
 - you can write your own extension and its easy
 - set a function to `keyManager.<your-key-strokes>`
 - the key strokes should contain character c within char code $32 < c < 126$
 - * Space, !, ", . . . A, B, C, . . . x, y, z, {, |, ~
- LICENSE
 - GPLv3 ?? ; not attatched a license yet

5 Example: Expanding a List

- **the dots** tell "*here are more contents*" →
- **an arrow** tells "*here are expandable contents*" →
 - These remind you that there are
 - **still more sub-contents** you have to talk
 - and where it ends
- list
- list

6 Org-block templates

We mark the html tag with org-mode blocks such as `#+BEGIN_EXAMPLE`. Using block template (by modifying `org-structure-template-alist`), you can quickly write such blocks i.e.:

at the beginning of line, hit

```
<s<tab>
```

in normal org-mode distribution in emacs,
it would expand into:

```
#+BEGIN_SRC
```

```
#+END_SRC
```

6.1 customizing templates

We provide custom `org-structure-template-alist`. These blocks are recognized by the stylesheet we provide, so they are highlighted correctly.

- `\S` – smaller
- `\lar` – larger
- `\t` – twocolumn
- `\n` – footnote
- `\r` – float right
- `\ar` – align right
- `\lcr` – “left,center,right”
format with x-large fonts
- `\E` – latex ‘equation’ environment
- still more...

copy-paste it to your `.emacs`

`config.el`

7 Images

- Put images into `img/` directory.
- `svg` files are converted into `png`.
 - We recommend it because
 1. In `html` presentation, the inserted `svg` images capture the keyboard and mouse event and the presentation sometimes does not work right.
 2. In `resume` output and `pdf` presentation, the `svg` and `svg-inkscape` package is a bit buggy and I personally failed make it work.
- `svg-png` conversion is done by `inkscape`
 - but you can also use ImageMagick `convert` command.
 - See `img/Makefile` for more information.

8 Dependencies

- jQuery (included)
- Inkscape (image conversion)
- org-mode (optional submodule)
- MathJax (optional submodule)

9 L^AT_EX output

- just `make pdf` on your shell
- need the latest \TeX live installation
 - see `Makefile`
 - `pdflatex`
 - alternatively, `platex` and `dvipdfmx`
- `presen.pdf` – presentation in pdf with similar appearance. Useful when browser-based presentation is not allowed
- `resume.pdf` – short and printed version.

10 Utility

- `./make-periodically.sh [args]`
 - Watches the changes in the directory and **make**
 - Build statuses are notified in inotify pop-up
 - all arguments are passed to **make**
 - dependency : inotifywait, notify-send

11 Makefile Target

- `make html` – builds the html version
- `make resume` – builds the resume version
- `make pdf` – builds the pdf version
- `make` – build all

12 Test

- Link
- This
- Is
- A Test

Mathjax formula:


$$E = mc^2$$

$$E = mc^2 + \frac{1}{2}mv^2 \tag{1}$$

12.1 Twocolumn Test

- HOOA!
- **HOOA!**
- HOOA!

This is a LISP ALIEN IN A CAGE!



12.2 many columns test

a a a a a a a a	b b b b b b b	c c c c c c c c	d d d d d d d
a a a a a a a a	b b b b b b b	c c c c c c c c	d d d d d d d
a a a a a a a a	b b b b b b b	c c c c c c c c	d d d d d d d
a a a a a a a a	b b b b b b b	c c c c c c c c	d d d d d d d
	b b b b		d d d d

13 A Slide with Too Little Contents

Hi, I'm small!

2

²See the headline is correctly adjusted

14 Left-Center-Right template

x-large left

centered

right

3

³This is a footnote

15 TODOs

- Features

- Table of contents
- `<dl>` does not expand
- Showing ~~current~~ keystrokes **DONE**
- auto-scroll/auto-zoom with big contents
- Showing current/total page number
- Changing Stylesheet
- Up-Section command
- Slide thumbnail
- stopwatch/countdown timer **DONE**

- Features inspired by other tools

- Content Search (in org-infojs)
- Drawing mode (in jessyink)
- 'Paused' mode (in reveal.js)
- ~~Export to PDF (also in reveal.js)~~
 - * implemented as the resume output
- Slide with an image covering entire background (slideshare)
- present one paragraph/word/letter at a time