Another Org-based Presentation

Masataro Asai

April 28, 2014

To Start Press "n"

WARN Turn off your custom keyboard shortcuts

1

1 What Is It?

An Alternative to

Org-based Presentation

Method

Proceed with "n"

2 Usage (on browsers)

n go to the next section/expand a list

p back to the previous section

s, or "go" jump to an arbitrary section (using minibuffer)

d debugging mode (shows content border)

¡Ctrl-g¿ or ¡Esc¿ cancel current key strokes

"help" shows the available commands in the minibuffer!

3 Usage (on emacs)

- 1. clone our repo
- 2. make html to publish
- 3. show it on your browser!

4 Virtue

- Simplicity
 - code.js is a pure javascript, only has 200 lines (increasing as new features are added)
- Extensibility
 - you can write your own extension and its easy
 - set a function to keyManager.
 - the key strokes should contain character c within char code 32 < c < 126
 - * Space,!,",...A,B,C,...x,y,z,{,|,~
- LICENSE
 - GPLv3??; not attatched a license yet

5 Example: Expanding a List

- the dots tell "here are more contents" \rightarrow
- an arrow tells "here are expandable contents" →
 - These remind you that there are
 - still more sub-contents you have to talk
 - and where it ends
- list
- list

6 Dependencies

- jQuery (included)
- Inkscape (image conversion)
- org-mode (optional submodule)
- MathJax (optional submodule)

7 LATEX output

- pdf presentation presen.pdf presentation in pdf with similar appearance. Useful when browser-based presentation is not allowed
- Printable Resume resume.pdf short and printed version.
- just make pdf on your shell
- need the latest \$TEX\$live installation
 - see Makefile
 - pdflatex
 - alternatively, platex and dvipdfmx

8 Images

- Put images into img/ directory.
- svg files are converted into png.
 - We recommend it because
 - 1. In html presentation, the inserted svg images capture the keyboard and mouse event and the presentation sometimes does not work right.
 - 2. In resume output and pdf presentation, the svg and svg-inkscape package is a bit buggy and I personally failed make it work.
- svg-png conversion is done by inkscape
 - but you can also use ImageMagick convert command.
 - See img/Makefile for more information.

9 Org-block templates

We mark the html tag with org-mode blocks such as #+BEGIN_EXAMPLE.
Using block template (by modifying org-structure-template-alist),
you can quickly write such blocks i.e.:

```
at the beginning of line, hit
<s<tab>
in normal org-mode destribution in emacs,
it would expand into:
#+BEGIN_SRC
#+END_SRC
```

9.1 customizing templates

We provide custom org-structure-template-alist. These blocks are recognized by the stylesheet we provide, so they are highlighted correctly.

- ¡S smaller
- ¡lar larger
- jt twocolumn
- in footnote
- ¡r float right
- jar align right
- ¡lcr "left,center,right" format with x-large fonts
- ¡E latex 'equation' environment
- still more...

copy-paste it to your .emacs

config.el

10 Utility

- ./make-periotically.sh [args]
 - Watches the changes in the directory and make
 - Build statuses are notified in inotify pop-up
 - all arguments are passed to make
 - dependency: inotifywait, notify-send

11 Makefile Targets

- make html builds the html version
- make resume builds the resume version
- make pdf builds the pdf version
- make build all

12 Test

- Link
- This
- Is
- A Test

Mathjax formula:


$$E = mc^2$$

$$E = mc^2 + \frac{1}{2}mv^2 (1)$$

12.1 Twocolumn Test

- HOOA!
- HOOA!
- HOOA!

This is a LISP ALIEN IN A CAGE!



12.2 many columns test

b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
b
c
c
d
d
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e
e<

 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C
 C

13 A Slide with Too Little Contents

Hi, I'm small!

 $^{^2\}mathrm{See}$ the headline is correctly adjusted

14 Left-Center-Right template

x-large left

centered

right

³This is a footnote

15 TODOs

Features

- Table of contents
- <dl> does not expand
- Showing current keystrokes **DONE**
- auto-scroll/auto-zoomwith big contents
- Showing current/total page number
- Changing StylesheetDONE
- Up-Section command
- Slide thumbnail
- stopwatch/countdown timer **DONE**

- Features inspired by other tools
 - Content Search (in orginfojs)
 - Drawing mode (in jessyink)
 - 'Paused' mode (in reveal.js)
 - Export to PDF (also in reveal.js)
 - * implemented as the resume output
 - Slide with an image covering entire background (slideshare)
 - present one paragraph/word/letter at a time