

---

# EED364 : Graph Signal Processing [Lab-5]

## Table of Contents

Objective: .....	1
Program: .....	1
1 .....	1
2 .....	1
3 .....	2
4 .....	199
5 .....	200

- Author: Alapati Sai Varun(1410110037)\_ [as217@snu.edu.in](mailto:as217@snu.edu.in)
- Lab Instructor: Prof.Vijay Kumar Chakka

## Objective:

Eigen spectrum with respect to Adjacency matrix of a Graph

## Program:

```
clc;  
clear all;  
close all;
```

### 1

```
load('Lab3_minnesota.mat','Problem');  
zerosap=zeros(1,length(Problem.aux.coord))';  
Minco=[Problem.aux.coord zerosap];  
[U D ]= eig(full(Problem.A));  
i=1:size(Problem.A,1);  
E=diag(D);  
X(i,1)=exp(-100*E(i,1 ));  
x=U*X;  
if(round(sum(x.*x))==round(sum(X.*X)))  
    display('Verified Pasrvel's relation ');  
end
```

### 2

```
c=1/(sqrt(sum(x.*x)));  
X1(i,1)=c*exp(-100*E(i,1 ));  
x1=U*X1;
```

### 3

```
X2(i,1)=exp(-5*E(i,1));
x2=U*X2;
c1=1/(sqrt(sum(x2.*x2)));
X3(i,1)=c1*X2;
x3=U*X3;

X4(i,1)=0.03*exp(-E(i,1));
E4X=sum(X4.*X4);
X5(i,1)=exp(-3*E(i,1));
E5X=sum(X5.*X5);
X6(i,1)=2*0.03*exp(-4*E(i,1));
E6X=sum(X6.*X6);
K1=(-E6X+sqrt(E6X^2-4*E5X*(E5X-4)))/(2*E5X);
K2=(-E6X-sqrt(E6X^2-4*E5X*(E5X-4)))/(2*E5X);
EK1=(K1^2)*E5X+K1*E6X+E5X;
EK2=(K2^2)*E5X+K2*E6X+E5X;
C1=X4+K1*X5;
c1=U*C1;
C2=X4+K2*X5;
c2=U*C2;
```

```
% plotting translated
T51=Trans(x3,200,U);
figure(1);
subplot(2,4,1);
sigplot(Problem.A,Minco,T51);
T2=Trans(x3,1000,U);
subplot(2,4,2);
sigplot(Problem.A,Minco,T2);
T3=Trans(x3,2000,U);
subplot(2,4,3);
sigplot(Problem.A,Minco,T3);
T4=Trans(c1,2000,U);
subplot(2,4,4);
sigplot(Problem.A,Minco,T4);
T41=Trans(c2,2000,U);
subplot(2,4,5);
sigplot(Problem.A,Minco,T41);
T5=Trans(c1,1500,U);
subplot(2,4,6);
sigplot(Problem.A,Minco,T5);
T51=Trans(c2,1500,U);
subplot(2,4,7);
sigplot(Problem.A,Minco,T51);
```

```
Warning: Imaginary parts of complex X, Y, and/or Z arguments ignored
Warning: Imaginary parts of complex X, Y, and/or Z arguments ignored
Warning: Imaginary parts of complex X, Y, and/or Z arguments ignored
Warning: Imaginary parts of complex X, Y, and/or Z arguments ignored
Warning: Imaginary parts of complex X, Y, and/or Z arguments ignored
Warning: Imaginary parts of complex X, Y, and/or Z arguments ignored
```

















































































































[illegible]















































































































---

103







---

106

---

107

---

108

















---

116





















---

126









---

130



---

132



---

134

---

135























---

145







---

149

---

150































---

164

---

165





---

168







---

171









---

176



---

177

---

178











---

184



---

185





---

188





---

191










---

195










4

```
figure(2);  
subplot(2,2,1)  
X11=c*X1;  
x11=U*X11;  
plot(i,X11);  
subplot(2,2,2)  
M1=x11.*U(:,2000);  
subplot(2,2,3)  
M2=x11.*U(:,100);  
subplot(2,2,4)  
M3=x11.*U(:,2642);
```




5

```
d=[];
for i=1:length(U)

    e=X1(i+1:length(U),1);
    e=e'*e;
    d=[d e];
end
figure(3);
plot(i,d);
```





*Published with MATLAB® R2015b*