




CASE STUDIES



Case ID	AA067
Gender	male
Birth date	25 Jan 1990
Diagnosis	crowding, class I
Analysis of X-ray	no crowns, fillings on molars
Treatment goal	align upper and lower jaw, correct crowding without extraction



Treatment Plan

Duration of treatment: 7,5 month upper jaw, 12,5 month lower jaw

Number of aligners: 15 upper jaw, 25 lower jaw


Treatment approach:

tooth 31 was moved 2,35mm to vestibular; tooth 42 was moved 2,27mm to vestibular; tooth 12 was rotated by 16 degrees; tooth 13 was rotated by 14 degrees; occlusion didn't change but bite changed; aggressive IPR on lower jaw

IPR:

14 m	13 d	13 m	12 d	12 m	11 d	11 m	21 m	21 d	22 m	22 d	23 m	23 d	24 m
44 m	43 d	43 m	42 d	42 m	41 d	41 m	31 m	31 d	32 m	32 d	33 m	33 d	34 m
		,20	,20	,20	,20	,20	,20	,20	,20	,20	,20		

Attachments:



3D-Simulation



Treatment Result

START

PROGNOSIS

BEFORE

AFTER



Case ID

AA065

Gender

male

Birth date

01 Jan 1991

Diagnosis


crowding and crossbite, class I

Analysis of X-ray

no crowns or fillings

Treatment goal

align upper and lower jaw,
correct crossbite



Treatment Plan


Duration of treatment: 11,5 month upper jaw, 11 month lower jaw

Number of aligners: 23 upper jaw, 22 lower jaw

Treatment approach:

tooth 16 was moved 1,40mm to vestibular; tooth 46 was moved 1,86mm to lingual; tooth 12 was intruded by 0,60mm; tooth 31 was rotated by 30 degrees; tooth 41 was rotated by 25 degrees ; tooth 11 was rotated by 17 degrees; tooth 21 was rotated by 24 degrees; occlusion and bite changed (correction of crossbite); aggressive IPR on both jaws (to create space for rotation movements without making an overjet)

13 m	12 d	12 m	11 d	11 m	21 m	21 d	22 m	22 d	23 m
,30	,30	,30	,30	,30	,30	,30	,30	,30	,30
43 m	42 d	42 m	41 d	41 m	31 m	31 d	32 m	32 d	33 m
,20	,20	,20	,20	,20	,20	,20	,20	,20	,20



3D-Simulation


Treatment Result

START


PROGNOSIS

BEFORE

AFTER



Case ID	AA084
Gender	male
Birth date	01 Feb 1989
Diagnosis	crowding class II
Analysis of X-ray	no crowns or fillings
Treatment goal	align upper and lower jaw, adjust 7 to 7



Treatment Plan


Duration of treatment: 12,5 month upper jaw, 8,5 month lower jaw

Number of aligners: 25 upper jaw, 17 lower jaw

Treatment approach:

tooth 21 was moved 2,60mm to vestibular; tooth 11 was angulated by 13 degrees; tooth 12 was extruded by 60mm; tooth 32 was rotated by 12 degrees; occlusion didn't change but bite changed; aggressive IPR on both jaws

14 m	13 d	13 m	12 d	12 m	11 d	11 m	21 m	21 d	22 m	22 d	23 m	23 d	24 m
		,20	,20	,20	,20	,20	,20	,20	,20	,20	,20		
44 m	43 d	43 m	42 d	42 m	41 d	41 m	31 m	31 d	32 m	32 d	33 m	33 d	34 m
			,20	,20	,20	,20	,20	,20	,20				



3D-Simulation

Treatment Result

START

PROGNOSIS

BEFORE

AFTER

