• Which are the fundamental concept of Object Oriented Programming?

Ans: A. Inheritance B. Polymorphism C. Encapsulation D. All of the above

• What is the output of substr("Bangladesh",0,6)?

Ans: Bangla

• Correct function to open a file, for readable mode?

```
Ans: a. fopen("text.txt","r")

b. fopen("text.txt","r+")
```

• OOP features that not supported by PHP?[choose two] [page-127(pdf)]

Ans: 1. Method overloading 2. Multiple inheritance

• Which of the following function is used to Initialize object properties? [page-149(pdf)]

Ans: constructor

Which statement is true about Regular Expressions?

Ans: Describing or matching data according to defined syntax rules.

Which function used to find and replace pattern with a replacement string?
 [page-197(pdf)]

```
Ans: a. eregi_replace() b. ereg() c. replace_string()
```

Which function is used to read an entire file? [page-239(pdf)]

```
Ans: a. fread() b.readfile() c.file()
```

Correct way to call/invoke a method of a class:

```
class name: MyPHP,
method: getDate(),
object: $callPHP? (or something like that)
Ans: $callPHP-> getDate ();
```

• Which function is used to moving an uploaded file into temporary file location?

```
Ans: move_uploaded_file();
```

Class inheritance in PHP is accomplished by using the keyword-

Ans: extends

• Which function divide a delimited string into various array elements?

```
Ans: explode();
```

Correct syntax of mail function-

```
Ans: mail($recipient,"This is a subject","This is a body",$header );
```

• Which system allows to use domain names in place of the corresponding IP address?

Ans: DNS

• What do you mean by Web Service?

Ans: a. Web service is a network service which is used to interoperate.....

b. Web service is a software system which is used to interoperate.....

c. send mail trough network using web service

How to read CSV file? [page-241(pdf)]

Ans: fgetCSV()

How can we sanitize input? [page-251(pdf)]

Ans: Prevent users to input data that cause to harm.

Which of the following PHP codes shall work properly? [page-251(pdf)]

```
Ans: a. ?php
         session_start();
         echo "Your session identification number is " . session_id();
         session_destroy();
         ?>
    b. <?php
        session_start();
         $_SESSION['username'] = "Jason";
         printf("Your username is %s.", $_SESSION['username']);
         ?>
     c. <?php
         session_start();
         $_SESSION['username'] = "Jason";
        printf("Your username is: %s <br />", $_SESSION['username']);
         unset($ SESSION['username']);
         printf("Username now set to: %s", $_SESSION['username']);
         ?>
```

d. All of the above.

| • | Which function delete all session variables stored in the current session, though it will not completely remove the session from the storage mechanism? |
|---|---|
|   | Ans: session_unset();   |
| • | PEAR (the acronym for PHP Extension and Application Repository) means or true about:  |
|   | Ans: open-source code in PHP artifacts (or something like that)   |
|   | [ans: https://pear.php.net/manual/en/about.pear.php]  |
| • | In order to ensure SID Propagation  |
|   | Ans: a. Cookie b. URL Rewriting c. none d. a and b  |
| • | Which class should be used to handle situations where a provided value does not match any of an array's defined keys?                                   |
|   | Ans: a. InvalidArgumentException  |
|   | b. LogicException   |
|   | c. OutOfBoundsException   |
|   | d. RuntimeException   |
|   |   |
| • | Which function is used to change an existing filename?  |
|   | Ans: rename();  |
|   |   |
| • | Which function attempts to remove the specified directory?  |
|   | Ans: rmdir()  |
| • | Maximum, how many times an interface can be implemented?  |
|   | Ans: a. Only once   |
|   | b. Two times  |

c. As many times as required

## d. At least three times

- 25. Which class defines a general specification for implementing a particular service, declaring the required functions and constants without implementation code?
- A. constants B. Interface
- C. Abstract
- 26. What will be the output of the following PHP code?

```
<?php
$url = "nachiketh@example.com";
echo strstr($url, "@");</pre>
```

- ?>
- a) nachiketh@example.com
- b) nachiketh
- c) nachiketh@
- d) @example.com
- 27.log errors is related to which type of directive?
- (a) log errors
- (b) error log
- (c) log error max
- (d) None of the above
- 28. To read and write file which file mode is/are used?
- A. r B. r+
- B. w D. w+
- 29. What is the default scope of any variable and function?
- A. public B. private
- C. protected D. none
- 30.mysql all table show....

Ans. Show table

- 31. Which Function is used for creating digital signature? Ans: MD5().
- 32. is upload file
- 33. for digital signature, which function?
- 34. to check email: filter\_validate\_email
- 35. get port by service

## DESCRIPTIVE

- What is the function of fscanf()?
- What is the differrence between fgetc() and fread()?
- What do you mean by Regular Expressions?
- What is DNS?
- What do you mean by encryption?
- What is PHP's Authentication Variables? Write with example?
- What do you mean by Interface?
- Why we use web service?
- Rss
- 10.functions of file upload