•	How to divide a string into various elements?
	• string_divide()
	• substring()
	• split()
	• str()
•	Which type of scope is only accessible by subclass?
	• static
	• public
	• protected
	None of the above
•	How can we inherit properties in PHP?
	• implements
	• extends
	• include
	• None
•	Which of the following function provides a convenient way to move uploaded file from a temporary location?
	• is_uploaded_file()
	<ul><li>move_uploaded()</li></ul>
	<ul><li>move_uploaded_file()</li></ul>
	• none
•	Which are the fundamental concept of OOP?

- inheritance
- polymorphism
- encapsulation
- All of the above
- Which of the following statement is used for pulling each key/value pair from the array until all items are retrieved
  - for statement
  - foreach statement
  - do-while loop
  - None of above
- Which of the following function is used to merge arrays
  - array\_combine()
  - array\_marge()
  - array\_slice()
  - None
- How to determine the length of a string?
  - strlen(\$str)
  - strLength(\$str)
  - None of the above
- Which of the following exception type should.....
  - InvalidArgumentExeption
  - Logic Exception

- OutOfBoundsExceptions
- RuntimeException
- In order to know the data type of ......
  - getVar()
  - gettype()
  - getType()
  - getDataType()
- Which function in PHP sends mail?
  - mail()
  - mailto()
  - None of them

```
$value = 1;
do{
$count = 3;
$value = $value+2
$value = $count*$value;
} while ($count >= 12);
echo "value = $value";
```

Which of the following is correct?

- Line 6 will show an error
- Line 8 will show an error
- The output is 12

- The output is 9
- Which keyword allows class members (methods and properties) to be used without needing to instantiate a new instance of the class?
  - protected
  - final
  - static
  - private
- Which of the following allows you to use domain names in place of the corresponding IP Address?
  - HTTP
  - DNA
  - DNS
  - FTP
- Encoded session data can be decoded. Which function offers a particularly convenient method for manually decode all session variables?
  - session\_unset()
  - session\_destroy()
  - session\_decoding()
  - session\_decode()
- An exception is handled by
  - The throw keyword
  - The catch block
  - The function that caused the error

- An object of the exception classWhich type of directive detect error?log\_errors
  - error\_log
  - log\_error\_max
  - None of the above
- Which of the following function removes the specified directory?
  - removedir()
  - deletedir()
  - rmdir()
  - touch()
- Which of the following are correct scope types of PHP variable? (Choose two)
  - Local variable
  - Global variable
  - Static variable
  - All of the above
- Which statement is true about Regular Expressions?
  - Describing or matching data according to defined syntax rules
  - Allowing to slice and dice text in nearly every conceivable fashion
  - Used for searching data
- Php

## Echo \$\_SERVER['REMOTE\_ADDR'];

The above statement represents what?

- Shows the IP address of the local system
- Shows the IP address of the client/visitor
- Shows the IP address of the webserver
- None of the above
- In PHP, which of the following function is used to insert php script into another script
  - include[]
  - \$include()
  - include()
  - \$include{}
- Which function executes a case-sensitive search of a string ....
  - eregi()
  - ereg()
  - pereg()
  - peregl()
- What is the advantage of Prepared Statement?
  - Supports for replication
  - Eliminate overhead
  - Enhanced debugging

	•	Use session variables
	•	None of them
•	WI	nich type of scope is only accessible by subclass
	•	static
	•	public
	•	protected
	•	None of the above
•	WI	nich keyword is used to refer to properties or methods?
	•	private
	•	protected
	•	public
	•	\$this
•	Wl	nich of the following term originates from the Gree
	•	Abstraction
	•	Differential
	•	Inheritance
	•	Polymorphism
•		nich of the following function will delete all session variables stored in the rrent session but not completely remove from storage mechanism?
	cu	Trent session but not completely remove nom storage mechanism:
		7

• How to can we store information on the client's Machine ...

Use session

• Use cookies

- session\_unset()
- session\_destroy()
- session\_none()
- session\_fresh
- There is a PHP class called MyPhp; and it has a function getData(). An instance created from the class called \$callPhp. How to call getData() function?
  - \$callPhp->getData();
  - \$callPhp.getData();
  - \$callPhp<-getData();</li>
  - \$callPhp(getData());
- How to remove last element of an array?
  - array\_shift()
  - array unshift
  - array\_push()
  - array\_pop()
- The practice of creating objects based on predefined class is often referred to as.
  - Class creation
  - Object instantiation
  - Object creation
  - Class instantiation
- How to divide a string into various elements?
  - string\_divide()

- substring()
- split()
- str()
- Which of the following statement is correct?
  - A static variable does not lose its value when the function execute.....
  - A static variable lose its value when the function exists.
  - None
- What is the principal purpose of PEAR?
  - And officially sanctioned library of open source component contributed by PHP architects
  - And officially sanctioned library of documentation standard contributed by PHP architects
  - And officially sanctioned library of web services product contributed by PHP architects
  - All of the above
- What do you mean by Sanitizing input?
  - How to perform file system
  - How to interact with data files
  - How to prevent users from passing data that may cause harm to data
  - None
- What are the two common characteristics shared by all objects?
  - Methods and interfaces
  - State and behavior

- Methods and messages
- Which of the following function checks for the existence of DNS records?
  - checkdns()
  - checkdnsr()
  - checkdnsrr()
  - checkdnsa()
- What are the difference between print and echo? (choose two)
  - echo faster than print
  - echo return value
  - print return value
  - echo return true
- The methods declared only within a parent class but are implemented in the child classes is called?
  - final method
  - interface
  - abstract method
  - public method
- The practice of separating the user from the true inner workings of an application through well-known interfaces is known as
  - Polymorphism
  - Abstraction
  - Inheritance
  - Encapsulation

•	Which function create a new session of continues a current session?
	<ul> <li>SessionStart</li> </ul>
	• session_Start
	• Start_session
	All of them
•	Which types of function is called by itself?
	Nesting function
	Recursive function
	Variable function
	• All
•	Which of the following function sorts array items in descending order?
	• asort
	• sort
	• rsort
	• ksort
•	Which of the following property is used to initialize object properties?
	• method
	• variable
	• constructor
	• destructor
	<ul> <li>instanceof</li> </ul>

	• dodara()	
	• declare()	
	• include()	
	• require()	
	• define()	
•	PHP does not support which of the following OOP properties?	
	Object cloning	
	Multiple inheritance	
	• Interface	
	• Namespace	
•	How can we use unique identifier:	
	session_id	

We can declare constant the by using following function \_\_\_\_\_\_\_