

PHP5

- Which method applicable for larger form submission:
Ans: [POST method](#)
- Which type of function is called by itself?
Ans: [Recursive Function](#)
- How can you access a field of a class?
Ans: [\\$this->field-name](#)
- Which are the fundamental concept of Object Oriented Programming?
Ans: [A. Inheritance B. Polymorphism C. Encapsulation D. All of the above](#)
- What is the output of **substr("Bangladesh",0,6)?**
Ans: [Bangla](#)
- Correct function to open a file, for readable mode?
Ans: a. [fopen\("text.txt","r"\)](#)
 b. [fopen\("text.txt","r+"\)](#)
- Which construct is used to make multiple variable assignments from array values?
Ans: [list\(\);](#)
- OOP features that not supported by PHP?[choose two] [\[page-127\(pdf\)\]](#)
Ans: [1. Method overloading 2. Multiple inheritance](#)
- Which of the following property is used to Initialize object properties? [\[page-149\(pdf\)\]](#)
Ans: [constructor](#)
- Which statement is true about Regular Expressions?
Ans: [Describing or matching data according to defined syntax rules.](#)
- Which function used to find and replace pattern with a replacement string?
[\[page-197\(pdf\)\]](#)
Ans: [a. eregi_replace\(\)](#) b. [ereg\(\)](#) c. [replace_string\(\)](#)
- Which of the following functions is used to merge arrays together, returning a single

unified array?

Ans: array_merge()

- Which is the most commonly used shorting function in array?

Ans: sort()

- Originating class and it's child classes available in which method scopes? [\[page-147\(pdf\)\]](#)

Ans: protected

- Which function is used to read an entire file? [\[page-239\(pdf\)\]](#)

Ans: a. fread() b.readfile() c.file()

- Use of \$this keyword? [\[page-139\(pdf\)\]](#)

Ans: referring to the property residing in the same class.

- Correct way to call/invoke a method of a class:

class name: MyPHP,

method: getDate(),

object: \$callPHP? (or something like that)

Ans: \$callPHP-> getDate ();

- Which function is used to moving an uploaded file into temporary file location?

Ans: move_uploaded_file();

- Class inheritance in PHP is accomplished by using the keyword-

Ans: extends

- <form action="receive.php " method="post">
<input type="text" name="nm" value="fruits">
</form>

How to get value from input in receive.php page?

Ans: \$ POST["nm"];

- Which function divide a delimited string into various array elements?

Ans: explode();

- Correct syntax of mail function-

Ans: mail(\$recipient,"This is a subject","This is a body",\$header);

- Which system allows to use domain names in place of the corresponding IP address?

Ans: DNS

- What do you mean by Web Service?

Ans: a. Web service is a network service which is used to interoperate.....

b. Web service is a software system which is used to interoperate.....

c. send mail through network using web service

- How to read CSV file? [page-241(pdf)]

Ans: fgetCSV()

- How can we sanitize input? [page-251(pdf)]

Ans: Prevent users to input data that cause to harm.

- Which of the following PHP codes shall work properly? [page-251(pdf)]

Ans: a. ?php

session_start();

echo "Your session identification number is " . session_id();

session_destroy();

?>

b. <?php

session_start();

\$_SESSION['username'] = "Jason";

printf("Your username is %s.", \$_SESSION['username']);

?>

c. <?php

session_start();

\$_SESSION['username'] = "Jason";

printf("Your username is: %s
", \$_SESSION['username']);

unset(\$_SESSION['username']);

printf("Username now set to: %s", \$_SESSION['username']);

?>

d. All of the above.

- Which function delete all session variables stored in the current session, though it will not completely remove the session from the storage mechanism?

Ans: session_unset();

- PEAR (the acronym for PHP Extension and Application Repository) means or true about:

Ans: open-source code in PHP artifacts (or something like that)

[ans: <https://pear.php.net/manual/en/about.pear.php>]

- In order to ensure SID Propagation.....
Ans: a. Cookie b. URL Rewriting c. none d. a and b
- Correct Include() syntax: (Select all that apply)
Ans: a. <? Include 'header.php; ?>
 b. <?php for(\$i=0; \$i<10; \$i++) { include "repeataation element.php ";} ?>
 c. <?php include "./preparation.php"; ?>
 d. All of the above
 e. Only B and C are correct.
- Which class should be used to handle situations where a provided value does not match any of an array's defined keys?
Ans: a. InvalidArgumentException
 b. LogicException
 c. OutOfBoundsException
 d. RuntimeException
- Which function is used to change an existing filename?
Ans: rename();
- Which function attempts to remove the specified directory?
Ans: rmdir()
- What is the correct function for six to the forth power?
Ans: a. pow(4,6)
 b. pow(6,4)
- Maximum, how many times an interface can be implemented?
Ans: a. Only once
 b. Two times
 c. As many times as required
 d. At least three times

DESCRIPTIVE

- What is the function of fscanf()?

- What is the difference between fgetc() and fread()?
- What do you mean by Regular Expressions?
- What is DNS?
- What are the advantages of using Constructor?
- What do you mean by Encapsulation?
- What is the function of substr()?
- What is the difference between array_merge() and array_slice()?
- What is the function of fopen() and fclose()?
- What is PHP's Authentication Variables? Write with example?
- What do you mean by Interface?
- What is Exception?
- Which function is used to encode and decode session data?
- Which functions are used to upload a file?