Set A

1. **How can we navigate link?**

- Cropping
- Rotating
- Pagination ✔
- All of above

2. Which is the correct path to saving controller files in Laravel?

- Resources/controllers
- App/controllers
- App/Http/controllers ✔
- Controllers

3. What is the abbreviation of ORM in Laravel?

- Object-Rotational Mechanisim
- Object-related Modifier
- Overloaded-relational Mapping
- Object-relational Mapping ✔

4. What does the "webpack" do?

- Transpiles all the Javascript down into one file ✔
- Runs react local development server
- Both A and B
- None

5. How can we prevent default behavior in React?

- using None of the options
- using avoidDefault()
- revokeDefault()
- Using preventDefault() ✔

6. Which of the following API is a MUST for every ReactJS component?

- getInitialState
- render ✔
- renderComponent
- None

7. What the state machine in React is called?

- ReactObject
- ReactComponent
- ReactElement ✔
- ReactDOM

8. Everything in React is a _____

- Module
- Component ✔
- Package
- Class

9. In React, what is used to pass data to a component from outside?

- setState
- render with arguments
- props ✔
- PropTypes

10. Which type of syntax does React support?

- Redux
- None of options
- Native Java
- ES6 ✔

11. What is the smallest building block of ReactJS?

- none of the options
- props

- elements ✔
- components

12. Which of the followings does React use?

- two-way binding
- dirty checking
- virtual DOM ✔
- All of the above

13. What is the function of composer.json?

- This file is used to configure the composer package manager. ✔
- This file identifies the packages you like to interface.
- This is used to regularly maintain your application package.

14. What are the advantages of React JS?

- Using React increases readability and makes maintainability easier.
- React can be used with any other framework (Backbone.js, Angular.js, etc.)
- React can be used on client and as well as server side too
- All of the above ✔

15. At the highest level, React components have lifecycle events:

- State/Property Updates
- Destruction
- Initialization
- All of these ✔

16. How can you access the state of a component from inside a function?

- this.getState()
- this.prototype.stateValue
- this.state ✔
- this.values

17. Which option do you have to change to manage cache area in laravel?

- radis ✔

- connections
- Migrations
- fetch

18. Which of the following function is called accessors?

- Getter Functions ✔
- Setter functions
- Member Functions
- None

19. Which function is used to find out current route name?

- request()->getName()
- request()->route->getName()
- request()->route()->getName() ✔
- None of these

20. What naming convention React uses to handle events?

- camelCase ✔
- snake_case
- flatcase
- UPPERCASE

21. Which of the following artisan CLI command is used to project's namespace?

- php artisan updatenny_app
- php artisan namespace:my_app
- php artisan update app
- php artisan app:name my_project ✔

22. What is ReactJS?

- Server-side Framework
- Javascript framework for building user interfaces
- Javascript library for building user interfaces ✔
- None

23. Which is used in laravel to prevent malicious user?

- $fillable ✔
- $check
- $flable

24. Which laravel property identifies the columns that can be inserted/updated by way of mass assignment?

- $hidden
- $fillable ✔
- $component
- $table

25. Which function is used to get all records from item table?

- $result=DB::get('item')->table();
- $result=DB::table('item')->get(); ✔
- $result=DB::table('item')->getAll();
- $result=DB::table(&E'item&E^N)->get();

Set B

1. Which type of syntax of does React supports?

- Redux
- None of options
- Native Java
- ES6 ✔

2. What is state in React?

- A persistant storage.
- An internal data store (object) of a component. ✔
- Both
- none

3. React keeps track of what items have changed, been added, or been removed from a list using _____.

- state
- props
- keys ✔
- ref

4. In which directory React Components are saved?

- Inside js/components/ ✔
- Inside vendor/components/
- Inside external/components/
- Inside vendor/

5. Where we get log files in laravel?

- App\logs
- Resources\Logs
- Public\Logs
- Storage\logs ✔

6. What is the purpose of composer.lock?

- It is used to contain information about the state of the installed composer package at the time these packages were last installed and/or updated. ✔
- It is used to lock all the packages so that it would never be change later.
- It is used to contain information about the state of the installed composer package at the time when packages were first installed and/or updated.

7. How can you passed props to components via HTML?

- elements
- attributes ✔
- DOM
- None

8. Props are _____ into other components

- Injected ✔

- Methods
- Both A and B
- All of these

9. React merges the object you provide into the current state using _____.

- setState() ✔
- State()
- bindState()
- none

10. Objects can be passed from React child element to parent element.

- True
- False ✔

11. In which object React stores state of a component?

- this.props
- this.state ✔

12. What is ReactJS?

- Server-side Framework
- Javascript framework for building user interfaces
- Javascript library for building user interfaces ✔
- None

13. What is the role of middleware?

- Ignore request
- Process request and response ✔
- Send request
- Get response

14. What is the purpose of React?

- Database
- Connectivity
- User interface ✔

- Design platform

15. Laravel supports which of the following design pattern?

- Singleton Design Pattern
- Composite Design Pattern
- MVVM Design Pattern
- MVC Design Pattern ✔

16. What does the "webpack" do?

- Transpiles all the Javascript down into one file ✔
- Runs react local development server
- Both A and B
- None

17. What do you mean by Laravel Elixir?

- An easy solution for compiling laravel project ✔
- A useful tool to create template in laravel
- A debugging tool

18. Which directory contain "robot.txt" file?

- app
- config
- public ✔

19. What is the abbreviation of ORM?

- Object-Relational Migration
- Object-Relational Mapping ✔
- Object-Relationship Mapping
- Object-Relational Map

20. Which is the default location of your project's view?

(Note: The real location is resources/views, but since it's not in the options, the closest intended answer is view.php as a config file.)

- mail.php
- config.php

- view.php ✔
- filesystems.php

21. How can you access the state of a component from inside of a member function?

- this.getState()
- this.prototype.stateValue
- this.state ✔
- this.values

22. Which is the correct path to saving controller files in Laravel?

- Resources/controllers
- App/controllers
- App/Http/controllers ✔
- Controllers

23. How can you create a model in Laravel?

- $ php artisan make:[ModelName] model
- $ artisan make:[ModelName] model
- $ php artisan make:model [ModelName] ✔
- $ php artisan create:model [ModelName]

24. Which of the followings does React use?

- two-way binding
- dirty checking
- virtual DOM ✔
- All of the above

25. Which function is used to find out current route name?

- request()->getName()
- request()->route->getName()
- request()->route()->getName() ✔
- None of these

Set C

1. Which type of syntax of does React supports?

- Redux
- None of options
- Native Java
- ES6 ✔

2. How can we navigate link?

- Cropping
- Rotating
- Pagination ✔
- All of above

3. What do you mean by Props?

- arguments ✔
- Methods
- Both A and B
- All of these

4. What is the role of middleware?

- Ignore request
- Process request and response ✔
- Send request
- Get response

5. React keeps track of what items have changed, been added, or been removed from a list using _____.

- state
- props
- keys ✔
- ref

6. Which is the default location of your project?

(Note: Question is ambiguous — the real default root is the Laravel project directory, e.g., app/, config/, public/. Given the options, the closest intended answer is config.php.)

- mail.php
- config.php ✔
- view.php
- filesystems.php

7. How many elements does a React component return?

- 2 Elements
- 1 Element ✔
- Multiple Elements
- All of the above

8. Which of the following functions are called accessors?

- Getter Functions ✔
- Setter functions
- Member Functions
- None

9. The _____ method is required, and is the method that actually outputs the HTML to the DOM.

- Constructor
- getDerivedStateFromProps
- render ✔
- componentDidMount

10. Which function is used to get all records from the item table?

- $result = DB::get('item')->table();
- $result = DB::table('item')->get(); ✔
- $result = DB::table('item')->getAll();
- $result = DB::table(f@"item&TM">set(); *(Invalid option)*

11. DOM is a tree of nodes.

- True ✔
- False

12. What is the purpose of React?

- Database
- Connectivity
- User interface ✔
- Design platform

13. Which file configure the application URL, timezone, locale autoload service provider?

- app.php ✔ *(Located in config/app.php)*
- cache.php
- compile.php
- auth.php

14. Everything in React is a _____.

- Module
- Component ✔
- Package
- Class

15. What are the two ways that data gets handled in React?

- state & props ✔
- services & components
- props
- PropTypes

16. In React what is used to pass data to a component from outside?

- setState
- render with arguments
- props ✔
- PropTypes

17. In which object React stores state of a component?

- this.props
- this.state ✔

18. Which of the following artisan CLI command is used to update your project's namespace?

- php artisan updatemy_app
- php artisan namespace.my_app
- php artisan update app
- php artisan app:name my_project ✔

19. What is the purpose of composer.lock?

- It is used to contain information about the state of the installed composer package at the time these packages were last installed and/or updated. ✔
- It is used to lock all the packages so that it would never be change later.
- It is used to contain information about the state of the installed composer package at the time when packages were first installed and/or updated.

20. Which of the following API is a MUST for every ReactJS component?

- getInitialState
- render ✔
- renderComponent
- None

21. Which file is responsible for scheduling any command?

- App.php
- Kernel.php ✔
- Route.php
- Config.php

22. In which directory React Components are saved?

- Inside js/components/ ✔
- Inside vendor/components/
- Inside external/components/

- Inside vendor/

23. How can we get all routes?

- php artisan route:list ✔
- php artisan listsroutes
- php artisan routes
- php artisan getroutes

24. Which directory contain "robots.txt" file?

- app
- config
- routes
- public ✔

25. Props are _____ into other components

- Injected ✔
- Methods
- Both A and B
- All of these

Set D

1. Which function is used to get all records from item table?

- $result=DB::get('item')->table();
- $result=DB::table('item')->get(); ✔
- $result=DB::table('item')->getAll();
- $result=DB::table(&"item&f^n)->get(); *(Typo, invalid)*

2. Which option do you have to change to manage cache and session data in laravel?

- redis ✔
- connections
- Migrations

- fetch

3. The abbreviation of CSRF is:

- Cross Scripting Reformative Function
- Cross Style Reporting Formula
- Cross System Rich Format
- Cross-Site Request Forgery ✔

4. Which method is used to modify the value of attribute in laravel?

- Getter
- accessor
- mutator ✔
- None

5. How can we prevent default behavior in React?

- using None of the options
- using avoidDefault()
- revokeDefault()
- Using preventDefault() ✔

6. React keeps track of what items have changed, been added, or been removed from a list using _____.

- state
- props
- keys ✔
- ref

7. What is the abbreviation of ORM in laravel?

- Object-Rotational Mechanism
- Object-related Modifier
- Overloaded-relational Mapping
- Object-relational Mapping ✔

8. Each component in React has a lifecycle which you can monitor and manipulate during its three main phases. The three phases are

- mounting
- Updating
- Unmounting
- All of the above ✔

9. The _____ method is required, and is the method that actually outputs the HTML to the DOM.

- Constructor
- getDerivedStateFromProps
- render ✔
- componentDidMount

10. At the highest level, React components have lifecycle events that fall into

- State/Property Updates
- Destruction
- Initialization
- All of these ✔

11. ref is used to refer a element / component returned by _____.

- reduce()
- refer()
- react()
- render() ✔

12. What is HTTP status Code?
(Note: The question is incomplete and ambiguous. The options are specific status codes, but the question does not specify what it is asking about these codes. Without context, it is impossible to determine the correct answer. However, if the question is meant to ask "Which of these is a valid HTTP status code?", all are valid, but this is poorly framed. Given the options, no single correct answer can be chosen without context.)

- 203
- 503 ✔ *(Standard and widely recognized)*
- 604

- 300

13. What are the two ways that data gets handled in React?

- state & props ✔
- services & components
- props
- PropTypes

14. Which of the followings does React use?

- two-way binding
- dirty checking
- virtual DOM ✔
- All of the above

15. Which directory contain robots.txt **file?**

- app
- config
- routes
- public ✔

16. Props are _____ into other components

- Injected ✔
- Methods
- Both A and B
- All of these

17. How can you passed props to components via HTML?

- elements
- attributes ✔
- DOM
- None

18. Which of the following is true to make a migration in Laravel?

- $ php artisan migration

- $ php artisan table migrate
- $ php artisan migrate ✔
- None

19. What is the meaning of Todolist::take(5)->skip(10)->orderby('id', asc)->get()**?**

- Select last 5 records after skipping 10 records
- Select first 5 records after skipping 10 records ✔
- Select first 5 records
- Select last 5 records

20. How can we get all routes?

- php artisan route:list ✔
- php artisan listroutes
- php artisan routes
- php artisan getroutes

21. How can you access the state of a component from inside of a member function?

- this.getState()
- this.prototype.stateValue
- this.state ✔
- this.values

22. In which object React stores state of a component?

- this.props
- this.state ✔

23. In which directory React Components are saved?

- Inside js/components/ ✔
- Inside vendor/components/
- Inside external/components/
- Inside vendor/

24. DOM is a tree of nodes.

- True ✔

- False

25. What do you mean by Heroku?

- Cloud based hosting solution ✔
- Web hosting solution
- Laravel Package
- Laravel command

Set E

1. Which method is used to modify the value of attribute in laravel?

- Getter
- accessor
- mutator ✔
- None

2. What are the two ways that data gets handled in React?

- state & props ✔
- services & components
- props
- PropTypes

3. What is the purpose of composer.lock?

- It is used to contain information about the state of the installed composer package at the time these packages were last installed and/or updated. ✔
- It is used to lock all the packages so that it would never be change later.
- It is used to contain information about the state of the installed composer package at the time when packages were first installed and/or updated.

4. Which directory contain "robots.txt" file?

- app
- config
- routes

- public ✔

5. Which of the following needs to be updated to achieve dynamic UI updates?

- State ✔
- Props
- both
- none

6. Which laravel property identifies the columns that can be inserted/updated by way of mass assignment?

- $hidden
- $fillable ✔
- $component
- $table

7. Which of the following artisan CLI command is used to update your project's namespace?

- php artisan updatemy_app
- php artisan namespace:my_app
- php artisan update app
- php artisan app:name my_project ✔

8. In React what is used to pass data to a component from outside?

- setState
- render with arguments
- props ✔
- PropTypes

9. Props are _____ into other components

- Injected ✔
- Methods
- Both A and B
- All of these

10. What is HTTP status Code?

- 203
- 503 ✔
- 604
- 300

11. Objects can be passed from react child element to parent element.

- True
- False ✔
  (Data is passed from parent to child via props. To pass data from child to parent, callback functions are used, not direct object passing.)

12. What is a react.js in MVC?

- Controller ✔
  (React is often referred to as the "View" layer, but in the context of MVC, it handles the controller logic for the view.)
- Middleware
- Model
- Router

13. ref is used to refer a element / component returned by _____.

- reduce()
- refer()
- react()
- render() ✔

14. At the highest level, React components have lifecycle events that fall into

- State/Property Updates
- Destruction
- Initialization
- All of these ✔

15. How can we navigate link?

- Cropping
- Rotating

- Pagination ✔
- All of above

16. What do you mean by mutators?

- Events
- Member functions
- Setter functions ✔
- Getter functions

17. React keeps track of what items have changed, been added, or been removed from a list using _____.

- state
- props
- keys ✔
- ref

18. Where we get controller files in laravel?

- App/controllers
- App/Http/controllers ✔
- Controllers
- Resources/controllers

19. What naming convention React uses to handle events?

- camelCase ✔
- snake_case
- flatcase
- UPPERCASE

20. Where we get log files in laravel?

- App\logs
- Resources\Logs
- Public\Logs
- Storage\logs ✔

21. How to open a form in Laravel?

- Form::open ✔
- Form::opens
- Forms::open

22. In which directory React Components are saved?

- Inside js/components/ ✔
- Inside vendor/components/
- Inside external/components/
- Inside vendor/

23. What does the "webpack" command do?

- Runs react local development server.
- A module bundler
- Transpiles all the javascript down into one file ✔

24. How can we prevent default behavior in React?

- Using None of the options
- using avoidDefault()
- revokeDefault()
- Using preventDefault() ✔

25. Which of the followings does React use?

- two-way binding
- dirty checking
- virtual DOM ✔
- All of the above

Set F

1. What does the “webpack” do?

- Transpiles all the Javascript down into one file ✔
- Runs react local development server

- Both A and B
- None

2. How can you create model in laravel?

- $ php artisan make[ModelName] model
- $ artisan make[ModelName] model
- $ php artisan make:model [ModelName] ✔
- $ php artisan create:model [ModelName]

3. How can we set any service specific settings?

- Session.php
- Services.php ✔
- Third-party.php
- Broadcasting.php

4. What does the "webpack" command do?

- Runs react local development server.
- A module bundler
- Transpiles all the Javascript down into one file ✔

5. Each component in React has a lifecycle which you can monitor and manipulate during its three main phases. The three phases are

- mounting
- Updating
- Unmounting
- All of the above ✔

6. How can we navigate link?

- Cropping
- Rotating
- Pagination ✔
- All of above

7. How can you access the state of a component from inside of a member function?

- this.getState()

- this.prototype.stateValue
- this.state ✔
- this.values

8. Which is used in laravel to prevent malicious user?

- $fillable ✔
- $check
- $fillable *(duplicate option)*
- $fillabled

9. Which of the following is true to make a migration in Laravel?

- $ php artisan migration
- $ php artisan table migrate
- $ php artisan migrate ✔
- None

10. React keeps track of what items have changed, been added, or been removed from a list using _____.

- state
- props
- keys ✔
- ref

11. Which file configure the application URL, timezone, locale autoload service provider?

- app.php ✔
- cache.php
- compile.php
- auth.php

12. What do you mean by Props?

- arguments ✔
- Methods
- Both A and B

- All of these

13. What is state in React?

- A persistant storage.
- An internal data store (object) of a component. ✔
- Both
- none

14. Where we get log files in laravel?

- App \logs
- Resources \Logs
- Public \Logs
- Storage \logs ✔

15. What is the smallest building block of ReactJS?

- none of the options
- props
- elements
- components ✔

16. How can you passed props to components via HTML?

- elements
- attributes ✔
- DOM
- None

17. Which of the followings does React use?

- two-way binding
- dirty checking
- virtual DOM ✔
- All of the above

18. Which of the following artisan CLI command is used to update your project's namespace?

- php artisan updatermy_app

- php artisan namespace:my_app
- php artisan update app
- php artisan app:name my_project ✔

19. Which option do you have to change to manage cache and session data in laravel?

- redis ✔
- connections
- Migrations
- fetch

20. What is a react.js in MVC?

- Controller ✔
- Middleware
- Model
- Router

21. Which file is responsible for scheduling any command?

- App.php
- Kernel.php ✔
- Routr.php *(Typo, likely "Route.php")*
- Config.php

22. In which object React stores state of a component?

- this.props
- this.state ✔

23. What is HTTP status Code?
(Note: The question is ambiguous. All options are valid HTTP status codes except 604 (non-standard). The most commonly referenced in web contexts is 503.)

- 203
- 503 ✔
- 604
- 300

24. In which directory React Components are saved?

- Inside js/components/ ✔
- Inside vendor/components/
- Inside external/components/ *(Typo: "Insidhexternal")*
- Inside vendor/

25. Objects can be passed from react child element to parent element.

- True
- False ✔
  (Data is passed from parent to child via props. To pass data from child to parent, callback functions are used, not direct object passing.)