

Package ‘caffsim’

August 21, 2017

Title Simulation of Plasma Caffeine Concentrations by Using Population Pharmacokinetic Model

Version 0.2.2

Date 2017-08-22

Description Simulate plasma caffeine concentrations using population pharmacokinetic model described in Lee, Kim, Perera, McLachlan and Bae (2015) <doi:10.1007/s00431-015-2581-x>.

Depends R (>= 3.3.2)

Encoding UTF-8

License GPL-3 | file LICENSE

LazyData true

Copyright 2017, Sungpil Han

Imports mgcv, dplyr, tidyr, tibble, ggplot2, shiny, markdown

NeedsCompilation no

URL <https://github.com/asancpt/caffsim>

BugReports <https://github.com/asancpt/caffsim/issues>

RoxygenNote 6.0.1

Maintainer Sungpil Han <shan@acp.kr>

R topics documented:

caffConcTime	2
caffConcTimeMulti	2
caffDescstat	3
caffOverdose	4
caffPkparam	4
caffPkparamMulti	5
caffPlot	6
caffPlotMulti	6
caffShiny	7
UnitTable	7
Index	8

caffConcTime	<i>Create a dataset of the concentration-time curve of single oral administration of caffeine</i>
--------------	---

Description

caffConcTime will create a dataset of the concentration-time curve

Usage

```
caffConcTime(Weight, Dose, N = 20)
```

Arguments

Weight	Body weight (kg)
Dose	Dose of single caffeine (mg)
N	The number of simulated subjects

Value

The dataset of concentration and time of simulated subjects

See Also

<https://asancpt.github.io/caffsim>

Examples

```
caffConcTime(Weight = 20, Dose = 200, N = 20)
caffConcTime(20, 200)
```

caffConcTimeMulti	<i>Create a dataset of the concentration-time curve of multiple dosing of caffeine</i>
-------------------	--

Description

caffConcTimeMulti will create a dataset of the concentration-time curve of multiple oral administrations of caffeine

Usage

```
caffConcTimeMulti(Weight, Dose, N = 20, Tau = 8, Repeat = 4)
```

Arguments

Weight	Body weight (kg)
Dose	Dose of single caffeine (mg)
N	The number of simulated subjects
Tau	The interval of multiple dosing (hour)
Repeat	The number of dosing

Value

The dataset of concentration and time of simulated subjects of multiple dosing

See Also

<https://asancpt.github.io/caffsim>

Examples

```
caffConcTimeMulti(Weight = 20, Dose = 200, N = 20, Tau = 8, Repeat = 4)
caffConcTimeMulti(20, 200)
```

caffDescstat	<i>Calculate descriptive statistics of simulated PK parameters</i>
--------------	--

Description

caffDescstat will calculate descriptive statistics of simulated PK parameters

Usage

```
caffDescstat(caffPkparamData)
```

Arguments

caffPkparamData
data frame generated by caffPkparam function

Value

The descriptive statistics of pharmacokinetic parameters

See Also

<https://asancpt.github.io/caffsim>

Examples

```
caffDescstat(caffPkparam(20, 500))
caffDescstat(caffPkparamMulti(20, 500))
caffDescExample <- cbind(caffDescstat(caffPkparam(20, 500)),
                        caffDescstat(caffPkparam(50, 500))[2,])
colnames(caffDescExample)[2:3] <- c('20 kg', '50 kg')
caffDescExample
```

caffOverdose	<i>Calculate a duration of plasma caffeine concentration over specified toxic limits</i>
--------------	--

Description

caffOverdose calculates a time duration of plasma caffeine concentration over specified toxic limits (40 mg/L or 80 mg/L)

Usage

```
caffOverdose(caffConcTimeData)
```

Arguments

caffConcTimeData	data frame containing concentration-time data
------------------	---

Value

descriptive statistics of duration of toxic concentrations

See Also

<https://asan.shinyapps.io/caff/>

Examples

```
caffOverdose(caffConcTime(Weight = 20, Dose = 200, N = 20))
caffOverdose(caffConcTimeMulti(Weight = 20, Dose = 200, N = 20, Tau = 8, Repeat = 4))
```

caffPkparam	<i>Create a dataset for simulation of single dose of caffeine</i>
-------------	---

Description

caffPkparam will create a dataset for simulation of single dose of caffeine

Usage

```
caffPkparam(Weight, Dose, N = 20)
```

Arguments

Weight	Body weight (kg)
Dose	Dose of single caffeine (mg)
N	The number of simulated subjects

Value

The dataset of pharmacokinetic parameters of subjects after single caffeine dose following multivariate normal

See Also

<https://asancpt.github.io/caffsim>

Examples

```
caffPkparam(Weight = 20, Dose = 200, N = 20)
caffPkparam(20, 500)
```

`caffPkparamMulti`*Create a dataset for simulation of multiple dose of caffeine*

Description

`caffPkparamMulti` will create a dataset for simulation of multiple dose of caffeine

Usage

```
caffPkparamMulti(Weight, Dose, N = 20, Tau = 8)
```

Arguments

Weight	Body weight (kg)
Dose	Dose of multiple caffeine (mg)
N	The number of simulated subjects
Tau	The interval of multiple dosing (hour)

Value

The dataset of pharmacokinetic parameters of subjects after multiple caffeine dose following multivariate normal

See Also

<https://asancpt.github.io/caffsim>

Examples

```
caffPkparamMulti(Weight = 20, Dose = 200, N = 20, Tau = 8)
caffPkparamMulti(20, 500)
```

caffPlot	Create concentration-time curve after single dose of caffeine
----------	---

Description

caffPlot will create concentration-time curve after single dose of caffeine

Usage

```
caffPlot(caffConcTimeData, log = FALSE)
```

Arguments

caffConcTimeData	data frame of concentration-time dataset having column names Subject, Time, and Conc (case-sensitive)
log	y axis log

Value

The concentration-time curve

See Also

<https://asancpt.github.io/caffsim>

Examples

```
caffPlot(caffConcTime(Weight = 20, Dose = 200, N = 20))
```

caffPlotMulti	Create concentration-time curve after multiple doses of caffeine
---------------	--

Description

caffPlotMulti will create concentration-time curve after multiple doses of caffeine

Usage

```
caffPlotMulti(caffConcTimeMultiData, log = FALSE)
```

Arguments

caffConcTimeMultiData	data frame of concentration-time dataset having column names Subject, Time, and Conc (case-sensitive)
log	y axis log

Value

The concentration-time curve

See Also

<https://asancpt.github.io/caffsim>

Examples

```
caffPlotMulti(caffConcTimeMulti(Weight = 20, Dose = 200, N = 20, Tau = 8, Repeat = 4))
```

caffShiny	<i>Run shiny app to interactively simulate plasma caffeine concentration.</i>
-----------	---

Description

caffShiny runs an internal shiny app Caffeine Concentration Predictor in order to interactively simulate plasma caffeine concentration.

Usage

```
caffShiny()
```

See Also

<https://asan.shinyapps.io/caff/>

Examples

```
caffShiny()
```

UnitTable	<i>Unit data of PK parameters</i>
-----------	-----------------------------------

Description

A dataset containing information regarding unit data of pharmacokinetic parameters

Usage

```
UnitTable
```

Format

A data frame with 16 rows and 2 variables:

Parameters Abbreviated pharmacokinetic parameters

Parameter Pharmacokinetic parameters in full name

See Also

<https://asancpt.github.io/caffsim>

Index

*Topic **datasets**

UnitTable, [7](#)

caffConcTime, [2](#)

caffConcTimeMulti, [2](#)

caffDescstat, [3](#)

caffOverdose, [4](#)

caffPkparam, [4](#)

caffPkparamMulti, [5](#)

caffPlot, [6](#)

caffPlotMulti, [6](#)

caffShiny, [7](#)

UnitTable, [7](#)