Individual Noncompartmental Analysis Result

Date and Time: 2018-08-06 17:32:24 Asia/Seoul

Calculation Setting _____

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

3.2801 -1.465e-04 148.9231 1459.0711

Fitting, AUC, AUMC Result _____

| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|---------|--------|------------|---------|----------|
| 0.0000 | | 0.7400 | | | 0.0000 | 0.0000 |
| 0.2500 | | 2.8400 | | | 0.4475 | 0.0888 |
| 0.5700 | | 6.5700 | | | 1.9531 | 0.8015 |
| 1.1200 | | 10.5000 | | | 6.6474 | 5.0654 |
| 2.0200 | | 9.6600 | | | 15.7194 | 19.1383 |
| 3.8200 | | 8.5800 | | | 32.1354 | 66.1982 |
| 5.1000 | | 8.3600 | | | 42.9769 | 114.4617 |
| 7.0300 | | 7.4700 | | | 58.2529 | 206.2815 |
| 9.0500 | * | 6.8900 | 6.8912 | -1.228e-03 | 72.7565 | 322.2988 |
| 12.1200 | * | 5.9400 | 5.9387 | +1.324e-03 | 92.4505 | 528.5219 |

^{*:} Used for the calculation of Lambda z.


3.2800


Calculated Values _____

24.3700 *

| CMAX | Max Conc | 10.5000 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0328 | mg/L/mg |
| TMAX | Time of CMAX | 1.1200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 3.2800 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 3.2801 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3700 | h |
| LAMZHL | Half-Life Lambda z | 14.3044 | h |
| LAMZ | Lambda z | 0.0485 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0500 | h |
| LAMZUL | Lambda z Upper Limit | 24.3700 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -1.0000 | |
| R2 | R Squared | 1.0000 | |
| R2ADJ | R Squared Adjusted | 1.0000 | |
| AUCLST | AUC to Last Nonzero Conc | 148.9231 | h*mg/L |
| AUCALL | AUC All | 148.9231 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 216.6119 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.6769 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 216.6150 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.6769 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 31.2489 | % |
| AUCPEP | AUC %Extrapolation Pred | 31.2499 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1459.0711 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 4505.5348 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 4505.6709 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 67.6160 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 67.6170 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 9.7975 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 20.8000 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 20.8004 | h |
| VZFO | Vz Obs by F | 30.4867 | L |
| VZFP | Vz Pred by F | 30.4863 | L |
| CLFO | Total CL Obs by F | 1.4773 | L/h |
| CLFP | Total CL Pred by F | 1.4773 | L/h |





Date and Time: 2018-08-06 17:32:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

0.9000 0.8886 +1.136e-02 91.5268 706.5866

Fitting, AUC, AUMC Result

| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|--------|--------|------------|---------|----------|
| 0.0000 | | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2700 | | 1.7200 | | | 0.2322 | 0.0627 |
| 0.5200 | | 7.9100 | | | 1.4360 | 0.6349 |
| 1.0000 | | 8.3100 | | | 5.3287 | 3.6165 |
| 1.9200 | | 8.3300 | | | 12.9832 | 14.7961 |
| 3.5000 | | 6.8500 | | | 24.9754 | 46.3713 |
| 5.0200 | | 6.0800 | | | 34.8022 | 87.7887 |
| 7.0300 | * | 5.4000 | 5.3629 | +3.707e-02 | 46.3396 | 156.6147 |
| 9.0000 | * | 4.5500 | 4.3687 | +1.813e-01 | 56.1403 | 234.3431 |
| 12.0000 | * | 3.0100 | 3.1970 | -1.870e-01 | 67.4803 | 349.9481 |


^{*:} Used for the calculation of Lambda z.


Calculated Values

24.3000 *

| CMAX | Max Conc | 8.3300 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0260 | mg/L/mg |
| TMAX | Time of CMAX | 1.9200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 0.9000 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 0.8886 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3000 | h |
| LAMZHL | Half-Life Lambda z | 6.6593 | h |
| LAMZ | Lambda z | 0.1041 | /h |
| LAMZLL | Lambda z Lower Limit | 7.0300 | h |
| LAMZUL | Lambda z Upper Limit | 24.3000 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9986 | |
| R2 | R Squared | 0.9972 | |
| R2ADJ | R Squared Adjusted | 0.9958 | |
| AUCLST | AUC to Last Nonzero Conc | 91.5268 | h*mg/L |
| AUCALL | AUC All | 91.5268 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 100.1735 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3130 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 100.0643 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3127 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 8.6317 | % |
| AUCPEP | AUC %Extrapolation Pred | 8.5320 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 706.5866 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 999.7723 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 996.0716 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 29.3252 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 29.0627 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 7.7200 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 9.9804 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 9.9543 | h |
| VZFO | Vz Obs by F | 30.6904 | L |
| VZFP | Vz Pred by F | 30.7239 | L |
| CLFO | Total CL Obs by F | 3.1945 | L/h |
| CLFP | Total CL Pred by F | 3.1979 | L/h |





Date and Time: 2018-08-06 17:32:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result


| Time | Conc. | Pred. | Residual | AUC | AUMC |
|---------|----------|--------|------------|---------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2700 | 4.4000 | | | 0.5940 | 0.1604 |
| 0.5800 | 6.9000 | | | 2.3455 | 0.9648 |
| 1.0200 | 8.2000 | | | 5.6675 | 3.6854 |
| 2.0200 | 7.8000 | | | 13.6675 | 15.7453 |
| 3.6200 | 7.5000 | | | 25.9075 | 50.0702 |
| 5.0800 | 6.2000 | | | 35.9085 | 92.8817 |
| 7.0700 | 5.3000 | | | 47.3510 | 161.5039 |
| 9.0000 | * 4.9000 | 4.9914 | -9.138e-02 | 57.1940 | 240.2199 |
| 12.1500 | * 3.7000 | 3.6147 | +8.528e-02 | 70.7390 | 380.4815 |
| 24.1700 | * 1.0500 | 1.0551 | -5.097e-03 | 99.2865 | 803.1859 |


^{*:} Used for the calculation of Lambda z.

Calculated Values

| CMAX | Max Conc | 8.2000 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0256 | mg/L/mg |
| TMAX | Time of CMAX | 1.0200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.0500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.0551 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1700 | h |
| LAMZHL | Half-Life Lambda z | 6.7661 | h |
| LAMZ | Lambda z | 0.1024 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0000 | h |
| LAMZUL | Lambda z Upper Limit | 24.1700 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9993 | |
| R2ADJ | R Squared Adjusted | 0.9986 | |
| AUCLST | AUC to Last Nonzero Conc | 99.2865 | h*mg/L |
| AUCALL | AUC All | 99.2865 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 109.5360 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3423 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 109.5857 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3425 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 9.3572 | % |
| AUCPEP | AUC %Extrapolation Pred | 9.3983 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 803.1859 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1150.9648 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1152.6529 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 30.2163 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 30.3185 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.0896 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.5076 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.5183 | h |
| VZFO | Vz Obs by F | 28.5171 | L |
| VZFP | Vz Pred by F | 28.5042 | L |
| CLFO | Total CL Obs by F | 2.9214 | L/h |
| CLFP | Total CL Pred by F | 2.9201 | L/h |





Date and Time: 2018-08-06 17:32:24 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. Residual | AUC | AUMC |
|-----------|--------|-------------------|----------|----------|
| 0.0000 | 0.0000 | | 0.0000 | 0.0000 |
| 0.3500 | 1.8900 | | 0.3308 | 0.1158 |
| 0.6000 | 4.6000 | | 1.1420 | 0.5435 |
| 1.0700 | 8.6000 | | 4.2440 | 3.3545 |
| 2.1300 | 8.3800 | | 13.2434 | 17.6918 |
| 3.5000 | 7.5400 | | 24.1486 | 47.9958 |
| 5.0200 | 6.8800 | | 35.1078 | 94.3007 |
| 7.0200 | 5.7800 | | 47.7678 | 169.4139 |
| 9.0200 * | 5.3300 | 5.4586 -1.286e-01 | 58.8778 | 258.0661 |
| 11.9800 * | 4.1900 | 4.0686 +1.214e-01 | 72.9674 | 403.5099 |
| 24.6500 * | 1.1500 | 1.1564 -6.422e-03 | 106.7963 | 901.0842 |

^{*:} Used for the calculation of Lambda z.

Calculated Values


AUCALL


AUC All

| CMAX | Max Conc | 8.6000 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0269 | mg/L/mg |
| TMAX | Time of CMAX | 1.0700 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1564 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.6500 | h |
| LAMZHL | Half-Life Lambda z | 6.9812 | h |
| LAMZ | Lambda z | 0.0993 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0200 | h |
| LAMZUL | Lambda z Upper Limit | 24.6500 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9995 | |
| R2 | R Squared | 0.9989 | |
| R2ADJ | R Squared Adjusted | 0.9978 | |
| AUCLST | AUC to Last Nonzero Conc | 106.7963 | h*mg/L |

106.7963 h*mg/L

| AUCIFO | AUC Infinity Obs | 118.3789 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3699 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 118.4436 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3701 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 9.7843 | % |
| AUCPEP | AUC %Extrapolation Pred | 9.8336 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 901.0842 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1303.2524 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1305.4981 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 30.8588 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 30.9777 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.4374 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.0092 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.0221 | h |
| VZFO | Vz Obs by F | 27.2260 | L |
| VZFP | Vz Pred by F | 27.2111 | L |
| CLFO | Total CL Obs by F | 2.7032 | L/h |
| CLFP | Total CL Pred by F | 2.7017 | L/h |





Date and Time: 2018-08-06 17:32:24 Asia/Seoul

Calculation Setting

.

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result


| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|---------|--------|------------|----------|-----------|
| 0.0000 | | 0.0000 | | | 0.0000 | 0.0000 |
| 0.3000 | | 2.0200 | | | 0.3030 | 0.0909 |
| 0.5200 | | 5.6300 | | | 1.1445 | 0.4796 |
| 1.0000 | | 11.4000 | | | 5.2317 | 3.9182 |
| 2.0200 | | 9.3300 | | | 15.8040 | 19.3440 |
| 3.5000 | | 8.7400 | | | 29.1758 | 55.9271 |
| 5.0200 | | 7.5600 | | | 41.5638 | 108.0184 |
| 7.0200 | * | 7.0900 | 6.9799 | +1.101e-01 | 56.2138 | 195.7414 |
| 9.1000 | * | 5.9000 | 5.8291 | +7.091e-02 | 69.7234 | 303.3417 |
| 12.0000 | * | 4.3700 | 4.5343 | -1.643e-01 | 84.6149 | 457.2302 |
| 24.3500 | * | 1.5700 | 1.5557 | +1.430e-02 | 121.2944 | 1017.1143 |


^{*:} Used for the calculation of Lambda z.

Calculated Values

| CMAX | Max Conc | 11.4000 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0356 | mg/L/mg |
| TMAX | Time of CMAX | 1.0000 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.5700 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.5557 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3500 | h |
| LAMZHL | Half-Life Lambda z | 8.0023 | h |
| LAMZ | Lambda z | 0.0866 | /h |
| LAMZLL | Lambda z Lower Limit | 7.0200 | h |
| LAMZUL | Lambda z Upper Limit | 24.3500 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9993 | |
| R2 | R Squared | 0.9986 | |
| R2ADJ | R Squared Adjusted | 0.9980 | |
| AUCLST | AUC to Last Nonzero Conc | 121.2944 | h*mg/L |
| AUCALL | AUC All | 121.2944 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 139.4198 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.4357 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 139.2546 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.4352 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 13.0006 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.8974 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1017.1143 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1667.7216 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1661.7937 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 39.0117 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 38.7942 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.3855 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.9619 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.9335 | h |
| VZFO | Vz Obs by F | 26.4980 | L |
| VZFP | Vz Pred by F | 26.5294 | L |
| CLFO | Total CL Obs by F | 2.2952 | L/h |
| CLFP | Total CL Pred by F | 2.2979 | L/h |





Date and Time: 2018-08-06 17:32:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

4.0200 4.1323 -1.123e-01 34.7497 121.5977

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|----------|--------|----------|------------|---------|---------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2700 | 1.2900 | | | 0.1742 | 0.0470 |
| 0.5800 | 3.0800 | | | 0.8515 | 0.3779 |
| 1.1500 | 6.4400 | | | 3.5647 | 2.9977 |
| 2.0300 * | 6.3200 | 6.3928 - | -7.284e-02 | 9.1791 | 11.9014 |
| 3.5700 * | 5.5300 | 5.5844 - | -5.438e-02 | 18.3036 | 36.9816 |
| 5.0000 * | 4.9400 | 4.9255 - | +1.450e-02 | 25.7897 | 68.7577 |

^{9.2200 * 3.4600 3.4005 +5.948}e-02 43.0525 188.2434 12.1000 * 2.7800 2.6408 +1.392e-01 52.0381 282.6199 23.8500 * 0.9200 0.9413 -2.127e-02 73.7756 609.1524


Calculated Values


7.0000 *

| Max Conc | 6.4400 | mg/L |
|---|--|---|
| Max Conc Norm by Dose | 0.0201 | ${\rm mg/L/mg}$ |
| Time of CMAX | 1.1500 | h |
| Time Until First Nonzero Conc | 0.0000 | h |
| Last Nonzero Conc | 0.9200 | mg/L |
| Last Nonzero Conc Pred | 0.9413 | mg/L |
| Time of Last Nonzero Conc | 23.8500 | h |
| Half-Life Lambda z | 7.8950 | h |
| Lambda z | 0.0878 | /h |
| Lambda z Lower Limit | 2.0300 | h |
| Lambda z Upper Limit | 23.8500 | h |
| Number of Points for Lambda z | 7 | |
| Correlation Between TimeX and Log ConcY | -0.9991 | |
| R Squared | 0.9982 | |
| R Squared Adjusted | 0.9979 | |
| AUC to Last Nonzero Conc | 73.7756 | h*mg/L |
| AUC All | 73.7756 | h*mg/L |
| | Max Conc Norm by Dose Time of CMAX Time Until First Nonzero Conc Last Nonzero Conc Last Nonzero Conc Pred Time of Last Nonzero Conc Half-Life Lambda z Lambda z Lambda z Lambda z Lower Limit Lambda z Upper Limit Number of Points for Lambda z Correlation Between TimeX and Log ConcY R Squared R Squared Adjusted AUC to Last Nonzero Conc | Max Conc Norm by Dose Time of CMAX 1.1500 Time Until First Nonzero Conc Last Nonzero Conc Last Nonzero Conc 0.9200 Last Nonzero Conc Pred Time of Last Nonzero Conc Half-Life Lambda z Lambda z Lambda z Lambda z Lambda z Upper Limit 2.0300 Lambda z Upper Limit Correlation Between TimeX and Log ConcY R Squared R Squared Adjusted AUC to Last Nonzero Conc 70.0201 0.0201 0.0902 0.9912 0.9979 73.7756 |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 84.2544 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.2633 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 84.4967 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.2641 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 12.4372 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.6882 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 609.1524 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 978.4285 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 986.9665 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 37.7418 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 38.2803 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.2568 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.6128 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.6805 | h |
| VZFO | Vz Obs by F | 43.2597 | L |
| VZFP | Vz Pred by F | 43.1357 | L |
| CLFO | Total CL Obs by F | 3.7980 | L/h |
| CLFP | Total CL Pred by F | 3.7871 | L/h |





Date and Time: 2018-08-06 17:32:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

4.3900 4.4527 -6.275e-02 50.1976 228.9788 3.5300 3.4011 +1.289e-01 62.2756 354.0998

1.1500 1.1607 -1.072e-02 90.7534 782.4199

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|----------|--------|----------|------------|---------|----------|
| | | | | | |
| 0.0000 | 0.1500 | | | 0.0000 | 0.0000 |
| 0.2500 | 0.8500 | | | 0.1250 | 0.0266 |
| 0.5000 | 2.3500 | | | 0.5250 | 0.2000 |
| 1.0200 | 5.0200 | | | 2.4412 | 1.8368 |
| 2.0200 | 6.5800 | | | 8.2412 | 11.0428 |
| 3.4800 | 7.0900 | | | 18.2203 | 38.7571 |
| 5.0000 | 6.6600 | | | 28.6703 | 82.8167 |
| 6.9800 * | 5.2500 | 5.3226 - | -7.260e-02 | 40.4612 | 152.0623 |

Calculated Values


9.0000 *


12.0500 * 24.2200 *

| CMAX | Max Conc | 7.0900 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0222 | mg/L/mg |
| TMAX | Time of CMAX | 3.4800 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1607 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.2200 | h |
| LAMZHL | Half-Life Lambda z | 7.8467 | h |
| LAMZ | Lambda z | 0.0883 | /h |
| LAMZLL | Lambda z Lower Limit | 6.9800 | h |
| LAMZUL | Lambda z Upper Limit | 24.2200 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9993 | |
| R2 | R Squared | 0.9987 | |
| R2ADJ | R Squared Adjusted | 0.9980 | |
| AUCLST | AUC to Last Nonzero Conc | 90.7534 | h*mg/L |
| AUCALL | AUC All | 90.7534 | h*mg/L |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 103.7718 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3243 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 103.8931 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3247 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 12.5452 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.6474 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 782.4199 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1245.0984 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1249.4111 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 37.1600 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 37.3769 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.6214 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.9984 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 12.0259 | h |
| VZFO | Vz Obs by F | 34.9084 | L |
| VZFP | Vz Pred by F | 34.8677 | L |
| CLFO | Total CL Obs by F | 3.0837 | L/h |
| CLFP | Total CL Pred by F | 3.0801 | L/h |





Date and Time: 2018-08-06 17:32:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result


| | Conc. | Pred. | Residual | AUC | AUMC |
|---|--------|--|---|--|---|
| | 0.0000 | | | 0.0000 | 0.0000 |
| | 3.0500 | | | 0.3813 | 0.0953 |
| | 3.0500 | | | 1.2048 | 0.4124 |
| | 7.3100 | | | 3.5875 | 2.4248 |
| | 7.5600 | | | 11.3200 | 14.0910 |
| * | 6.5900 | 6.5724 | +1.758e-02 | 22.0032 | 43.1841 |
| * | 5.8800 | 5.8071 | +7.292e-02 | 31.4804 | 83.4312 |
| * | 4.7300 | 4.8941 | -1.641e-01 | 42.6209 | 150.1204 |
| * | 4.5700 | 4.1856 | +3.844e-01 | 51.5489 | 222.3790 |
| * | 3.0000 | 3.2702 | -2.702e-01 | 63.0175 | 340.1701 |
| * | 1.2500 | 1.2285 | +2.147e-02 | 88.5600 | 739.5346 |
| | * * * | 0.0000 3.0500 3.0500 7.3100 7.5600 * 6.5900 * 5.8800 * 4.7300 * 4.5700 * 3.0000 | 0.0000 3.0500 3.0500 7.3100 7.5600 * 6.5900 6.5724 * 5.8800 5.8071 * 4.7300 4.8941 * 4.5700 4.1856 * 3.0000 3.2702 | 0.0000 3.0500 7.3100 7.5600 * 6.5900 6.5724 +1.758e-02 * 5.8800 5.8071 +7.292e-02 * 4.7300 4.8941 -1.641e-01 * 4.5700 4.1856 +3.844e-01 * 3.0000 3.2702 -2.702e-01 | 0.0000 0.0000 3.0500 0.3813 3.0500 1.2048 7.3100 3.5875 7.5600 11.3200 * 6.5900 6.5724 +1.758e-02 22.0032 * 5.8800 5.8071 +7.292e-02 31.4804 * 4.7300 4.8941 -1.641e-01 42.6209 * 4.5700 4.1856 +3.844e-01 51.5489 * 3.0000 3.2702 -2.702e-01 63.0175 |


^{*:} Used for the calculation of Lambda z.

Calculated Values

| CMAX | Max Conc | 7.5600 | mg/L |
|---------|---|---------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0236 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 2.0200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.2500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.2285 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1200 | h |
| LAMZHL | Half-Life Lambda z | 8.5100 | h |
| LAMZ | Lambda z | 0.0815 | /h |
| LAMZLL | Lambda z Lower Limit | 3.5300 | h |
| LAMZUL | Lambda z Upper Limit | 24.1200 | h |
| LAMZNPT | Number of Points for Lambda z | 6 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9955 | |
| R2 | R Squared | 0.9910 | |
| R2ADJ | R Squared Adjusted | 0.9888 | |
| AUCLST | AUC to Last Nonzero Conc | 88.5600 | h*mg/L |
| AUCALL | AUC All | 88.5600 | h*mg/L |

| AUCI | FO | AUC Infinity Obs | 103.9067 | h*mg/L |
|------|------|------------------------------------|-----------|-----------|
| AUCI | FOD | AUC Infinity Obs Norm by Dose | 0.3247 | h*mg/L/mg |
| AUCI | FP | AUC Infinity Pred | 103.6431 | h*mg/L |
| AUCI | FPD | AUC Infinity Pred Norm by Dose | 0.3239 | h*mg/L/mg |
| AUCP | EO | AUC %Extrapolation Obs | 14.7697 | % |
| AUCP | EP | AUC %Extrapolation Pred | 14.5529 | % |
| AUMC | LST | AUMC to Last Nonzero Conc | 739.5346 | h2*mg/L |
| AUMC | IFO | AUMC Infinity Obs | 1298.1158 | h2*mg/L |
| AUMC | IFP | AUMC Infinity Pred | 1288.5201 | h2*mg/L |
| AUMC | PEO | AUMC %Extrapolation Obs | 43.0302 | % |
| AUMC | PEP | AUMC % Extrapolation Pred | 42.6059 | % |
| MRTE | VLST | MRT Extravasc to Last Nonzero Conc | 8.3507 | h |
| MRTE | VIFO | MRT Extravasc Infinity Obs | 12.4931 | h |
| MRTE | VIFP | MRT Extravasc Infinity Pred | 12.4323 | h |
| VZFO | | Vz Obs by F | 37.8105 | L |
| VZFP | | Vz Pred by F | 37.9067 | L |
| CLFO | | Total CL Obs by F | 3.0797 | L/h |
| CLFP | | Total CL Pred by F | 3.0875 | L/h |





Date and Time: 2018-08-06 17:32:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

Fitting, AUC, AUMC Result


| | | = | | | |
|---------|----------|--------|------------|---------|----------|
| Time | Conc. | Pred. | Residual | AUC | AUMC |
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.3000 | 7.3700 | | | 1.1055 | 0.3316 |
| 0.6300 | 9.0300 | | | 3.8115 | 1.6351 |
| 1.0500 | 7.1400 | | | 7.2072 | 4.4042 |
| 2.0200 | 6.3300 | | | 13.7402 | 14.2417 |
| 3.5300 | 5.6600 | | | 22.7926 | 38.9804 |
| 5.0200 | 5.6700 | | | 31.2335 | 75.0705 |
| 7.1700 | 4.2400 | | | 41.8867 | 138.3495 |
| 8.8000 | * 4.1100 | 4.0512 | +5.880e-02 | 48.6920 | 192.6031 |
| 11.6000 | * 3.1600 | 3.2160 | -5.597e-02 | 58.8700 | 294.5567 |
| 24.4300 | * 1.1200 | 1.1165 | +3.517e-03 | 86.3262 | 705.2296 |


^{*:} Used for the calculation of Lambda z.

Calculated Values _____

| CMAX | Max Conc | 9.0300 | mg/L |
|---------|---|---------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0282 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 0.6300 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1200 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1165 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.4300 | h |
| LAMZHL | Half-Life Lambda z | 8.4060 | h |
| LAMZ | Lambda z | 0.0825 | /h |
| LAMZLL | Lambda z Lower Limit | 8.8000 | h |
| LAMZUL | Lambda z Upper Limit | 24.4300 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9994 | |
| R2ADJ | R Squared Adjusted | 0.9989 | |
| AUCLST | AUC to Last Nonzero Conc | 86.3262 | h*mg/L |
| AUCALL | AUC All | 86.3262 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 99.9087 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3122 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 99.8661 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3121 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 13.5950 | % |
| AUCPEP | AUC %Extrapolation Pred | 13.5581 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 705.2296 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1201.7715 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1200.2124 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 41.3175 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 41.2413 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.1694 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 12.0287 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 12.0182 | h |
| VZFO | Vz Obs by F | 38.8428 | L |
| VZFP | Vz Pred by F | 38.8594 | L |
| CLFO | Total CL Obs by F | 3.2029 | L/h |
| CLFP | Total CL Pred by F | 3.2043 | L/h |





Date and Time: 2018-08-06 17:32:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

2.4137 +6.308e-03 138.3681 1278.1800

Fitting, AUC, AUMC Result

| Time | | Conc. | Pred. | Residual | AUC | AUMC |
|---------|---|---------|--------|------------|---------|----------|
| | | | | | | |
| 0.0000 | | 0.2400 | | | 0.0000 | 0.0000 |
| 0.3700 | | 2.8900 | | | 0.5790 | 0.1978 |
| 0.7700 | | 5.2200 | | | 2.2011 | 1.2156 |
| 1.0200 | | 6.4100 | | | 3.6548 | 2.5353 |
| 2.0500 | | 7.8300 | | | 10.9884 | 14.1690 |
| 3.5500 | | 10.2100 | | | 24.5184 | 53.3917 |
| 5.0500 | | 9.1800 | | | 39.0609 | 115.3451 |
| 7.0800 | | 8.0200 | | | 56.5189 | 220.0328 |
| 9.3800 | * | 7.1400 | 7.0610 | +7.903e-02 | 73.9529 | 362.3508 |
| 12.1000 | * | 5.6800 | 5.7586 | -7.858e-02 | 91.3881 | 546.9044 |

^{*:} Used for the calculation of Lambda z.

2.4200


Calculated Values


23.7000 *

| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| CMAX | Max Conc | 10.2100 | mg/L |
|---------|---|----------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0319 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 3.5500 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 2.4200 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 2.4137 | mg/L |
| TLST | Time of Last Nonzero Conc | 23.7000 | h |
| LAMZHL | Half-Life Lambda z | 9.2469 | h |
| LAMZ | Lambda z | 0.0750 | /h |
| LAMZLL | Lambda z Lower Limit | 9.3800 | h |
| LAMZUL | Lambda z Upper Limit | 23.7000 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9998 | |
| R2 | R Squared | 0.9995 | |
| R2ADJ | R Squared Adjusted | 0.9990 | |
| AUCLST | AUC to Last Nonzero Conc | 138.3681 | h*mg/L |
| AUCALL | AUC All | 138.3681 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 170.6521 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.5333 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 170.5679 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.5330 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 18.9180 | % |
| AUCPEP | AUC %Extrapolation Pred | 18.8780 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1278.1800 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 2473.9934 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 2470.8765 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 48.3354 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 48.2702 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 9.2375 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 14.4973 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 14.4862 | h |
| VZFO | Vz Obs by F | 25.0155 | L |
| VZFP | Vz Pred by F | 25.0279 | L |
| CLFO | Total CL Obs by F | 1.8752 | L/h |
| CLFP | Total CL Pred by F | 1.8761 | L/h |





Date and Time: 2018-08-06 17:32:25 Asia/Seoul

Calculation Setting _____

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

0.8600 0.8598 +1.934e-04 80.0936 617.2422

Fitting, AUC, AUMC Result _____

| | Time | Conc. | Pred. | Residual | AUC | AUMC |
|---|-----------|--------|--------|------------|---------|----------|
| _ | 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| | 0.2500 | 4.8600 | | | 0.6075 | 0.1519 |
| | 0.5000 | 7.2400 | | | 2.1200 | 0.7563 |
| | 0.9800 | 8.0000 | | | 5.7776 | 3.5067 |
| | 1.9800 | 6.8100 | | | 13.1826 | 14.1686 |
| | 3.6000 | 5.8700 | | | 23.4534 | 42.2073 |
| | 5.0200 | 5.2200 | | | 31.3273 | 75.8162 |
| | 7.0300 | 4.4500 | | | 41.0457 | 133.5915 |
| | 9.0300 * | 3.6200 | 3.6169 | +3.150e-03 | 49.1156 | 197.5636 |
| | 12.1200 * | 2.6900 | 2.6929 | -2.948e-03 | 58.8646 | 298.4388 |
| | | | | | | |

^{*:} Used for the calculation of Lambda z.


Calculated Values _____

24.0800 *

| CMAX Max Conc | 8.0000 mg/L |
|--|--------------------|
| CMAXD Max Conc Norm by Dose | 0.0250 mg/L/mg |
| TMAX Time of CMAX | 0.9800 h |
| TLAG Time Until First Nonzero Conc | 0.0000 h |
| CLST Last Nonzero Conc | $0.8600~{ m mg/L}$ |
| CLSTP Last Nonzero Conc Pred | 0.8598 mg/L |
| TLST Time of Last Nonzero Conc | 24.0800 h |
| LAMZHL Half-Life Lambda z | 7.2612 h |
| LAMZ Lambda z | 0.0955 /h |
| LAMZLL Lambda z Lower Limit | 9.0300 h |
| LAMZUL Lambda z Upper Limit | 24.0800 h |
| LAMZNPT Number of Points for Lambda z | 3 |
| CORRXY Correlation Between TimeX and Log ConcY | -1.0000 |
| R2 R Squared | 1.0000 |
| R2ADJ R Squared Adjusted | 1.0000 |
| AUCLST AUC to Last Nonzero Conc | 80.0936 h*mg/L |
| AUCALL AUC All | 80.0936 h*mg/L |

| AUCIFO | AUC Infinity Obs | 89.1027 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.2784 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 89.1007 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.2784 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 10.1110 | % |
| AUCPEP | AUC %Extrapolation Pred | 10.1089 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 617.2422 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 928.5600 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 928.4900 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 33.5269 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 33.5219 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 7.7065 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.4212 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.4207 | h |
| VZFO | Vz Obs by F | 37.6222 | L |
| VZFP | Vz Pred by F | 37.6230 | L |
| CLFO | Total CL Obs by F | 3.5914 | L/h |
| CLFP | Total CL Pred by F | 3.5914 | L/h |





Date and Time: 2018-08-06 17:32:25 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|----------|--------|----------|------------|---------|----------|
| | | | | | |
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2500 | 1.2500 | | | 0.1563 | 0.0391 |
| 0.5000 | 3.9600 | | | 0.8075 | 0.3256 |
| 1.0000 | 7.8200 | | | 3.7525 | 2.7756 |
| 2.0000 | 9.7200 | | | 12.5225 | 16.4056 |
| 3.5200 | 9.7500 | | | 27.3197 | 57.2632 |
| 5.0700 | 8.5700 | | | 41.5177 | 117.5349 |
| 7.0700 | 6.5900 | | | 56.6777 | 207.5761 |
| 9.0300 * | 6.1100 | 6.2267 - | -1.167e-01 | 69.1237 | 307.3054 |

4.4632 +1.068e-01

1.1700 1.1755 -5.539e-03 119.9775 977.8807

85.2505 473.7705

4.5700

Calculated Values

12.0500 *

24.1500 *

| CMAX | Max Conc | 9.7500 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0305 | mg/L/mg |
| TMAX | Time of CMAX | 3.5200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1700 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1755 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1500 | h |
| LAMZHL | Half-Life Lambda z | 6.2865 | h |
| LAMZ | Lambda z | 0.1103 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0300 | h |
| LAMZUL | Lambda z Upper Limit | 24.1500 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9994 | |
| R2ADJ | R Squared Adjusted | 0.9988 | |
| AUCLST | AUC to Last Nonzero Conc | 119.9775 | h*mg/L |
| AUCALL | AUC All | 119.9775 | h*mg/L |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 130.5888 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.4081 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 130.6391 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.4082 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 8.1258 | % |
| AUCPEP | AUC %Extrapolation Pred | 8.1611 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 977.8807 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1330.3840 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1332.0528 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 26.4964 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 26.5884 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.1505 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.1876 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.1964 | h |
| VZFO | Vz Obs by F | 22.2243 | L |
| VZFP | Vz Pred by F | 22.2157 | L |
| CLFO | Total CL Obs by F | 2.4504 | L/h |
| CLFP | Total CL Pred by F | 2.4495 | L/h |



