Individual Noncompartmental Analysis Result

Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting _____

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

6.8900 6.8912 -1.228e-03 72.7565 322.2988

3.2800 3.2801 -1.465e-04 148.9231 1459.0711

92.4505 528.5219

5.9387 +1.324e-03

Fitting, AUC, AUMC Result _____

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|--------|---------|-------|----------|---------|----------|
| | | | | | |
| 0.0000 | 0.7400 | | | 0.0000 | 0.0000 |
| 0.2500 | 2.8400 | | | 0.4475 | 0.0888 |
| 0.5700 | 6.5700 | | | 1.9531 | 0.8015 |
| 1.1200 | 10.5000 | | | 6.6474 | 5.0654 |
| 2.0200 | 9.6600 | | | 15.7194 | 19.1383 |
| 3.8200 | 8.5800 | | | 32.1354 | 66.1982 |
| 5.1000 | 8.3600 | | | 42.9769 | 114.4617 |
| 7.0300 | 7.4700 | | | 58.2529 | 206.2815 |

5.9400

Calculated Values

9.0500 *


12.1200 *


24.3700 *

| CMAX | Max Conc | 10.5000 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0328 | mg/L/mg |
| TMAX | Time of CMAX | 1.1200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 3.2800 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 3.2801 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3700 | h |
| LAMZHL | Half-Life Lambda z | 14.3044 | h |
| LAMZ | Lambda z | 0.0485 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0500 | h |
| LAMZUL | Lambda z Upper Limit | 24.3700 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -1.0000 | |
| R2 | R Squared | 1.0000 | |
| R2ADJ | R Squared Adjusted | 1.0000 | |
| AUCLST | AUC to Last Nonzero Conc | 148.9231 | h*mg/L |
| AUCALL | AUC All | 148.9231 | h*mg/L |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 216.6119 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.6769 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 216.6150 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.6769 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 31.2489 | % |
| AUCPEP | AUC %Extrapolation Pred | 31.2499 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1459.0711 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 4505.5348 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 4505.6709 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 67.6160 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 67.6170 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 9.7975 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 20.8000 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 20.8004 | h |
| VZFO | Vz Obs by F | 30.4867 | L |
| VZFP | Vz Pred by F | 30.4863 | L |
| CLFO | Total CL Obs by F | 1.4773 | L/h |
| CLFP | Total CL Pred by F | 1.4773 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|---------|----------|--------|------------|---------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2700 | 1.7200 | | | 0.2322 | 0.0627 |
| 0.5200 | 7.9100 | | | 1.4360 | 0.6349 |
| 1.0000 | 8.3100 | | | 5.3287 | 3.6165 |
| 1.9200 | 8.3300 | | | 12.9832 | 14.7961 |
| 3.5000 | 6.8500 | | | 24.9754 | 46.3713 |
| 5.0200 | 6.0800 | | | 34.8022 | 87.7887 |
| 7.0300 | * 5.4000 | 5.3629 | +3.707e-02 | 46.3396 | 156.6147 |
| 9.0000 | * 4.5500 | 4.3687 | +1.813e-01 | 56.1403 | 234.3431 |
| 12.0000 | * 3.0100 | 3.1970 | -1.870e-01 | 67.4803 | 349.9481 |
| 24.3000 | * 0.9000 | 0.8886 | +1.136e-02 | 91.5268 | 706.5866 |

^{*:} Used for the calculation of Lambda z.

R Squared Adjusted

AUCLST AUC to Last Nonzero Conc

AUC All

Calculated Values

R2ADJ

AUCALL


| CMAX | Max Conc | 8.3300 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0260 | mg/L/mg |
| TMAX | Time of CMAX | 1.9200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 0.9000 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 0.8886 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3000 | h |
| LAMZHL | Half-Life Lambda z | 6.6593 | h |
| LAMZ | Lambda z | 0.1041 | /h |
| LAMZLL | Lambda z Lower Limit | 7.0300 | h |
| LAMZUL | Lambda z Upper Limit | 24.3000 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9986 | |
| R2 | R Squared | 0.9972 | |


0.9958

91.5268 h*mg/L

91.5268 h*mg/L

| AUCIFO | AUC Infinity Obs | 100.1735 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3130 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 100.0643 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3127 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 8.6317 | % |
| AUCPEP | AUC %Extrapolation Pred | 8.5320 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 706.5866 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 999.7723 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 996.0716 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 29.3252 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 29.0627 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 7.7200 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 9.9804 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 9.9543 | h |
| VZFO | Vz Obs by F | 30.6904 | L |
| VZFP | Vz Pred by F | 30.7239 | L |
| CLFO | Total CL Obs by F | 3.1945 | L/h |
| CLFP | Total CL Pred by F | 3.1979 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting _____

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

Fitting, AUC, AUMC Result _____


| Time | Conc. | Pred. | Residual | AUC | AUMC |
|---------|----------|--------|------------|---------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| | | | | | |
| 0.2700 | 4.4000 | | | 0.5940 | 0.1604 |
| 0.5800 | 6.9000 | | | 2.3455 | 0.9648 |
| 1.0200 | 8.2000 | | | 5.6675 | 3.6854 |
| 2.0200 | 7.8000 | | | 13.6675 | 15.7453 |
| 3.6200 | 7.5000 | | | 25.9075 | 50.0702 |
| 5.0800 | 6.2000 | | | 35.9085 | 92.8817 |
| 7.0700 | 5.3000 | | | 47.3510 | 161.5039 |
| 9.0000 | * 4.9000 | 4.9914 | -9.138e-02 | 57.1940 | 240.2199 |
| 12.1500 | * 3.7000 | 3.6147 | +8.528e-02 | 70.7390 | 380.4815 |
| 24.1700 | * 1.0500 | 1.0551 | -5.097e-03 | 99.2865 | 803.1859 |


^{*:} Used for the calculation of Lambda z.

Calculated Values _____

| CMAX | Max Conc | 8.2000 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0256 | mg/L/mg |
| TMAX | Time of CMAX | 1.0200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.0500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.0551 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1700 | h |
| LAMZHL | Half-Life Lambda z | 6.7661 | h |
| LAMZ | Lambda z | 0.1024 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0000 | h |
| LAMZUL | Lambda z Upper Limit | 24.1700 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9993 | |
| R2ADJ | R Squared Adjusted | 0.9986 | |
| AUCLST | AUC to Last Nonzero Conc | 99.2865 | h*mg/L |
| AUCALL | AUC All | 99.2865 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 109.5360 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3423 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 109.5857 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3425 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 9.3572 | % |
| AUCPEP | AUC %Extrapolation Pred | 9.3983 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 803.1859 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1150.9648 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1152.6529 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 30.2163 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 30.3185 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.0896 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.5076 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.5183 | h |
| VZFO | Vz Obs by F | 28.5171 | L |
| VZFP | Vz Pred by F | 28.5042 | L |
| CLFO | Total CL Obs by F | 2.9214 | L/h |
| CLFP | Total CL Pred by F | 2.9201 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result


| Time | Conc. | Pred. | Residual | AUC | AUMC |
|---------|----------|--------|------------|----------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.3500 | 1.8900 | | | 0.3308 | 0.1158 |
| 0.6000 | 4.6000 | | | 1.1420 | 0.5435 |
| 1.0700 | 8.6000 | | | 4.2440 | 3.3545 |
| 2.1300 | 8.3800 | | | 13.2434 | 17.6918 |
| 3.5000 | 7.5400 | | | 24.1486 | 47.9958 |
| 5.0200 | 6.8800 | | | 35.1078 | 94.3007 |
| 7.0200 | 5.7800 | | | 47.7678 | 169.4139 |
| 9.0200 | * 5.3300 | 5.4586 | -1.286e-01 | 58.8778 | 258.0661 |
| 11.9800 | * 4.1900 | 4.0686 | +1.214e-01 | 72.9674 | 403.5099 |
| 24.6500 | * 1.1500 | 1.1564 | -6.422e-03 | 106.7963 | 901.0842 |


^{*:} Used for the calculation of Lambda z.

Calculated Values

| CMAX | Max Conc | 8.6000 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0269 | mg/L/mg |
| TMAX | Time of CMAX | 1.0700 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1564 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.6500 | h |
| LAMZHL | Half-Life Lambda z | 6.9812 | h |
| LAMZ | Lambda z | 0.0993 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0200 | h |
| LAMZUL | Lambda z Upper Limit | 24.6500 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9995 | |
| R2 | R Squared | 0.9989 | |
| R2ADJ | R Squared Adjusted | 0.9978 | |
| AUCLST | AUC to Last Nonzero Conc | 106.7963 | h*mg/L |
| AUCALL | AUC All | 106.7963 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 118.3789 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3699 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 118.4436 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3701 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 9.7843 | % |
| AUCPEP | AUC %Extrapolation Pred | 9.8336 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 901.0842 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1303.2524 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1305.4981 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 30.8588 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 30.9777 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.4374 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.0092 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.0221 | h |
| VZFO | Vz Obs by F | 27.2260 | L |
| VZFP | Vz Pred by F | 27.2111 | L |
| CLFO | Total CL Obs by F | 2.7032 | L/h |
| CLFP | Total CL Pred by F | 2.7017 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result


| Т | ime | | Conc. | Pred. | Residual | AUC | AUMC |
|-----|------|---|---------|--------|------------|----------|-----------|
| 0. | 0000 | | 0.0000 | | | 0.0000 | 0.0000 |
| 0. | 3000 | | 2.0200 | | | 0.3030 | 0.0909 |
| 0. | 5200 | | 5.6300 | | | 1.1445 | 0.4796 |
| 1. | 0000 | | 11.4000 | | | 5.2317 | 3.9182 |
| 2. | 0200 | | 9.3300 | | | 15.8040 | 19.3440 |
| 3. | 5000 | | 8.7400 | | | 29.1758 | 55.9271 |
| 5. | 0200 | | 7.5600 | | | 41.5638 | 108.0184 |
| 7. | 0200 | * | 7.0900 | 6.9799 | +1.101e-01 | 56.2138 | 195.7414 |
| 9. | 1000 | * | 5.9000 | 5.8291 | +7.091e-02 | 69.7234 | 303.3417 |
| 12. | 0000 | * | 4.3700 | 4.5343 | -1.643e-01 | 84.6149 | 457.2302 |
| 24. | 3500 | * | 1.5700 | 1.5557 | +1.430e-02 | 121.2944 | 1017.1143 |


 $[\]star$: Used for the calculation of Lambda z.

Calculated Values

| CMAX | Max Conc | 11.4000 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0356 | mg/L/mg |
| TMAX | Time of CMAX | 1.0000 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.5700 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.5557 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.3500 | h |
| LAMZHL | Half-Life Lambda z | 8.0023 | h |
| LAMZ | Lambda z | 0.0866 | /h |
| LAMZLL | Lambda z Lower Limit | 7.0200 | h |
| LAMZUL | Lambda z Upper Limit | 24.3500 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9993 | |
| R2 | R Squared | 0.9986 | |
| R2ADJ | R Squared Adjusted | 0.9980 | |
| AUCLST | AUC to Last Nonzero Conc | 121.2944 | h*mg/L |
| AUCALL | AUC All | 121.2944 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 139.4198 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.4357 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 139.2546 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.4352 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 13.0006 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.8974 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1017.1143 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1667.7216 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1661.7937 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 39.0117 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 38.7942 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.3855 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.9619 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.9335 | h |
| VZFO | Vz Obs by F | 26.4980 | L |
| VZFP | Vz Pred by F | 26.5294 | L |
| CLFO | Total CL Obs by F | 2.2952 | L/h |
| CLFP | Total CL Pred by F | 2.2979 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|----------|--------|----------|-----------|---------|---------|
| | | | | | |
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2700 | 1.2900 | | | 0.1742 | 0.0470 |
| 0.5800 | 3.0800 | | | 0.8515 | 0.3779 |
| 1.1500 | 6.4400 | | | 3.5647 | 2.9977 |
| 2.0300 * | 6.3200 | 6.3928 - | 7.284e-02 | 9.1791 | 11.9014 |
| 3.5700 * | 5.5300 | 5.5844 - | 5.438e-02 | 18.3036 | 36.9816 |
| 5.0000 * | 4.9400 | 4.9255 + | 1.450e-02 | 25.7897 | 68.7577 |


^{7.0000 * 4.0200 4.1323 -1.123}e-01 34.7497 121.5977 9.2200 * 3.4600 3.4005 +5.948e-02 43.0525 188.2434 12.1000 * 2.7800 2.6408 +1.392e-01 52.0381 282.6199 23.8500 * 0.9200 0.9413 -2.127e-02 73.7756 609.1524


Calculated Values

| Max Conc | 6.4400 | mg/L |
|---|--|---|
| Max Conc Norm by Dose | 0.0201 | ${\rm mg/L/mg}$ |
| Time of CMAX | 1.1500 | h |
| Time Until First Nonzero Conc | 0.0000 | h |
| Last Nonzero Conc | 0.9200 | mg/L |
| Last Nonzero Conc Pred | 0.9413 | mg/L |
| Time of Last Nonzero Conc | 23.8500 | h |
| Half-Life Lambda z | 7.8950 | h |
| Lambda z | 0.0878 | /h |
| Lambda z Lower Limit | 2.0300 | h |
| Lambda z Upper Limit | 23.8500 | h |
| Number of Points for Lambda z | 7 | |
| Correlation Between TimeX and Log ConcY | -0.9991 | |
| R Squared | 0.9982 | |
| R Squared Adjusted | 0.9979 | |
| AUC to Last Nonzero Conc | 73.7756 | h*mg/L |
| AUC All | 73.7756 | h*mg/L |
| | Max Conc Norm by Dose Time of CMAX Time Until First Nonzero Conc Last Nonzero Conc Last Nonzero Conc Pred Time of Last Nonzero Conc Half-Life Lambda z Lambda z Lambda z Lambda z Lower Limit Lambda z Upper Limit Number of Points for Lambda z Correlation Between TimeX and Log ConcY R Squared R Squared Adjusted AUC to Last Nonzero Conc | Max Conc Norm by Dose Time of CMAX 1.1500 Time Until First Nonzero Conc Last Nonzero Conc Last Nonzero Conc 0.9200 Last Nonzero Conc Pred Time of Last Nonzero Conc Half-Life Lambda z Lambda z Lambda z Lambda z Lambda z Upper Limit 2.0300 Lambda z Upper Limit Correlation Between TimeX and Log ConcY R Squared R Squared Adjusted AUC to Last Nonzero Conc 70.0201 0.0201 0.0902 0.9912 0.9979 73.7756 |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 84.2544 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.2633 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 84.4967 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.2641 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 12.4372 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.6882 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 609.1524 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 978.4285 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 986.9665 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 37.7418 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 38.2803 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.2568 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.6128 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 11.6805 | h |
| VZFO | Vz Obs by F | 43.2597 | L |
| VZFP | Vz Pred by F | 43.1357 | L |
| CLFO | Total CL Obs by F | 3.7980 | L/h |
| CLFP | Total CL Pred by F | 3.7871 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

1.1607 -1.072e-02 90.7534 782.4199

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|-----------|--------|--------|------------|---------|----------|
| 0.0000 | 0.1500 | | | 0.0000 | 0.0000 |
| 0.0000 | 0.1500 | | | 0.0000 | 0.0000 |
| 0.2500 | 0.8500 | | | 0.1250 | 0.0266 |
| 0.5000 | 2.3500 | | | 0.5250 | 0.2000 |
| 1.0200 | 5.0200 | | | 2.4412 | 1.8368 |
| 2.0200 | 6.5800 | | | 8.2412 | 11.0428 |
| 3.4800 | 7.0900 | | | 18.2203 | 38.7571 |
| 5.0000 | 6.6600 | | | 28.6703 | 82.8167 |
| 6.9800 | 5.2500 | 5.3226 | -7.260e-02 | 40.4612 | 152.0623 |
| 9.0000 * | 4.3900 | 4.4527 | -6.275e-02 | 50.1976 | 228.9788 |
| 12.0500 * | 3.5300 | 3.4011 | +1.289e-01 | 62.2756 | 354.0998 |

^{*:} Used for the calculation of Lambda z.


1.1500


Calculated Values

24.2200 *

| CMAX | Max Conc | 7.0900 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0222 | mg/L/mg |
| TMAX | Time of CMAX | 3.4800 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1607 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.2200 | h |
| LAMZHL | Half-Life Lambda z | 7.8467 | h |
| LAMZ | Lambda z | 0.0883 | /h |
| LAMZLL | Lambda z Lower Limit | 6.9800 | h |
| LAMZUL | Lambda z Upper Limit | 24.2200 | h |
| LAMZNPT | Number of Points for Lambda z | 4 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9993 | |
| R2 | R Squared | 0.9987 | |
| R2ADJ | R Squared Adjusted | 0.9980 | |
| AUCLST | AUC to Last Nonzero Conc | 90.7534 | h*mg/L |
| AUCALL | AUC All | 90.7534 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 103.7718 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3243 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 103.8931 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3247 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 12.5452 | % |
| AUCPEP | AUC %Extrapolation Pred | 12.6474 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 782.4199 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1245.0984 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1249.4111 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 37.1600 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 37.3769 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.6214 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 11.9984 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 12.0259 | h |
| VZFO | Vz Obs by F | 34.9084 | L |
| VZFP | Vz Pred by F | 34.8677 | L |
| CLFO | Total CL Obs by F | 3.0837 | L/h |
| CLFP | Total CL Pred by F | 3.0801 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

4.7300 4.8941 -1.641e-01 42.6209 150.1204

4.5700 4.1856 +3.844e-01 51.5489 222.3790 3.0000 3.2702 -2.702e-01 63.0175 340.1701

1.2500 1.2285 +2.147e-02 88.5600 739.5346

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. Residual | AUC | AUMC |
|----------|--------|-------------------|---------|---------|
| 0.0000 | 0.0000 | | 0.0000 | 0.0000 |
| 0.2500 | 3.0500 | | 0.3813 | 0.0953 |
| 0.5200 | 3.0500 | | 1.2048 | 0.4124 |
| 0.9800 | 7.3100 | | 3.5875 | 2.4248 |
| 2.0200 | 7.5600 | | 11.3200 | 14.0910 |
| 3.5300 * | 6.5900 | 6.5724 +1.758e-02 | 22.0032 | 43.1841 |
| 5.0500 * | 5.8800 | 5.8071 +7.292e-02 | 31.4804 | 83.4312 |
| | | | | |

Calculated Values

7.1500 *


9.0700 *


12.1000 * 24.1200 *

| CMAX | Max Conc | 7.5600 | mg/L |
|---------|---|---------|-----------------|
| CMAXD | Max Conc Norm by Dose | 0.0236 | ${\rm mg/L/mg}$ |
| TMAX | Time of CMAX | 2.0200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.2500 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.2285 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1200 | h |
| LAMZHL | Half-Life Lambda z | 8.5100 | h |
| LAMZ | Lambda z | 0.0815 | /h |
| LAMZLL | Lambda z Lower Limit | 3.5300 | h |
| LAMZUL | Lambda z Upper Limit | 24.1200 | h |
| LAMZNPT | Number of Points for Lambda z | 6 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9955 | |
| R2 | R Squared | 0.9910 | |
| R2ADJ | R Squared Adjusted | 0.9888 | |
| AUCLST | AUC to Last Nonzero Conc | 88.5600 | h*mg/L |
| AUCALL | AUC All | 88.5600 | h*mg/L |

^{*:} Used for the calculation of Lambda z.

| AUCI | FO | AUC Infinity Obs | 103.9067 | h*mg/L |
|------|------|------------------------------------|-----------|-----------|
| AUCI | FOD | AUC Infinity Obs Norm by Dose | 0.3247 | h*mg/L/mg |
| AUCI | FP | AUC Infinity Pred | 103.6431 | h*mg/L |
| AUCI | FPD | AUC Infinity Pred Norm by Dose | 0.3239 | h*mg/L/mg |
| AUCP | EO | AUC %Extrapolation Obs | 14.7697 | % |
| AUCP | EP | AUC %Extrapolation Pred | 14.5529 | % |
| AUMC | LST | AUMC to Last Nonzero Conc | 739.5346 | h2*mg/L |
| AUMC | IFO | AUMC Infinity Obs | 1298.1158 | h2*mg/L |
| AUMC | IFP | AUMC Infinity Pred | 1288.5201 | h2*mg/L |
| AUMC | PEO | AUMC %Extrapolation Obs | 43.0302 | % |
| AUMC | PEP | AUMC % Extrapolation Pred | 42.6059 | % |
| MRTE | VLST | MRT Extravasc to Last Nonzero Conc | 8.3507 | h |
| MRTE | VIFO | MRT Extravasc Infinity Obs | 12.4931 | h |
| MRTE | VIFP | MRT Extravasc Infinity Pred | 12.4323 | h |
| VZFO | | Vz Obs by F | 37.8105 | L |
| VZFP | | Vz Pred by F | 37.9067 | L |
| CLFO | | Total CL Obs by F | 3.0797 | L/h |
| CLFP | | Total CL Pred by F | 3.0875 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

Fitting, AUC, AUMC Result

| | Time | Conc. | Pred. | Residual | AUC | AUMC |
|---|-------|--------|-------|----------|---------|---------|
| 0 | .0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0 | .3000 | 7.3700 | | | 1.1055 | 0.3316 |
| 0 | .6300 | 9.0300 | | | 3.8115 | 1.6351 |
| 1 | .0500 | 7.1400 | | | 7.2072 | 4.4042 |
| 2 | .0200 | 6.3300 | | | 13.7402 | 14.2417 |
| 3 | .5300 | 5.6600 | | | 22.7926 | 38.9804 |

 <sup>5.0200
 5.6700
 31.2335
 75.0705

 7.1700
 4.2400
 41.8867
 138.3495

 8.8000 *
 4.1100
 4.0512 +5.880</sup>e-02
 48.6920
 192.6031

 11.6000 *
 3.1600
 3.2160 -5.597e-02
 58.8700
 294.5567


 24.4300 *
 1.1200
 1.1165 +3.517e-03
 86.3262
 705.2296


Calculated Values

| CMAX | Max Conc | 9.0300 | mg/L |
|---------|---|---------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0282 | mg/L/mg |
| TMAX | Time of CMAX | 0.6300 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1200 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1165 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.4300 | h |
| LAMZHL | Half-Life Lambda z | 8.4060 | h |
| LAMZ | Lambda z | 0.0825 | /h |
| LAMZLL | Lambda z Lower Limit | 8.8000 | h |
| LAMZUL | Lambda z Upper Limit | 24.4300 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9994 | |
| R2ADJ | R Squared Adjusted | 0.9989 | |
| AUCLST | AUC to Last Nonzero Conc | 86.3262 | h*mg/L |
| AUCALL | AUC All | 86.3262 | h*mg/L |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 99.9087 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.3122 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 99.8661 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.3121 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 13.5950 | % |
| AUCPEP | AUC %Extrapolation Pred | 13.5581 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 705.2296 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1201.7715 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1200.2124 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 41.3175 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 41.2413 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.1694 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 12.0287 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 12.0182 | h |
| VZFO | Vz Obs by F | 38.8428 | L |
| VZFP | Vz Pred by F | 38.8594 | L |
| CLFO | Total CL Obs by F | 3.2029 | L/h |
| CLFP | Total CL Pred by F | 3.2043 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

2.4200 2.4137 +6.308e-03 138.3681 1278.1800

91.3881 546.9044

Fitting, AUC, AUMC Result

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|--------|----------|--------|------------|---------|----------|
| | | | | | |
| 0.0000 | 0.2400 | | | 0.0000 | 0.0000 |
| 0.3700 | 2.8900 | | | 0.5790 | 0.1978 |
| 0.7700 | 5.2200 | | | 2.2011 | 1.2156 |
| 1.0200 | 6.4100 | | | 3.6548 | 2.5353 |
| 2.0500 | 7.8300 | | | 10.9884 | 14.1690 |
| 3.5500 | 10.2100 | | | 24.5184 | 53.3917 |
| 5.0500 | 9.1800 | | | 39.0609 | 115.3451 |
| 7.0800 | 8.0200 | | | 56.5189 | 220.0328 |
| 9.3800 | * 7.1400 | 7.0610 | +7.903e-02 | 73.9529 | 362.3508 |

5.6800 5.7586 -7.858e-02


Calculated Values


12.1000 * 23.7000 *

| CMAX | Max Conc | 10.2100 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0319 | mg/L/mg |
| TMAX | Time of CMAX | 3.5500 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 2.4200 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 2.4137 | mg/L |
| TLST | Time of Last Nonzero Conc | 23.7000 | h |
| LAMZHL | Half-Life Lambda z | 9.2469 | h |
| LAMZ | Lambda z | 0.0750 | /h |
| LAMZLL | Lambda z Lower Limit | 9.3800 | h |
| LAMZUL | Lambda z Upper Limit | 23.7000 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9998 | |
| R2 | R Squared | 0.9995 | |
| R2ADJ | R Squared Adjusted | 0.9990 | |
| AUCLST | AUC to Last Nonzero Conc | 138.3681 | h*mg/L |
| AUCALL | AUC All | 138.3681 | h*mg/L |

^{*:} Used for the calculation of Lambda z.

| AUCIFO | AUC Infinity Obs | 170.6521 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.5333 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 170.5679 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.5330 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 18.9180 | % |
| AUCPEP | AUC %Extrapolation Pred | 18.8780 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 1278.1800 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 2473.9934 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 2470.8765 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 48.3354 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 48.2702 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 9.2375 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 14.4973 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 14.4862 | h |
| VZFO | Vz Obs by F | 25.0155 | L |
| VZFP | Vz Pred by F | 25.0279 | L |
| CLFO | Total CL Obs by F | 1.8752 | L/h |
| CLFP | Total CL Pred by F | 1.8761 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=1e-4

0.8598 +1.934e-04 80.0936 617.2422

Fitting, AUC, AUMC Result ______

| Time | Conc. | Pred. | Residual | AUC | AUMC |
|-----------|--------|----------|------------|---------|----------|
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2500 | 4.8600 | | | 0.6075 | 0.1519 |
| 0.5000 | 7.2400 | | | 2.1200 | 0.7563 |
| 0.9800 | 8.0000 | | | 5.7776 | 3.5067 |
| 1.9800 | 6.8100 | | | 13.1826 | 14.1686 |
| 3.6000 | 5.8700 | | | 23.4534 | 42.2073 |
| 5.0200 | 5.2200 | | | 31.3273 | 75.8162 |
| 7.0300 | 4.4500 | | | 41.0457 | 133.5915 |
| 9.0300 * | 3.6200 | 3.6169 - | +3.150e-03 | 49.1156 | 197.5636 |
| 12.1200 * | 2.6900 | 2.6929 | -2.948e-03 | 58.8646 | 298.4388 |
| | | | | | |

^{*:} Used for the calculation of Lambda z.

0.8600

Calculated Values ______

CMAX

CMAXD

R2ADJ

24.0800 *

| TMAX | Time | of CMAX |
|-------|------|--------------------------|
| TLAG | Time | Until First Nonzero Conc |
| CLST | Last | Nonzero Conc |
| CLSTP | Last | Nonzero Conc Pred |

Max Conc Norm by Dose

Max Conc

TLST Time of Last Nonzero Conc LAMZHL Half-Life Lambda z Lambda z LAMZ Lambda z Lower Limit LAMZLL

LAMZUL Lambda z Upper Limit LAMZNPT Number of Points for Lambda z CORRXY Correlation Between TimeX and Log ConcY R Squared

R Squared Adjusted AUC to Last Nonzero Conc AUCLST AUCALL AUC All

0.0250 mg/L/mg0.9800 h 0.0000 h 0.8600 mg/L 0.8598 mg/L 24.0800 h 7.2612 h 0.0955 /h

8.0000 mg/L


9.0300 h 24.0800 h 3

-1.0000 1.0000 1.0000

80.0936 h*mg/L 80.0936 h*mg/L

| AUCIFO | AUC Infinity Obs | 89.1027 | h*mg/L |
|----------|------------------------------------|----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.2784 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 89.1007 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.2784 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 10.1110 | % |
| AUCPEP | AUC %Extrapolation Pred | 10.1089 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 617.2422 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 928.5600 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 928.4900 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 33.5269 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 33.5219 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 7.7065 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.4212 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.4207 | h |
| VZFO | Vz Obs by F | 37.6222 | L |
| VZFP | Vz Pred by F | 37.6230 | L |
| CLFO | Total CL Obs by F | 3.5914 | L/h |
| CLFP | Total CL Pred by F | 3.5914 | L/h |





Date and Time: 2018-06-05 11:00:47 Asia/Seoul

Calculation Setting

Drug Administration: Extravascular

Observation count excluding trailing zero: 11

Dose at time 0: 320 mg

AUC Calculation Method: Linear-up Linear-down

Weighting for lambda z: Uniform (Ordinary Least Square, OLS)

Lambda z selection criterion: Heighest adjusted R-squared value with precision=le-4

1.1755 -5.539e-03 119.9775 977.8807

Fitting, AUC, AUMC Result

| | | | | | |
|------------|--------|----------|------------|---------|----------|
| Time | Conc. | Pred. | Residual | AUC | AUMC |
| 0.0000 | 0.0000 | | | 0.0000 | 0.0000 |
| 0.2500 | 1.2500 | | | 0.1563 | 0.0391 |
| 0.5000 | 3.9600 | | | 0.8075 | 0.3256 |
| 1.0000 | 7.8200 | | | 3.7525 | 2.7756 |
| 2.0000 | 9.7200 | | | 12.5225 | 16.4056 |
| 3.5200 | 9.7500 | | | 27.3197 | 57.2632 |
| 5.0700 | 8.5700 | | | 41.5177 | 117.5349 |
| 7.0700 | 6.5900 | | | 56.6777 | 207.5761 |
| 9.0300 * | 6.1100 | 6.2267 - | -1.167e-01 | 69.1237 | 307.3054 |
| 12.0500 * | 4.5700 | 4.4632 + | +1.068e-01 | 85.2505 | 473.7705 |
| | | | | | |

^{*:} Used for the calculation of Lambda z.

1.1700

Calculated Values

24.1500 *

| CMAX | Max Conc | 9.7500 | mg/L |
|---------|---|----------|---------|
| CMAXD | Max Conc Norm by Dose | 0.0305 | mg/L/mg |
| TMAX | Time of CMAX | 3.5200 | h |
| TLAG | Time Until First Nonzero Conc | 0.0000 | h |
| CLST | Last Nonzero Conc | 1.1700 | mg/L |
| CLSTP | Last Nonzero Conc Pred | 1.1755 | mg/L |
| TLST | Time of Last Nonzero Conc | 24.1500 | h |
| LAMZHL | Half-Life Lambda z | 6.2865 | h |
| LAMZ | Lambda z | 0.1103 | /h |
| LAMZLL | Lambda z Lower Limit | 9.0300 | h |
| LAMZUL | Lambda z Upper Limit | 24.1500 | h |
| LAMZNPT | Number of Points for Lambda z | 3 | |
| CORRXY | Correlation Between TimeX and Log ConcY | -0.9997 | |
| R2 | R Squared | 0.9994 | |
| R2ADJ | R Squared Adjusted | 0.9988 | |
| AUCLST | AUC to Last Nonzero Conc | 119.9775 | h*mg/L |
| AUCALL | AUC All | 119.9775 | h*mg/L |

| AUCIFO | AUC Infinity Obs | 130.5888 | h*mg/L |
|----------|------------------------------------|-----------|-----------|
| AUCIFOD | AUC Infinity Obs Norm by Dose | 0.4081 | h*mg/L/mg |
| AUCIFP | AUC Infinity Pred | 130.6391 | h*mg/L |
| AUCIFPD | AUC Infinity Pred Norm by Dose | 0.4082 | h*mg/L/mg |
| AUCPEO | AUC %Extrapolation Obs | 8.1258 | % |
| AUCPEP | AUC %Extrapolation Pred | 8.1611 | % |
| AUMCLST | AUMC to Last Nonzero Conc | 977.8807 | h2*mg/L |
| AUMCIFO | AUMC Infinity Obs | 1330.3840 | h2*mg/L |
| AUMCIFP | AUMC Infinity Pred | 1332.0528 | h2*mg/L |
| AUMCPEO | AUMC %Extrapolation Obs | 26.4964 | % |
| AUMCPEP | AUMC % Extrapolation Pred | 26.5884 | % |
| MRTEVLST | MRT Extravasc to Last Nonzero Conc | 8.1505 | h |
| MRTEVIFO | MRT Extravasc Infinity Obs | 10.1876 | h |
| MRTEVIFP | MRT Extravasc Infinity Pred | 10.1964 | h |
| VZFO | Vz Obs by F | 22.2243 | L |
| VZFP | Vz Pred by F | 22.2157 | L |
| CLFO | Total CL Obs by F | 2.4504 | L/h |
| CLFP | Total CL Pred by F | 2.4495 | L/h |



