Reveal.js & Pandoc Adolfo Sanz De Diego Enero 2014

1 About

1.1 Adolfo Sanz De Diego



1.2 My Resume


- Old JEE web developer
- Today:
 - Computer teacher:
 - Hardware, Operating Systems
 - Networking, Programming
 - Freelance Trainer:
 - Java, Android
 - JavaScript, jQuery
 - JSF, Spring, Hibernate
 - Groovy & Grails
 - I like to develop

1.3 Hackalover



- For hackathons lovers
- Meetup: http://www.meetup.com/Hackathon-Lovers/
- Twitter: http://twitter.com/HackathonLovers

1.4 Tweets Sentiment



- Is a tweets analyzer which extracts semantic information to know if the general tweets feeling about a topic is positive or negative.
- Web: http://tweetssentiment.com/
- Twitter: http://twitter.com/TweetsSentiment

1.5 Where to find me?

- My nick: asanzdiego
- AboutMe: http://about.me/asanzdiego
 - GitHub: http://github.com/asanzdiego/
 - Twitter: http://twitter.com/asanzdiego
 - Blog: http://asanzdiego.blogspot.com.es
 - LinkedIn: http://www.linkedin.com/in/asanzdiego

1.6 Licence

- This work is licensed under a:
 - Creative Commons Attribution 3.0
- The program source code are licensed under a:
 - GPL 3.0

2 Instalation and how to use

2.1 Dependencies

- Pandoc (needs to be installed)
- Phantom.js (needs to be installed)
- Reveal.js (included)

2.2 Creation

- First copy the doc folder and rename it as you like. This is not necessary but helps you organize your documents.
- Create the md files that you want to generate.
 The md files are Markdown files which are nothing more than plain text files with extension md, and a lightweight markup (we should know it but it is very simple).
- Once created the md files, we can generate html, html-slides y pdf-beamer with a script.

2.3 Build

 To convert all md files of all the folders go to the root folder and execute:

./build.sh

 To convert all md files of one folder go to the root folder and execute:

./build.sh [folder_name]