




PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Ping statistics for 60.0.0.10:  
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
```

```
C:\>ping 60.0.0.10
```

```
Pinging 60.0.0.10 with 32 bytes of data:
```

```
Request timed out.
```

```
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
```

```
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
```

```
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
```

```
Ping statistics for 60.0.0.10:  
Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 0ms, Maximum = 0ms, Average = 0ms
```

```
C:\>ping 60.0.0.10
```

```
Pinging 60.0.0.10 with 32 bytes of data:
```

```
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
```

```
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
```

```
Reply from 60.0.0.10: bytes=32 time=1ms TTL=123
```

```
Reply from 60.0.0.10: bytes=32 time<1ms TTL=123
```

```
Ping statistics for 60.0.0.10:  
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

```
C:\>
```

```
C:\>
```

```
C:\>
```

```
C:\>
```

```
C:\>
```

```
C:\>
```


PC1

Physical Config Desktop Programming Attributes

Command Prompt

Packet Tracer PC Command Line 1.0

C:\>

C:\>ping 10.0.0.10

Pinging 10.0.0.10 with 32 bytes of data:

Reply from 10.0.0.10: bytes=32 time<1ms TTL=123

Reply from 10.0.0.10: bytes=32 time<1ms TTL=123

Reply from 10.0.0.10: bytes=32 time<1ms TTL=123

Reply from 10.0.0.10: bytes=32 time<1ms TTL=123

Ping statistics for 10.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>

I