

Themes of Powerdot Package

- autumn
- binder
- blends
- rico
- UNLTheme
- winter
- wj

autumn

Some title

Some author name
emailid@some.insti

Some Institute Name

Left-footer notes

Right-footer notes – 1 / 1

The quest for π

❖ The quest for π

- The following formula computes 8 correct digits per iteration (Ramanujan):

$$\frac{1}{\pi} = \sum_{n=0}^{\infty} \frac{\left(\frac{1}{4}\right)_n \left(\frac{2}{4}\right)_n \left(\frac{3}{4}\right)_n}{n!^3} \left(2\sqrt{2}(1103 + 26390n)\right) \frac{1}{(99^2)^{2n+1}}$$

Left-footer notes

Right-footer notes – 1 / 1

binder

Some title

Some author name
emailid@some.insti

Some Institute Name

Left-footer notes

Right-footer notes – 1 / 1

The quest for π

The quest for π

- The following formula computes 8 correct digits per iteration (Ramanujan):

$$\frac{1}{\pi} = \sum_{n=0}^{\infty} \frac{\left(\frac{1}{4}\right)_n \left(\frac{2}{4}\right)_n \left(\frac{3}{4}\right)_n}{n!^3} (2\sqrt{2}(1103 + 26390n)) \frac{1}{(99^2)^{2n+1}}$$

Left-footer notes

Right-footer notes – 1 / 1

blends



Some title

Some author name
emailid@some.insti

Some Institute Name

Left-footer notes

Right-footer notes – 1 / 1



The quest for π

✦ The quest for π

- The following formula computes 8 correct digits per iteration (Ramanujan):

$$\frac{1}{\pi} = \sum_{n=0}^{\infty} \frac{\left(\frac{1}{4}\right)_n \left(\frac{2}{4}\right)_n \left(\frac{3}{4}\right)_n}{n!^3} (2\sqrt{2}(1103 + 26390n)) \frac{1}{(99^2)^{2n+1}}$$

Left-footer notes

Right-footer notes – 1 / 1

rico



Some title

Some author name
emailid@some.insti

Some Institute Name

Left-footer notes

Right-footer notes – 1 / 1

The quest for π



▷ The quest for π

- ⊗ The following formula computes 8 correct digits per iteration (Ramanujan):

$$\frac{1}{\pi} = \sum_{n=0}^{\infty} \frac{\left(\frac{1}{4}\right)_n \left(\frac{2}{4}\right)_n \left(\frac{3}{4}\right)_n}{n!^3} (2\sqrt{2}(1103 + 26390n)) \frac{1}{(99^2)^{2n+1}}$$

Left-footer notes

Right-footer notes – 1 / 1

Some title

Some author name
emailid@some.insti

Some Institute Name

Left-footer notes

Right-footer notes – 1 / 1

The quest for π

The quest for π

- The following formula computes 8 correct digits per iteration (Ramanujan):

$$\frac{1}{\pi} = \sum_{n=0}^{\infty} \frac{\left(\frac{1}{4}\right)_n \left(\frac{2}{4}\right)_n \left(\frac{3}{4}\right)_n}{n!^3} (2\sqrt{2}(1103 + 26390n)) \frac{1}{(99^2)^{2n+1}}$$

Left-footer notes

Right-footer notes – 1 / 1

winter

Some title

Some author name
emailid@some.insti

Some Institute Name

Left-footer notes

Right-footer notes – 1 / 1

The quest for π

- ✓ The following formula computes 8 correct digits per iteration (Ramanujan):

$$\frac{1}{\pi} = \sum_{n=0}^{\infty} \frac{\left(\frac{1}{4}\right)_n \left(\frac{2}{4}\right)_n \left(\frac{3}{4}\right)_n}{n!^3} \left(2\sqrt{2}(1103 + 26390n)\right) \frac{1}{(99^2)^{2n+1}}$$

Left-footer notes

Right-footer notes – 1 / 1

wj

Some title

Some author name
emailid@some.insti

Some Institute Name

Left-footer notes

Right-footer notes – 1 / 1

The quest for π

The quest for π

- The following formula computes 8 correct digits per iteration (Ramanujan):

$$\frac{1}{\pi} = \sum_{n=0}^{\infty} \frac{\left(\frac{1}{4}\right)_n \left(\frac{2}{4}\right)_n \left(\frac{3}{4}\right)_n}{n!^3} \left(2\sqrt{2}(1103 + 26390n)\right) \frac{1}{(99^2)^{2n+1}}$$

Left-footer notes

Right-footer notes – 1 / 1