

A new ticket workflow, readable reports, and proxy images

8 September, 00:02:04 to 15 September, 00:02:04, 2026

Asia/Dubai · UTC+04:00 · Start included; end excluded

One large merge delivered the family rewrite on 13 September; six direct commits refined it the next day.

4 shipped outcome groups

1 merged pull request

7 successful Pages deployments

Available on main; existing installs need an update. These are shipped instructions, with real-project validation still pending.

13–14 September

Run ticket batches through review and merge

Operators can build a batch, approved spec, or milestone through successive waves, with recorded owners and recovery. Humans choose merges and concurrency limits.

13–14 September

Review decisions and shipped work in plain HTML

Visual specs and backlog recap expose decisions and delivery evidence in HTML. Interviews collect each answerable question wave in one chat message.

13 September

Generate images through a configured proxy

CLIPProxyAPI users can generate assets without the native image tool. Versioning and actual-dimension reporting remain.

Live generation passed; exact sizing and native compatibility remain unproven.

13 September

Install and browse one skill family

The README now installs 36 family and supporting skills with `npx skills add`. Maintainers can browse linked sources in a local mobile reader.

Existing users need to reconcile. Follow the [current install and upgrade guidance](#), re-run backlog setup, and replace retired mounts, including worktree and Relay. Preserve project records and active work.

Outcome groups combine related changes once. Pages deployments count documentation publication, not customer upgrades.

Supporting account

Ticket workflow: ownership, waves, review, and recovery

Previously, grooming grouped work into shaping batches and builds ran as supervised subagents. The new flow uses one canonical ticket and one owning thread per ticket. Groom reads every open ticket, proposes consolidation, and preserves dependencies, active owners, and milestones.

A plain build drains the ready, unblocked set selected when the run starts. A selected approved spec or milestone continues through successive waves. A child merge into a spec branch remains integration work until promotion reaches the base branch. Review-ready work remains distinct from merged delivery.

Build owners implement and fix inline. Independent review and risk-appropriate verification identify the tested revision and integration tree. Fixes invalidate earlier verdicts. Checkpoints retain deadlines and review budgets across recovery; uncertain launches retain ownership until liveness is settled.

Merge requires human selection and current evidence. Configured branch protection is honored, but its absence no longer blocks a reviewed merge. The verified head is guarded; atomic protection against base changes depends on server rules. An unexpected resulting tree needs verification before dependents continue.

What changed again on 14 September

The next-day update removed default thread limits, build slots, capacity reservations, and admission locks. Only an operator-specified limit controls concurrency. Ticket claims and resource isolation still apply. This supersedes the capacity wording in PR #201 and the 13 September changelog entry.

Upgrade and validation

Refresh the lifecycle family together. Reconcile the environment playbook, artifact storage, worktree recovery, and concurrency rules without discarding ongoing work. The PR reports 72 passing offline

helper tests and independent reviews. Actual integration work remains the planned behavioral check; those reported tests do not establish fleet reliability.

Sources: [PR #201: simplify the development family, refresh staffing, and add proxy images](#); [remove concurrency defaults](#); [document concurrency reconciliation](#); [final backlog contract](#); [final merge contract](#).

Human review: specs, recap, diagrams, and interview waves

Specs move from canonical ticket bodies to self-contained HTML with a short approval overview, visual explanations, stable acceptance identifiers, and detailed requirements below. A revised spec shows its delta from the approved revision. Publication and approval remain separate steps owned by the surrounding workflow.

The bundled diagram skill supplies charts and visual explanations without an external skill dependency. Its default is a dark editorial palette, with project design overrides and a light alternative. Writing standards now separate conversation, durable technical artifacts, and the shared plain-language editing pass.

backlog recap was added on 14 September at 16:24:27, the recorded main push time. It accepts natural date ranges, checks delivery evidence, and writes local HTML without setup. The final revision puts the shipping story first, keeps evidence expandable, and distinguishes confirmed delivery from unconfirmed merges. Publication is optional.

Interview changes at 17:08:29 and 17:12:41 make each question wave complete and deliver it as one numbered chat message. Questions dependent on those answers wait for the next wave. Settled decisions remain settled; the agent gathers environmental facts itself.

Sources: [PR #201: simplify the development family, refresh staffing, and add proxy images](#); [add shipped-work recap](#); [batch all interview frontier questions](#); [deliver interview waves in chat](#); [refine recap and spec review](#); [final HTML spec contract](#).

Image generation: proxy availability and known limits

[Issue #208: add a CLIPProxyAPI image backend](#) describes a setup where the proxy could generate images but the native tool was unavailable because of its provider and authentication gate. The delivered adapter calls the configured proxy directly with its existing gateway credential.

Backend selection prefers a configured CLIPProxyAPI route, then native Codex, then a direct OpenAI API path with a Platform key and explicit authorization. This is selection among available routes, not permission to silently change providers after a failure. Flat, batch, layered, and sprite generation preserve immutable versions and partial evidence. Credentials remain bound to their endpoint, and native results must belong to the launched session.

The PR reports 34 image-backend tests within its 72 helper tests. Its earlier inspected proxy smoke received a 1254 × 1254 image for a 1024 × 1024 request and reported the mismatch. The issue also records an earlier experiment with a different mismatch. Neither establishes dependable size or quality control, editing, or restoration of the native tool.

The issue closed when PR #201 merged on 13 September at 11:51:09. Shipping is established by the main merge and distribution contract, not by the issue closure alone. Existing users must refresh codex-imagegen; no provider or login configuration was changed by this recap.

Sources: [issue #208 request and experiment](#); [PR #201: simplify the development family, refresh staffing, and add proxy images](#); [shipped image backend contract](#); [archived issue record](#).

Installation, mobile review, and removed skills

The old first-party installer and its install-state file are removed. The current README uses `npm install --save-dev github:asasher/asher-skills` with an explicit family list. The changelog tells an agent which installed skills to refresh and which setup to reconcile. The package is private and is not published to npm.

For maintainers, `bun run review:serve` serves the family guide and linked Markdown on loopback. The reader preserves relative links and heading anchors, adds previous/next navigation, and exposes metadata and raw source. Sharing over a tailnet is a separate choice. PR #201 reports mobile and desktop checks, 385 reader sources, and 2,034 resolved local links and anchors at that revision. Later recap changes raise the documented package-file count to 386.

Rename and retirement map

Prior install	Current destination or action
build, intermediate build-change	deliver
merge-changes, intermediate merge-change	merge
to-backlog	capture
serve-via-tailnet	to-tailnet, now personal and outside the default family install
bare-minimum-ux	bare-minimum-design
watch-until, worktree	Removed. Merge owns waiting and cleanup; thread dispatch uses native Git worktrees.

Prior install	Current destination or action
Relay, capture-to-inbox, manage-notes, manage-tasks, manage-opportunities, review-opportunities	Packages removed from the distributed source. Preserve user records before deliberate cleanup.
writing-technical-docs	Removed from in-progress; the shipped family now includes technical-writing.

The before/after comparison also moves dispatch skills into the system category and retro into software development; their installed names remain flat. Use the complete current README list to pick up new prerequisites rather than copying a historical changelog command.

Sources: [current install and reconcile instructions](#); [upgrade changelog](#); [installer before/after diff](#); [complete skill file change list](#); [PR #201: simplify the development family, refresh staffing, and add proxy images](#).

Smaller changes retained in the account

- **Retro:** recent local session reviews now propose project issues for user selection. A pending checkpoint preserves interrupted discussion and avoids advancing unread coverage. This replaces the former friction ledger and upstream workflow.
- **Staffing:** the shipped roster assigns Astra to planning and execution, Fable 5.1 to taste and frontend work, and Terra to bounded collection and capture. Separate context establishes review independence. User-selected models still take precedence.
- **Isolation and helpers:** browser verification defaults to isolated headless sessions. Artifact publication rejects occupied or symbolic targets; thread dispatch retains ambiguous worker identity and bounds protocol waits.
- **Setup and authoring:** a table replaces the label reconciler; package references stay within skill boundaries. The family gains codebase, experience, type-system, and TypeScript guidance. Repeated recipes and redundant instructions were pruned across supporting, creative, thinking, and personal skills.
- **Repository maintenance:** the old installed self-copies, obsolete installer support, and retired skill files were removed. Reader dependencies and formatting support changed. The PR's dependency bot comment reports those dependency changes; it is not runtime validation.

These are supporting changes within the four groups, not additional shipped-outcome counts. The source diff and PR file inventory retain the full file-level account, including historical authoring artifacts.

Sources: [PR #201: simplify the development family, refresh staffing, and add proxy images](#); [changelog](#); [retro contract](#); [staffing roster](#); [source and documentation patches](#); [all 1,109 PR file records](#).

Delivery dates and metric reconciliation

Distribution boundary: this repository distributes skill source from GitHub's default branch, `main`. The README explicitly updates installed copies after `main` moves. GitHub Pages separately publishes documentation from `main` at the repository root. No tagged GitHub releases exist in the queried records.

PR #201 merged at **13 September 11:51:09** and introduced the family rewrite to that distribution boundary. Its 80 branch commits span 7 August to 13 September; their authored dates are not shipment dates. Its final changes count here even where the changelog heading is earlier than this week. Six subsequent direct commits also reached `main`.

Main push events give exact publication times for the merge and four direct commits. The event feed omits the concurrency change and final refinement. Their matching main deployment records establish availability no later than 14 September 12:02:13 and 17:33:09, respectively. The table uses each Pages deployment's first successful status time, not commit author time or deployment creation.

Success time Asia/Dubai	Revision	Changes carried	Delivery evidence
13 Sep 11:51:36	d828cbf	Family rewrite, image backend, install and reader	Successful deployment
14 Sep 12:03:01	8c1162c	Operator chooses concurrency	Successful deployment
14 Sep 13:18:17	6929b79	Concurrency upgrade guidance	Successful deployment
14 Sep 16:24:56	94b8f86	Backlog recap added	Successful deployment
14 Sep 17:09:35	73c4947	Interview batches the whole question wave	Successful deployment
14 Sep 17:13:13	7e2e8f6	Interview delivers the wave in chat	Successful deployment
14 Sep 17:33:42	10f388a	Recap and spec review refined	Successful deployment

- **4 shipped outcome groups:** the four user-facing themes in the main view, each counted once across initial delivery and subsequent refinements. They are editorial groups, not features, releases, or PRs.
- **1 merged PR:** deduplicated repository/number, with `merged_at` inside the exact interval. The paginated broad-date search returned only #201 and was filtered to the exact bounds.

- **7 successful Pages deployments:** distinct deployment IDs with a successful status in the interval. Six are on 14 September and one on 13 September. These are documentation publication events, not user adoption.
- **6 direct main commits:** the seven first-parent revisions in the period minus PR #201's squash merge. All seven revisions match successful main deployments.

No separate merged work with unconfirmed release was identified among these seven main revisions. No rollback to an earlier main revision appears in the checked history or deployment records. Retired capabilities and superseded rules are described above; they are not hidden as additions.

Sources: [derived delivery ledger and metric inputs](#); [remote main revision](#); [main push events](#); [deployment inventory](#); [Pages distribution configuration](#); [merged-PR search](#); [first-parent Git log](#).

Coverage, limitations, and audit files

Observed local HEAD and remote main both equal

10f388ac6b97fbd11360a88ce94e1d460dcfc304. The report uses source and skill instructions at that revision. There is no environment playbook or root design file in this checkout; README, package metadata, and GitHub Pages configuration establish distribution. The diagram skill's default dark tokens and system font fallbacks shape this report. Simple metrics communicate the period without a chart.

Collection used paginated GitHub API requests for releases, deployments, deployment statuses, repository events, merged-PR search, PR #201, all 80 PR commits, all 1,109 changed-file records, PR comments/reviews, and linked issue #208 and comments. PR reviews and review comments were empty; reported independent reviews and test results come from the PR body, not a new review performed for this recap. One TLS timeout on deployment status was retried successfully. Search returned one result and did not hit its cap.

Git history and selected source patches cover direct commits and the squash's older content. Repository events are a limited GitHub feed, not a complete audit log; two omitted pushes are bounded by matching main deployment records. No installed-project upgrade, user adoption, runtime reliability, or productivity was measured. The records do not establish live native-format compatibility, T3 failure recovery, merge behavior, or Linux browser isolation in every project. Those remain capability checks where the skills are used.

No tracker changes, commits, pushes, publication, or skill-source edits were made for this report. Later source retrieval is an observation of the fixed period, not an extension of it. Nothing after the cutoff contributes to the counts.

Audit files: [initial API request log](#); [follow-up request log](#); [release inventory](#); [full PR record](#); [older commits delivered by PR #201](#); [PR discussion](#); [rendering and HTML checks](#). Source JSON and diffs remain alongside this

standalone HTML.

Exact period: [2026-09-08T00:02:04+04:00, 2026-09-15T00:02:04+04:00).

Resolved at 2026-09-14T20:02:04Z. Generated 15 September 2026, 00:12:29 UTC+04:00.

Repository and skill revision: 10f388ac6b97fbd11360a88ce94e1d460dcfc304.