DialCore User Manual

Platform Admin · Tenant Admin · Supervisor · Agent · Clicker Agent — version 1.9.80

About this manual

DialCore is a contact-centre dialer that runs in the browser. This manual explains, screen by screen, what each type of user does. Find your role in the table and read that part; everyone should read Getting started.

You are…	You sign in as	Read
Platform Admin — runs the DialCore installation for all customers	a plain user name	Part A
Tenant Admin — sets up one company (tenant): campaigns, users, IVR, reports	`username@tenant`	Part B
Supervisor / Team Lead — watches the floor, takes calls, helps agents	`username@tenant`	Part C (and Part D)
Agent — takes and makes calls	`username@tenant`	Part D
Clicker Agent — places calls for other agents from a simple screen	`username@tenant`	Part E
Maker / Checker — only when the tenant uses approvals	`username@tenant`	B.4 Maker & Checker


> Screenshots come from the **Demo** tenant on version 1.9.80. Your screens may show other names, and some menus are hidden if your role does not allow them.

Getting started (all users)

Browser and headset

- Use a current **Google Chrome** or **Microsoft Edge** on a computer. Agents and supervisors need a headset and must allow the browser to use the microphone.
- Do not open DialCore in two tabs with the same user: the newer sign-in ends the older one.

Signing in




The sign-in page

1. Open your DialCore address. Enter your **Username** — tenant users type `username@tenant` (for example `Agent@Demo`) — and your **Password**, then choose **Sign in**.
2. If your company uses two-step verification, enter the 6-digit **one-time password** sent to your registered contact and choose **Verify OTP**. **Resend** becomes available after the countdown.
3. If you are already signed in somewhere else, DialCore asks **Force login confirmation**. **Force login** ends the other session; **Cancel** keeps it.
4. Agents and supervisors whose user group allows it then choose the campaigns and skills to work on.

Keep me signed in keeps admin users signed in across browser restarts. **Forgot password?** sends a reset link to your e-mail address. After a period without activity you are warned, then signed out with a notice; sign in again to continue.

The top bar and your account menu

Every screen has the same top bar: the **Workspace** (your tenant), the version, **Chat**, **Notes**, **Notifications** and your initials. Choose your initials to open the account menu: your role and tenant, extension, softphone status, session time and version, plus **Change password** and **Sign out**.




Account menu of a Tenant Admin

> Always use **Sign out** at the end of the day. Closing the tab leaves the session open until it times out.

Part A — Platform Admin

The Platform Admin (super admin) looks after the whole installation: voice servers, trunks, tenants and their admins, licences and shared settings. The menu has **Dashboard**, **Infrastructure** (Server, Trunk), **Tenancy** (Tenant, Tenant Admin) and **Administration** (License, System Disposition, Configuration, Database Tools).


A.1 Platform overview



Platform overview: tenants, licensed seats, servers online and renewals due

- The four tiles count active tenants, licensed seats, voice servers online and licences due for renewal (red when one has already expired).
- **Call volume by tenant** (Today / This week / This month), the most recently updated **Tenants**, and **License renewals** soonest first.


A.2 Voice servers



Infrastructure → Server

A voice server is an Asterisk telephony server. Choose **Servers +** to add one (address and description). In the row: the plug icon tests the connection, the pencil edits, the bin deletes. Status must be **ACTIVE** before tenants can use it.

A.3 Trunks




Infrastructure → Trunk

A trunk is the line to your telephone carrier. **Trunks +** adds one: group name, voice server, channel count, dial time (seconds a call may ring) and whether it carries inbound numbers (DNIS). Calls per second (CPS) are set here, on the trunk. **Status NO** switches a

trunk off everywhere: it is never dialled or newly assigned.


A.4 Tenants



Tenancy → Tenant (the tenant key is masked in this picture)

Each customer company is a **tenant** with its own users, campaigns and data. Tabs: **Tenants**, **Password Policy** and **Deleted tenants**.

Create a tenant with **Tenants +**. The wizard has these steps:




Create Tenant, step 1: session controls and security

1. **Step 1** — tenant and session controls (tenant name, DND check, idle time and timeout warning in minutes, user force login) and security (password type, two-factor authentication, **Maker & Checker** approvals, authentication mode internal or LDAP, account inactivity lock). Choose **Next: Licence**.
2. **Step 2** — the licence: services, seats and expiry for this tenant. Choose **Next: Servers**.
3. **Step 3** — the voice servers and trunks the tenant may use.
4. **Verification** — check the summary and save.

The wrench icon opens the tenant's settings; the pencil edits; the bin **soft-deletes**: the tenant moves to **Deleted tenants** and can be restored for 3 months, after which its data is removed for good.


A.5 Tenant admins



Tenancy → Tenant Admin

Create the first administrator of each tenant here (**Tenant Admins +**). Type **DOMAIN-ADMIN** is the normal admin; **MAKER** and **CHECKER** appear for tenants that use Maker & Checker. The lock button sets a new password.


A.6 Licence management



Administration → License

Overall shows the installation's licence (services, seats, expiry); one tab per tenant shows its share. The **Installation ID** (copy button) is what the licence is issued against — send it when you order or renew. The upload icon on **Overall** loads a new licence file; the whole file is checked before anything is replaced.


A.7 System dispositions



Administration → System Disposition

Call outcomes the system sets by itself (carrier result codes such as *Unlocated Number 404* or *Cancel*). They are shared by all tenants and appear in reports as **System** dispositions.


A.8 Service configuration



Administration → Configuration

Email: the mailbox DialCore uses to send one-time passwords and password resets (address, SMTP server and port, SSL, subject and template). **OTP services**: the SMS/OTP provider for two-step verification.

A.9 Database tools



Administration → Database Tools

- **Interaction List**: calls a tenant has open in the database for a date range. Use it only with support's advice to clear a call that is stuck (**Delete Selected**).

- **Data Backup**: take and download a database backup.
- **Archival Tool**: move old call data to an archive to keep the system fast.

Part B — Tenant Admin


The Tenant Admin sets up and runs one company. The menu:

Menu	Screens
Operations	Campaign, Manage Leads & List, Real Time
Workforce	User Management
Automation	IVR Design
Telephony	Voice Server
Data & CRM	CRM, API Configuration (API, Events, Audio Streaming)
Analytics	Reports
Administration	License, Docs

Lists work the same everywhere: **+** next to the tab name adds an item (it shows only on the selected tab), the pencil edits, the bin deletes, **Search in Table** filters and the rows selector sets the page size.

> **First-time set-up order:** skill sets → roles → user groups (with pause codes) → users → CRM table → campaign → dispositions → voice server (trunks, dialing mode) → lists and leads → IVR for inbound numbers. Then sign in as an agent and place a test call.

B.1 Dashboard




Operations overview

Calls handled, active campaigns, who is **signed in now** and new users for **This week / Last week / This month / Last month**, with call volume for the busiest campaigns.


B.2 Users

Workforce → User Management has the tabs Users, Role, User Groups, Skill Set and Pause Code.



Users, with the Dev Tools switch and blocked/expired users below


- **Users +** creates a user; **Multi-User** creates several at once.
- Each user has an **extension** (the softphone number), a **user group** and, for supervisors and admins, a **web role**. A user without a web role is an agent.
- The lock button sets a new password. Users locked by failed sign-ins, inactivity or expiry are listed separately under **Blocked/Expired users**.
- **Dev Tools**: agents cannot open the browser's developer tools. Switch it on only for a user who needs them (for example during support); they apply at that user's next sign-in.



Create User


Fill in user name, password, full name, user group, web role, phone number, e-mail and status. Tick **Clicker Agent** for a user who works on the clicker screen (Part E). The user counts against your licensed seats.

B.3 Roles, user groups, skill sets and pause codes




Role: which menus and actions a supervisor or admin may use

- **Role**: a named set of permissions (menus and actions). Give it to supervisors and team leads as their web role.
- **Skill Set**: skills link agents to campaigns and queues; calls go to agents with the matching skill.
- **User Groups**: agents in a group share settings — for example whether they choose their own campaigns at sign-in (**Agent Campaign Selection**).
- **Pause Code**: break reasons (BREAK, LUNCH, TRAINING…) per user group. The copy button copies pause codes to another group.



User Groups




Pause codes

B.4 Maker & Checker


If the Platform Admin turned on **Maker & Checker** for your tenant, user, role and user-group changes made by a **Maker** are not applied straight away: they wait on the **Maker Request** page until a **Checker** approves or rejects them. New users are usable only after approval.

B.5 Campaigns, dispositions and queues



Operations → Campaign

Campaigns + opens the campaign wizard:




Create Campaign, first step

- **Campaign Name**, description and **Status**.
- **Auto Dispose**: ALLOW closes the call record automatically if the agent does not dispose in time.
- **CRM**: the customer table the agent sees (B.6); **CRM URL** opens an outside CRM instead; **Mask** hides part of the phone number from agents.
- **Call Event Webhook URL**: an API (B.10) called on call events. **Feedback option** asks agents for call feedback.


- Choose **Next** for the remaining steps and save at the end.

Debug Campaign Action on a row records extra detail for that campaign while support investigates a problem; leave it OFF otherwise.



Dispositions: the outcomes agents choose after a call


Dispositions are per campaign. Types include success, follow-up (asks for a next calling time) and other; **Auto Disposition** marks the one used when a call is closed automatically. Agents can choose them with keyboard hot keys.



Queues

Queues hold inbound and transferred calls for a campaign; a higher **priority** is answered first.


B.6 CRM tables



Data & CRM → CRM


A CRM table holds your customer records and builds the screen agents see during a call. **Add CRM table**: name, the columns (fields), the **unique column** used to find a customer (usually `phone1`) and the interaction type (call). Link the table to a campaign.

B.7 Leads and lists




Operations → Manage Leads & List

- **List +** creates a list on a voice server with a priority (higher-priority lists are dialled first). **View** shows its leads.
- **Leads** (upload icon) imports a CSV/Excel file into a list for a campaign. The table shows each upload with totals, successes and failures.
- **Churn Leads** sends leads with chosen dispositions back for dialing; **Recycling Rules** does it automatically by call count, interval and disposition.
- **Lead Deletion** removes leads; **DND** holds do-not-call numbers that are never dialled; **Follow-Up** lists scheduled callbacks.




Lead uploads



Recycling rules

> Leads can also arrive from your own systems through the Lead Push API (ask your Platform Admin for the API key and documentation).

B.8 Voice server (dialing set-up)




Telephony → Voice Server

The tenant's voice server is the dialing set-up of a campaign. **Voice Server +** starts a wizard: campaign, trunks and caller IDs, **dialing mode** (preview, progressive, predictive or broadcast), lines per agent (at most 3), dialing hours, recording, music on hold and inbound numbers (DNIS).

For **predictive** dialing, the outbound parameters also set the abandon guard: *Abandon After* (seconds a customer waits for an agent), the abandon message, *Redial Abandoned Lead After* (default 72 h) and the pacing mode (Legacy, Shadow or V2 with an abandon-rate limit, default 3 %).


Other tabs: **Music On Hold** and **Sound Files** (upload audio for hold, IVR prompts and messages), **Phone Manipulation** (rewrite numbers before dialing), **Conference Number** and **Campaign Hotkeys** (keys for dispositions).

B.9 IVR designer



Automation → IVR Design


IVR flows answer inbound calls. **Create IVR** names a new flow; **Upload/Download** move flows between systems; **Sounds** opens the sound library. Open a flow to design it.



The IVR designer


1. Drag elements from the left onto the canvas: **Start**, **Play Prompt**, **Option Set** (press 1, 2…), **Question**, **Decision**, **Transfer** (to a queue, skill, agent or number), **Record**, **Music On Hold**, database and API steps, **Streaming On/Off** and **Hang Up**.
2. Connect each element's outputs — **S** success, **F** failure, **T** timeout (and answered/busy/no answer for outside destinations) — to the next element.
3. Use pages (bottom bar) to split a large flow. Choose **Save**, then **Activate**; an IVR runs only when it is active and linked to an inbound number.

B.10 Integrations, events and audio streaming



Data & CRM → API Configuration

- **API**: calls to an outside system (URL, method, body, headers) used by campaigns and IVR flows.
- **Events**: webhooks sent when call events happen.
- **Audio Streaming**: where the IVR **Streaming On** element sends live call audio — for example a speech-to-text or voice-analytics service.




New audio streaming profile

A profile has a name, **Transport** (WebSocket, which can send text back, or RTP), the destination address, the **audio format** and two switches: **Separate caller and agent streams** and **Show returned text to the agent** (the agent then sees a live **TRANSCRIPT** tab).


Then add **Streaming On** to an IVR flow and pick the profile.

B.11 Real-time monitoring and wallboard



Operations → Real Time → Monitoring


1. Choose the date (or **Use current time**), the campaign(s) and the agents, tick the panels to show, and choose **Submit**.
2. The view shows Live Agents (login, idle, in call, ACW, paused, hold), Interaction Details, List and Graphs. See C.3.



Wallboard: big-screen tiles for a campaign

Hide filters/**Show filters** gives the view the full width — useful on a TV on the floor.

B.12 Reports




Analytics → Reports


Pick a report tab, fill the filter panel on the right (campaign, distribution — daily, hourly, 30 or 15 minutes — and the date range), then **View**. **Save** keeps the filters under a name; **Saved** reopens them. Every report can be exported.

Report	Shows
Summary	Call totals per campaign and period
SLA	Inbound calls answered within the service-level time
CDR	One row per call: times, durations, agent, disposition, recording. *Fetch type* chooses system, user or both dispositions.
Login-Logout	Agent sign-in and sign-out times
APR	Agent performance: login, idle, break, ringing, talk, hold, after-call work per slot. Call times match the CDR; the columns add up to the login time.
Audit Log	Who changed what, and when
Recording Remark	Remarks on recordings
Trunk Utilization	Calls and channels used per trunk

Callback	Scheduled and completed callbacks
Abandon Compliance	Abandon rate against the limit, pacing state per campaign




CDR filters



APR filters


B.13 Scheduled reports



Reports → Scheduler

1. Create an **Email profile** (mail server, from/to, subject, message) or an **FTP profile** (SFTP server and folder).
2. In **All schedules** choose **+**: the report, filters, format (Excel, CSV or a recordings zip), when it runs and the delivery profile.
3. Finished files are listed in **Scheduled reports**. Each file is password-protected; the eye icon shows its password.

B.14 Licence




Administration → License

Your services, seats and expiry date. A warning appears in the last weeks before expiry; ask your Platform Admin to renew.

Part C — Supervisor / Team Lead

A supervisor is a user with a web role (for example *Team Lead*). The menus are the ones the role allows. A supervisor is also a seat: the top bar adds **Queue**, the **Ready / Manual** switch and **Break**, and the bottom bar shows your state and the **Dial pad**.

C.1 Supervisor workspace




Supervisor workspace with the punch card


- **Punch card**: your login, break, wait, talk and after-call-work time, calls handled, occupancy and average handle time for this shift.
- **Ready** takes dialer and inbound calls. **Manual** stops the dialer sending you calls, so you can place your own. **Break** pauses you with a pause code.
- **Queue** shows calls waiting for your skills.

> Signing in can put you in **Ready**. If you are only monitoring, switch to **Manual** so the dialer does not connect customers to you.

C.2 Dial pad and account menu




Dial pad: campaign, trunk and skill, then a phone number or a customer's unique ID



Supervisor account menu: softphone status and Login as agent

Softphone: Registered means you can take calls. If it is not registered, sign out and in again and check the microphone permission.


C.3 Real-time monitoring



Live agents after Submit

- Choose the campaign and agents, then **Submit**. The tiles count agents logged in, idle, in call, in ACW, paused and on hold.
- The **Live agents** table shows each agent's campaign, skill, status and time in it. **View Interaction** opens the call; from there you can listen, whisper or barge in.
- **Dispose Interaction** closes a call left open; **Message** sends a message to agents.
- Other tabs: **Interaction Details**, **List** (lead progress) and **Graphs**.

C.4 Login as agent




Login as agent: choose inbound and outbound campaign and skill

When the floor is busy, **Login as agent** (account menu) moves you to the agent screen without signing out. Choose the campaign and skill for inbound calls and for outbound calls, then **Submit**. You then work exactly as in Part D. **Login as supervisor** in the account menu brings you back.

Part D — Agent

D.1 Starting your shift

1. Put on your headset, open Chrome or Edge and sign in with `username@tenant` (Getting started).
2. If asked, choose your campaigns and skills.
3. Check the account menu shows **Softphone: Registered**.
4. Choose **Ready** to start taking calls.




Agent workspace: recent activity, follow-ups due and campaign activity

The menu has **Dashboard**, **Punch Card**, **Call Logs**, **Follow-Ups** and **Hot-Keys**. The bottom bar always shows your state and time in it.

D.2 Your states

State	Meaning
Ready	The dialer and inbound queues send you calls.
Manual	No automatic calls; you place calls yourself from the dial pad.
Break	Paused with a reason (pause code). Choose **Ready** to come back.
On call / ACW	Set by the system while you talk and while you finish the call (after-call work).



Break: choose the break type, then Submit

D.3 Taking a call

When a call connects, the call card and the customer's record (CRM) open. The call card shows the customer's number (masked if your admin chose so), the campaign, the **account code** (the call's reference — quote it to support) and the call controls:

Control	What it does
Mute	The customer cannot hear you; choose again to unmute.
Hold	Puts the customer on hold with music; choose again to resume.
Keypad	Sends tones (for example to an automated menu).
Transfer	Sends the call to another **agent**, a **queue**, a **skill** or an **IVR**.
Conference	Adds a third party; **Transfer Conference** hands the customer over after you have spoken to them; **Hang-Up Conference** drops the third party.
Hang up	Ends the call and moves you to after-call work.
Redial	Calls the same customer again.


While the call is on, fill in the customer's details in the CRM form. If audio streaming with transcripts is on for the call, a **TRANSCRIPT** tab shows the conversation as text.

> The call card is only shown during a live call, so it is not pictured in this manual.

D.4 Disposing the call

1. After the call, choose the **disposition** (outcome) in the **Dispose** panel, or press its hot key.
2. For a follow-up disposition, choose the next calling time — it appears under **Follow-Ups**.
3. Submit. You return to Ready (or your previous state). If your campaign allows auto-dispose, an undisposed call is closed for you after a while.


D.5 Placing your own call




Dial pad

Switch to **Manual**, open **Dial pad** (bottom right), choose the campaign, trunk and skill, then type the phone number (or choose **Unique ID** to dial a customer by their record) and call.

D.6 Punch card, call logs, follow-ups and hot keys




Punch card: your shift so far




Call history: filter by time and phone number, play recordings, redial

Call Logs: choose a start and end time (and optionally a phone number), then **Filter**. Each row has the account code and actions to play the recording or call back.



Scheduled follow-ups

Follow-Ups lists your callbacks with their next calling time; call them from here when due.




Disposition shortcuts

Hot-Keys lists the keys that choose a disposition during wrap-up, per campaign. Your admin sets them (Voice Server → Campaign Hotkeys).

D.7 Ending your shift

Take a **Break** when you leave your desk. At the end of the shift finish or dispose any open call, then **Sign out** from the account menu.



Agent account menu (a supervisor working as agent also sees Login as supervisor)

D.8 Problems

Problem	Try
Softphone not registered / no calls	Sign out and in again; allow the microphone; check the headset is the browser's selected device.
Customer cannot hear you, or you cannot hear them	Check mute and the headset; tell your supervisor the account code.
Signed out unexpectedly	Someone signed in with your user elsewhere, or the session was idle too long. Sign in again.
"Version mismatch" at sign-in	The system was just updated: reload the page (Ctrl+F5) and sign in again.
F12 / right-click does nothing	Developer tools are blocked for agents. Ask your admin if support needs them.

Part E — Clicker Agent

A clicker agent (a user created with **Clicker Agent** ticked) works on a simple **Clicker workspace** instead of the agent screen. It shows **Available Agents**, **In Call Agents**, **Available Trunks** and **Calls-In Queue**. The clicker places calls that are then connected to a free agent; each action asks for **Confirm**. Use **Refresh** to update the counts.

Glossary

Term	Meaning
Tenant	One customer company on DialCore, with its own users and data.
Campaign	A calling project: its leads, dispositions, CRM screen and dialing set-up.
Disposition	The outcome of a call, chosen by the agent (or set by the system).
Account code	The unique reference of one call, shown on the call card, in Call Logs and in the CDR.
ACW	After-call work: time between hang-up and disposing.
CDR	Call detail record: one row per call.
APR	Agent performance report.
DNIS	The number the customer dialled (inbound).
DND	Do not disturb / do-not-call list.
Predictive dialing	The dialer calls ahead of free agents, kept under the abandon-rate limit.
Abandoned call	A customer answered but no agent was free in time.